

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle	Gross Vehicle Weight registered																																																					
<b>Vehicle Information</b>																																																						
VIN																																																						
Unit Number	Year	Make	Model	Odometer																																																		
Registered Owner's Name			Plate Number																																																			
Address			Postal Code	Phone Number																																																		
Drum Brakes:		Disc Brakes:																																																				
<table border="0" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%; text-align: center;"><b>LEFT</b></td> <td style="width: 15%; text-align: center;"><b>FRONT</b></td> <td style="width: 15%; text-align: center;"><b>RIGHT</b></td> <td style="width: 15%;"></td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td style="text-align: right; padding-right: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td>           Drums/Rotors  <input type="text"/> mm            Linings/Pads  <input type="text"/> mm            Push Rod Travel  <input type="text"/> mm         </td> <td> <input type="text"/> mm  <input type="text"/> mm  <input type="text"/> mm         </td> <td style="text-align: left; padding-left: 10px;"> <input type="text"/> psi  <input type="text"/> mm         </td> </tr> <tr> <td colspan="5" style="text-align: center;">           Park Brake Lining      Left _____ mm      Right _____ mm      Trans _____ mm            Wheel Torque Checked      <input type="checkbox"/> Inner _____ ft lbs      Outer _____ ft lbs         </td> </tr> </table>						<b>LEFT</b>	<b>FRONT</b>	<b>RIGHT</b>		<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm	Park Brake Lining      Left _____ mm      Right _____ mm      Trans _____ mm Wheel Torque Checked <input type="checkbox"/> Inner _____ ft lbs      Outer _____ ft lbs				
	<b>LEFT</b>	<b>FRONT</b>	<b>RIGHT</b>																																																			
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
<input type="text"/> psi <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	Drums/Rotors <input type="text"/> mm Linings/Pads <input type="text"/> mm Push Rod Travel <input type="text"/> mm	<input type="text"/> mm <input type="text"/> mm <input type="text"/> mm	<input type="text"/> psi <input type="text"/> mm																																																		
Park Brake Lining      Left _____ mm      Right _____ mm      Trans _____ mm Wheel Torque Checked <input type="checkbox"/> Inner _____ ft lbs      Outer _____ ft lbs																																																						

# COMMERCIAL VEHICLE RECORD OF INSPECTION

## TRUCK AND TRUCK-TRACTOR

### Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator				1.8. Engine Start Safety Feature			
1.2. Exhaust System				1.9. Gear Position Indicator			
1.3. Emission Control Systems and Devices				1.10. Engine or Accessory Drive Belt			
1.4. Drive Shaft				1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			
1.5. Clutch and Clutch Pedal				1.12. Gasoline or Diesel Fuel System			
1.6. Engine/Transmission Mount				1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			
1.7. Engine/Shut Down							

**NOTES:**

### APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System							

**NOTES:**

### Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments				2.5. Air Suspension			
2.2. Axle Attaching & Tracking Components				2.6. Self-Steer and Controlled-Steer Axle			
2.3. Axle & Axle Assembly				2.7. Shock Absorber/Strut Assembly			
2.4. Spring & Spring Attachment							

**NOTES:**

### Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components				3H.13. Disc Brake System Components			
3H.2. Brake Pedal/Actuator				3H.14. Mechanical Parking Brake			
3H.3. Vacuum Assist (Boost) System				3H.15. Spring-Applied Air-Released Parking Brake			
3H.4. Hydraulic Assist (Boost) System				3H.16. Spring-Applied Hydraulic-Released Parking Brake			
3H.5. Air Assist (Boost) System				3H.17. Anti-Lock Brake System (ABS)			
3H.6. Air-Over-Hydraulic Brake System				3H.18. Stability Control System			
3H.11. Brake System Indicator Lamps				3H.19. Brake Performance			
3H.12. Drum Brake System Components							

**NOTES:**

### Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor				3A.13. Air System Components			
3A.2. Air Supply System				3A.14. Brake Chamber			
3A.4. Air Tank				3A.15. Drum Brake System Components			
3A.5. Air Tank Check Valves				3A.16. S-Cam Drum Brake System			
3A.6. Brake Pedal/Actuator				3A.17. Brake Shoe Travel (Wedge Brakes)			
3A.7. Treadle Valve and Trailer Hand Valve				3A.18. Disc Brake System Components			
3A.8. Brake Valves & Controls				3A.19. Anti-Lock Brake System (ABS)			
3A.9. Proportioning, Inversion or Modulation Valve				3A.21. Stability Control System			
3A.10. Towing Vehicle (Tractor) Protection System				3A.23. Brake Performance			

# COMMERCIAL VEHICLE RECORD OF INSPECTION

## TRUCK AND TRUCK-TRACTOR

### Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application							

**NOTES:**

### Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage				4.4. Kingpin			
4.2. Power Steering System (Hydraulic and Electric)				4.5. Self-Steer and Controlled-Steer Axle			
4.3. Steering Operation (Active Steer Axle)							

**NOTES:**

### Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher				5.8. Heater & Windshield Defroster			
5.2. Hazard Warning Kit				5.9. Fuel-Burning Auxiliary Heater			
5.3. Horn				5.10. Chain/"Headache" Rack			
5.5. Speedometer				5.11. Auxiliary Controls and Devices			
5.6. Odometer				5.12. Auxiliary Drive Controls			
5.7. Windshield Wiper/Washer							

**NOTES:**

### Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps				6.4. Instrument Panel Lamps			
6.2. Reflex Reflector				6.5. Headlamp Aim			
6.3. Retro-Reflective Marking							

**NOTES:**

### Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring				7.3. Trailer Cord (output to towed vehicle)			
7.2. Battery							

**NOTES:**

### Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure				8.12. Bumper			
8.2. Tilt Cab				8.13. Windshield			
8.3. Air-Suspended Cab				8.14. Side Windows			
8.4. Cab and Passenger-Vehicle Body				8.15. Rear Window			
8.5. Cargo Body				8.16. Interior Sun Visor			
8.6. Frame, Rails & Mounts				8.17. Exterior Windshield Sun Visor			
8.7. Unitized Body Elements				8.18. Rear-View Mirror			
8.8. Cab or Cargo Door				8.19. Seat			
8.9. Cargo Tank or Vessel				8.20. Seat Belt/Occupant Restraint			
8.10. Body, Device or Equipment Attached or Mounted to the				8.21. Fender/Mud Flap			

# COMMERCIAL VEHICLE RECORD OF INSPECTION

## TRUCK AND TRUCK-TRACTOR

### Section 8 - Body

Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))				8.24. Aerodynamic Device & Attachment			

**NOTES:**

### Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth				9.7. Wheel/Rim (Applies to all wheel types)			
9.2. Tire Tread Condition				9.8. Multi-Piece Wheel/Rim			
9.3. Tire Sidewall & Manufacturer Markings				9.9. Spoke Wheel/Demountable Rim System			
9.4. Tire Inflation Pressure				9.10. Disc Wheel System			
9.5. Wheel Hub				9.11. Wheel Fasteners (Nuts, Bolts and Studs)			
9.6. Wheel Bearing							

**NOTES:**

### Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components				10.5. Roll-Coupling Hitch			
10.2. Secondary Attachment (Safety Chain or Cable)				10.6. Automated Coupling Device			
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.7. Fifth Wheel Coupler			
10.4. Ball Type Hitch				10.8. Oscillating Fifth Wheel Coupler			

**NOTES:**

#### Certification

The Vehicle for which this Record of Inspection is issued has \_\_\_\_\_ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
--------------------	-------------------	-----------------	-----------

#### Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

Customer Signature