

Module 6

QUIZ

1. Which element is a block-level element?
 - A.
 - B. <a>
 - C. <p>
 - D.
2. What does an inline element NOT do?
 - A. Takes full width
 - B. Starts on new line
 - C. Uses style
 - D. Contains text
3. What is <div> used for?
 - A. Sections or divisions
 - B. Links
 - C. Images
 - D. Lists
4. What is class used for?
 - A. Tables
 - B. Connecting HTML with CSS
 - C. Images
 - D. Links
5. What does responsive design do?
 - A. Adds color
 - B. Adds Links
 - C. Adds images
 - D. Adjusts layout automatically

LONG QUIZ

1. Which is a block-level element?
 - A. `<span>`
 - B. `<img>`
 - C. `<div>`
 - D. `<a>`
2. Which tag is used for paragraphs?
 - A. `<span>`
 - B. `<div>`
 - C. `<section>`
 - D. `<p>`
3. Which element starts on a new line?
 - A. inline element
 - B. `<a>`
 - C. `<span>`
 - D. block-level element
4. Which is an inline element?
 - A. `<div>`
 - B. `<span>`
 - C. `<p>`
 - D. `<section>`
5. Inline elements take:
 - A. Full width
 - B. Fixed width
 - C. Half width
 - D. Only necessary width
6. Which is correct `<span>` usage?
 - A. `<span>Hello</span>`
 - B. `<span/>Hello`
 - C. `<span></span>Hello`
 - D. `<span=Hello>`
7. What does `<div>` define?
 - A. Link
 - B. List
 - C. Division or section
 - D. Image

8. Which is correct <div> example?
- A. <div/>London
 - B. <div><h2>London</h2></div>
 - C. <div></London>
 - D. <div=London>
9. How to center a <div>?
- A. margin: auto
 - B. align:center
 - C. float:center
 - D. display:center
10. Which property positions elements horizontally?
- A. display
 - B. padding
 - C. float
 - D. margin
11. Which code uses float?
- A. position:left;
 - B. float:left;
 - C. align:left;
 - D. style:left;
12. Which display removes line breaks?
- A. block
 - B. flex
 - C. inline
 - D. inline-block
13. Which connects HTML with CSS?
- A. style
 - B. id
 - C. class
 - D. div
14. Correct class example:
- A. <h2 id="city main">
 - B. <h2 class=city main>
 - C. <h2 style="city main">
 - D. <h2 class="city main">
15. Class name is:
- A. Always uppercase
 - B. Not important

- C. Always lowercase
- D. Case sensitive

16. Which is correct id syntax?

- A. .idName
- B. idName()
- C. #idName
- D. *idName

17. Correct id example:

- A. <h1 id="">
- B. <h1 id="my Header">
- C. <h1 id="123Header">
- D. <h1 id="myHeader">

18. Which rule is correct for id?

- A. Has spaces
- B. Starts with number
- C. Can be reused
- D. Used once only

19. Which shows class vs id difference?

- A. ID is reusable
- B. Class can be used multiple times
- C. Class is unique
- D. ID is multiple

20. Which is layout technique?

- A. HTML table
- B. HTML list
- C. CSS grid
- D. HTML link

21. Which is included in layout techniques?

- A. HTML images
- B. CSS frameworks
- C. HTML links
- D. HTML tables

22. Which is included?

- A. HTML text
- B. CSS float property
- C. HTML color
- D. HTML style

23. Which is included?

- A. HTML div

- B. CSS flexbox
- C. HTML span
- D. HTML id

24. Which meta tag is used for viewport?

- A. <meta size="viewport">
- B. <meta width="viewport">
- C. <meta device="viewport">
- D. <meta name="viewport">

25. Block-level elements:

- A. Only for images
- B. Do not start new line
- C. Only for links
- D. Start on new line

26. Inline element:

- A. Starts new line
- B. Fixed width
- C. Takes needed width
- D. Full width

27. Class is used for:

- A. Images
- B. Tables
- C. Links
- D. CSS and JavaScript

28. ID is:

- A. Reusable
- B. Optional
- C. Multiple
- D. Unique

29. Responsive design works on:

- A. Desktop only
- B. Tablet only
- C. Mobile only
- D. All devices

30. Responsive images:

- A. Only small
- B. Fixed size
- C. Only large
- D. Adjust to screen size