

How I rose from the dead in my spare time and so can you

A. J. Spektowsky¹, Philip K. Dick² and Rolf Turner^{3*}

School of Hard Knocks, Sirius Cybernetics Corporation and the University of Orcland

Summary

This document serves to illustrate some of the main features of the \LaTeX document class “anzsauth” which authors are strongly encouraged to use when preparing papers for submission to the *Australian and New Zealand Journal of Statistics*. The importance of clarity of exposition as well as a number of issues that frequently arise in respect of the Journal’s standards and conventions are emphasised. The Journal has precise requirements for the format of bibliographic references and citations. It is much easier for authors to conform to these requirements if they use the resources provided by \LaTeX and the `anzsj` bibliography style. Authors are very strongly encouraged to avail themselves of these resources. The use of \LaTeX syntax is illustrated. This document emphasises a few of the notational conventions that form an important part of the Journal’s stylistic requirements. A great deal more material about these requirements may be found in the document “ANZIS Style Guide for Authors” in the file `styleGuide.pdf`. That file is included in the zip archive of material from which you obtained the document that you are currently reading, i.e. `protoType.pdf`.

Key words: `anzsauth`; bibliographic references; `bibtex`; citations; document class; notational conventions; style guide

1. Introduction

The tone of this prototype and the examples used are flippant (and meant to be humorous; I guess it all depends on your sense of humour). However the intent is quite serious: to show clearly how to use the `anzsauth` document class so as to be able to produce an article conforming to the Journal’s requirements with a minimum of effort. The relevant

*Author to whom correspondence should be addressed.

¹ Department of Redundancy Department, School of Hard Knocks, Great Falls, MT 54321, USA

² Complaints Division, 30102 East Rhode Island School of Design Terrace, Small Planet, Near Betelgeuse

³ Department of Statistics, University of Auckland, Private Bag 92019, Auckland 1142, New Zealand

Email: `r.turner@auckland.ac.nz`

Acknowledgment. The author (singular!) — and he is indeed singular — gratefully acknowledges input, advice, feedback and encouragement from Alan Welsh, James Curran, Michael Martin, Martin Hazelton, Petra Graham, Chris Triggs, Neville Bartlett, David Scott and Ken Russell. Any remaining errors or omissions are all their fault.

Opinions and attitudes expressed in this document, which are not explicitly designated as Journal policy, are those of the author and are *not* necessarily endorsed by the Journal, its editorial board, its publisher Wiley or by the Australian Statistical Publishing Association Inc.

document class file, `anzsauth.cls`, is contained in the zip archive `anzsauth.zip` which may be obtained from <http://onlinelibrary.wiley.com/journal/10.1111/%28ISSN%291467-842X> by clicking on “Author Guidelines”, scrolling down to “Latex Template” and then clicking on the appropriate link. It is also possible to obtain this zip archive by visiting your ScholarOne “Author Centre” (“Start New Submission”) and noting the bullet point:

- Before submitting or revising your manuscript, please download the zip archive `anzsauth.zip` by clicking [here](#).

Clicking on “[here](#)” duly produces the desired zip archive. (You may — in fact probably!!! — have already done this to obtain the document that you are currently reading.)

In addition to the document class file referred to above, and `protoType.pdf`, the document that you are reading, the zip archive under discussion contains

- `anzsj.bst` which effects the Journal’s bibliography style
- `protoType.tex`, the \LaTeX source for `protoType.pdf`
- `protoRefs.bib`, an example bibliography source file such as is needed for use with \BIBTeX
- `ltdbFigure.pdf`, an example figure file
- `styleGuide.pdf` which contains a more elaborate discussion of the Journal’s style requirements than does the current document
- `VERSION`, a file giving the current version number, and the version history, of `anzsauth.zip`.

You are advised to *look carefully* at the source file `protoType.tex`, and to spend a little while studying the examples. In particular, read the *comments*.

In addition to saving you time and effort on the initial creation of the document, using the tools provided by the `anzsauth` document class in particular and by \LaTeX in general facilitates revising the document. Appropriate adjustments to numbering, cross-referencing, and the like are handled automatically. There are many resources available to help beginning (and not-so-beginning) users of \LaTeX . For instance you will find useful information and guidance in the books by ?? and ?. (Of course ? is the definitive source of information since ? is the author of \LaTeX .) The web is also replete with resources; just do a Google™ search on “`latex`”. (Amazingly one gets the relevant web sites on the first few hits; only later on do sites aimed at rubber-fetishists start to show up.)

An example of the way that \LaTeX and the `anzsauth` document class make life easier for you is to be found in respect of the requirement that papers submitted to the Journal should be *double spaced* and should have their lines *numbered*. This is important inasmuch

as it makes it easier for referees and technical editors to indicate where corrections are required. Double spacing is easily effected by invoking the `anzsauth` document class via (e.g.): `\documentclass[times, doublespace]{anzsauth}`. The document that you are currently reading is double spaced in this way. Line numbering is effected by placing `\usepackage{lineno}` and `\linenumbers` in the preamble. See `protoType.tex`.

A primary requirement that the Journal imposes is that papers must be written lucidly and in clear and grammatically correct English. Consequently Section 2 is devoted to issues that arise in respect of good exposition. Other requirements include proper formatting of the title page. This is done *far* more easily if you make use of the resources provided by the `anzsauth` document class than if you attempt to do the formatting “by hand”. (See Section 3).

The Journal insists that citations should be formed correctly and in accordance with its conventions. Likewise the list of references must have the correct structure. Again these requirements are *greatly* facilitated if you make use of the resources provided (by means of `BIBTEX` and the `anzsj` bibliography style). These matters are discussed in Section 4.

Although this is *not* handled in an automatic manner, it is important to adhere to the Journal’s notation conventions. Most of the discussion of notational conventions has been placed in “ANZJS Style Guide for Authors” to be found in the file `styleGuide.pdf` referred to above.

Some of the more salient points about notation are dealt with in Section 5 in the current document (thus overlapping a bit with the style guide). Displayed equations and their numbering are dealt with in Section 6. In this section some cogent advice is given about handling arrays of equations. Issues that arise in respect of the inclusion of figures and tables in a paper are discussed in Section 7. In Section 8 some remarks are made, and avuncular advice given, about cross referencing. Section 9 presents the Journal’s policy about how appendices should be headed. It also describes the `Appendix` and `uniqueAppendix` environments that are now provided by the `anzsauth` document class and that make it easy for you to make sure that your appendices are headed in the correct manner. Section 10 provides a little bit of advice about preparing and processing the “source files” that underlie the use of \LaTeX .

It has been pointed out to me that some authors need some guidance as to what to do with the files `anzsauth.cls` and `anzsj.bst` which are to be found in the `anzsauth.zip` archive. A little bit of such guidance is given in Section 11.

Various exhortations are reiterated, and some advice about how to make use of `protoType.tex` is given in Section 12. In this last Section you are additionally exhorted to create a *tidy* \LaTeX source file.

Readers might be interested to know about some of the “literary” allusions found in this document. The title of this paper is actually that of a (fictitious, of course) book that is referred to in the (real) book *A Maze of Death* by Philip K. Dick (?). The aforesaid title exemplifies a particularly egregious error in English usage that can be described as “faulty parallelism”. It is an example of the sort of thing that one *shouldn’t do*! Philip K. Dick is perhaps best known as the author of *Do Androids Dream of Electric Sheep?* (?) upon which the movie *Blade Runner* (starring Harrison Ford) was based. The fictitious book referred to above was putatively written by one A. J. Specktowsky who is given the honour of being first author of the current paper. Philip K. Dick himself has been made the second author. The third author, my very good self, is the real author. (The repeated use of the word “real” in the foregoing paragraph invites the question “What is reality?” But let’s not go there!)

The “Department of Redundancy Department” is an allusion to the comedy recording *Don’t Crush that Dwarf, Hand Me the Pliers* by the group *Firesign Theatre* (?). “Sirius Cybernetics Corporation” is an allusion to *The Hitch Hiker’s Guide to the Galaxy* (?). The address of the Complaints Division of the Sirius Cybernetics Corporation refers back, for no particularly good reason, to ?.

2. Clarity of exposition

Obviously the fundamental consideration in respect of assessing a paper’s quality is its actual content: its correctness and its value in terms of the advancement of statistical science. Second only to content is the quality of the exposition of the ideas developed in the paper. There is little merit in having high quality content if the paper is written in such a manner that its audience finds it burdensome or even impossible to read.

The Journal has very exacting standards for the quality of English expression in the papers it publishes. Authors are expected to think carefully about the way in which they present material. Ideas should flow in a logical manner. The connections between successive segments of the material should be obvious and easy to follow. Succinct and well-organised examples, kept as uncomplicated as possible, should be provided to clarify intricate concepts. It is *not* acceptable to throw down a jumble of ideas in random order and expect the reader to sort them out. Sufficient explanation should be provided so that any reasonably well-educated statistician who is willing to expend a reasonable amount of effort will be able to understand the paper. It is *not* acceptable for the paper to be comprehensible only to experts in the relevant field of study (or, worse, only to the authors!).

Diligent attention must be paid to grammar. For instance *articles*, definite (“the”) and indefinite (“a” or “an”) must be used appropriately. It is not acceptable to omit articles where they are required, to insert an article where none is required, or to use a definite article where

an indefinite one is required or vice versa. In a similar vein, agreement in “number” between subject and verb must be carefully maintained. Authors must guard vigilantly against the use of dangling or misplaced modifiers (an unfortunately common type of error).

A typical example of a dangling modifier is “The SE of the correlation increased in size when changing from 4 to 5 quadrature points. This sounds as if the SE changed from 4 to 5 quadrature points! A grammatically correct phrasing might be something like “The SE of the correlation increased in size when the number of quadrature points was changed from 4 to 5.” A typical example of a misplaced modifier is “A plot of the residuals from Specktownsky’s model shown in Figure 42 indicates the lack of an adequate fit.” (The *model* is not shown in Figure 42!) Better would be “A plot, shown in Figure 42, of the residuals from Specktownsky’s model indicates the lack of an adequate fit.”

Some might argue that grammatical issues like these “don’t really matter” and that “the meaning is clear”. The meaning is *sometimes* clear, and sometimes becomes possible to discern only after readers have expended considerable effort that has been unnecessarily imposed upon them. Grammatical errors are distracting and confusing. Reading a paper containing grammatical errors is an unpleasant experience, and readers will be discouraged from giving a paper containing such errors the attention that it may otherwise well deserve. Such errors are an unnecessary encumbrance to a paper and can be avoided with a modicum of care and diligence. The Journal insists that such diligence be exercised.

In addition to being written with logical clarity and being free of grammatical errors, manuscripts should be concise and expressed in a direct style. Sentences should be kept short; long sentences are hard to follow and should always be judiciously broken into a number of shorter sentences. Distracting use of unnecessary technical terms should be avoided. Do not abbreviate terms unless they are used repeatedly and the abbreviation is helpful to the reader. Initially use the word in full, and follow it by the abbreviation in parentheses. Thereafter use the abbreviation only. Do not abbreviate author names; for example “Hall and Heyde (HH)” must *not* be used.

Care must be taken with the tense of verbs. Use the past tense when describing something that was done in the past! In particular simulations should be described in the past tense. For example say “We generated 1000 data sets from our parametric model . . .” and not “We generate 1000 data sets . . .”. Use the past tense when referring to results from existing literature. For example, use “Smith & Jones (2007) showed that two plus two equals four”, not “Smith & Jones (2007) show that two plus two equals four”. Use the present tense in referring to the content of the paper that you are writing: “In this paper we show that the convergence rate is $o_P(n^{-2/3})$.” (Not “we showed that”.)

It is the responsibility of the authors to ensure that the use of English language in the manuscript is of a quality suitable for the Journal. If you are not absolutely confident that this

requirement is fully satisfied, then have your manuscript checked and *thoroughly* edited by a suitably qualified person. Such a person (whose first language should preferably be English) must have superior English language skills and also be qualified in statistics so as to be able to assess and correct the expression of statistical ideas.

Failure to ensure an adequate standard of English expression may result in the paper's being rejected at the Technical Editing stage *even though* it has previously been assessed by referees and an associate editor as being acceptable for the Journal. Referees are experts in the particular field addressed by a given paper and they assess that paper for correctness and value of statistical and scientific content. They rarely read the paper carefully in respect of style and exposition, assuming that this is not their responsibility. This is why the Journal explicitly leaves final acceptance to the Technical Editor. The Journal also reserves the right to modify an accepted paper so as to reduce inadequacies of exposition. Any such modifications will be discussed with authors, where feasible.

The Journal's publisher, Wiley, provides a service that can assist authors with English-language editing. To find out about this service you may visit:

http://authorservices.wiley.com/bauthor/english_language.asp

Authors must be aware that there is a *cost* associated with this service, and this cost must be borne by the author(s) of the paper in question.

3. Formatting the title page

Do not try to create the list of authors, their affiliations and their addresses by hand. This is difficult, kludgy and usually leads to results that are not in keeping with the Journal's requirements (which eventually makes more work for the typesetters). Take a moment to learn to use the macros that the `anzsauth` document class provides. Look into the *source* file (`protoType.tex`) that was used to produce this document. Given that you are looking at this document (file `protoType.pdf`) you presumably downloaded and unzipped the zip archive `anzsauth.zip` from the Journal's web page. The source file is to be found among the files obtained from that zip archive, alongside the `*.pdf` file that you are currently reading. By looking at the structure of this source file, you should be able to quickly discern the way in which these macros should be used.

These macros include:

- `\runningheads{...}`
- `\author{...}`
- `\affiliation{...}`
- `\address{...}`
- `\addressnum{...}`

190 • \keywords{...}
 191 • \ack{...}

192 Note also that using the “abstract” environment, delimited by “\begin{abstract}” and
 193 “\end{abstract}”, produces the correct heading “**Summary**” as required by the Journal.

194 By learning to use these resources you will in the long run save a *great* deal of time and
 195 dramatically reduce the effort that you expend.

196 4. Bibliographic references

197 4.1. The Journal’s citation rules

198 The Journal (for the sake of consistency; see Section 5) imposes a number of strict rules
 199 or conventions on the way that citations are formed. Authors *must* follow these conventions.
 200 Just as you are advised not to format the title page “by hand”, you are strongly encouraged
 201 not to produce your citations and your list of references in an ad hoc one-by-one manner.
 202 Instead use the (very well designed) tools that are available for the purpose. That is, make use
 203 of \LaTeX and the `anzsj` bibliography style (see Section 4.2). If you do so, then (most of)
 204 the Journal’s required conventions will be followed automatically, thereby saving you a great
 205 deal of work and a great many headaches.

206 If you insist on “doing things your own way”, then you must *read carefully* the relevant
 207 section of “ANZJS Style Guide for Authors” (to be found in the file `styleGuide.pdf`
 208 which is included in the zip archive in which you found the document that you are currently
 209 reading) and carefully follow the specifications given.

210 A rule that \LaTeX and the `anzsj` bibliography style will *not* automatically handle for
 211 you is that the names of journals appearing in the reference list must *not be* abbreviated. This
 212 is a

213 CHANGE or REVERSAL

214 of Journal policy from what it has been in the past. (One might be inclined to say that it
 215 is an “about face” or retreat, or climb-down.) If you have struggled to dutifully make your
 216 references accord with the previous policy that demanded that journal names be abbreviated
 217 in accordance with “standard abbreviations” and have arduously combed the web to find out
 218 just what these standard abbreviations are ... well, I can only apologise. You are however
 219 owed some explanation:

220 The Editorial Board were unanimously of the opinion that the policy of demanding
 221 abbreviated Journal names was probably adopted in the dim distant past to save time
 222 for typesetters, and has little function in today’s circumstance. The only actual benefit of

this policy is that there is a tiny space saving, and this tiny benefit comes at the cost of unnecessarily adding tedious work to authors' responsibilities. It also has the disadvantage of making our papers less accessible to readers, especially non-statisticians/mathematicians. Some readers may know that *Stat. Neerl.* is *Statistica Neerlandica*, but many will not. The change in policy is one small step toward making statistics research more user-friendly.

Consequently *please* do not abbreviate journal names. At all. Ever. Please *consistently* give journals their full title. Again I apologise (on behalf of the Editorial Board) if this causes you inconvenience and results in your having wasted (substantial) time and effort.

Another rule that cannot be automatically handled is that reference may not be made to a paper "submitted for publication" or to a "personal communication". The essential criterion for inclusion in the reference list is that any such reference must be obtainable by a reader: thus a Technical Report is OK and a paper accepted for publication is OK. You may, if you wish, put into the text a kind of acknowledgement of the form "It was pointed out to me by Fred Nurk (*pers. comm.*) that Bayesian statistics is a load of dingoes' kidneys." However such references must *not* be listed in your bibliography.

Likewise references to unpublished data may be cited in the text (e.g. "I. Poobah, unpublished data, 2000") but must not appear in the list of references. Otherwise all citations mentioned in the text, tables or figures must be listed in the reference list. A work must *not* appear in the reference list *unless* it is cited in the text.

4.2. Using BIB_T_EX

Authors are **STRONGLY** encouraged to make use of the resources provided by BIB_T_EX in preparing their lists of references and in citing these references in their documents. This is easy to do and helps to make sure that the reference list and citation conventions conform to the Journal's requirements. The Journal has its own "bibliographic style" ("anzsj") which is based upon the `natbib` package.

To use BIB_T_EX you need to do the following:

1. Prepare a "bibliographic information" (`*.bib`) file containing appropriately structured information about all of the references that you will cite in your document. Note that this file can contain information about references that you *do not cite* in your document. Only those references cited will appear in the list of references. This allows you to prepare a single bibliographic information file that can be used for multiple papers with overlapping but not identical reference lists. Of course when submitting a paper you may wish to upload only a cut-down `*.bib` file that contains only the relevant references (rather than a very large bibliographic information file with a plethora of irrelevant entries).

The way that the information in your bibliographic information file should be structured is illustrated by the example file `protoRefs.bib` that accompanies the document that you are currently reading. Imitating the entries in this example file should allow you to create just about any references you need to use. Note that some rather off-beat entries in `protoRefs.bib` are not cited in this paper and hence do not appear in the bibliography. This is in accordance with the rule that *only* literature which is actually cited may appear in the list of references. Four of these entries are referred to in commented-out “`\nocite`” commands at the end of the source file `protoType.tex`. If you want to see what bibliography entries these items would produce, just un-comment the “`\nocite`” lines and then compile `protoType.tex`.

More information about the structure of `*.bib` files may be found in ?. There are also many resources to be found on the web by doing a Google™ search on “`bibtex`”.

2. At the end of your `LATEX` source for your document place the line `\bibliographystyle{anzsj}`.
3. Following this line place the line `\bibliography{xxx}` where “xxx” represents the *stem* (without the `.bib` extension) of the name of your bibliographic information file. E.g. in preparing the current document I used the line `\bibliography{protoRefs}`.

4.3. Citing references

Cite references by using `\cite{...}` and variants thereof. Some discussion of the possible variants is to be found in Section 4.4. The ... ellipsis in `\cite{...}` represents the identifier for the item being cited. If you (sensibly) use `BIBTEX`, the identifier is provided in the first line of the bibliographic information about the item being cited. For example *The L^AT_EX Companion* referred to above was cited in this document via `\cite{MittelbachGoossens2004}`. The relevant item in `protoRefs.bib` begins

```
@book{MittelbachGoossens2004,
```

If you do not use `BIBTEX`, then the identifier is given as the “`cite_key`” for the appropriate item in the list of references following `\begin{thebibliography}{...}` line in your `LATEX` document.

The way that the identifier is formed is fairly arbitrary; construct identifiers in your bibliographic information file in whatever way suits your fancy. My personal paradigm is to construct identifiers from the author’s name (or authors’ names) followed by the year as in the example given above. If there are more than two authors I just use the first author’s name followed by “*et al*” and the year. E.g. for an article by Fred Nurk, Melvin Mingdinkler and

293 Hoo Hee, published in 1984, I use the identifier `NurkEtAl1984`. I emphasise that this is
 294 just my personal convention that I have found useful; you are under no obligation to follow
 295 it.

296 4.4. Variants of the basic citation command

297 In addition to the “usual” citation command “`\cite`” there are a number of alternative
 298 citation commands that can be used to create special punctuation structures in particular
 299 circumstances. For example you can use `\citeauthor{...}` to obtain just the author’s
 300 name (without the year) as in:

301 The major results that have so far appeared in this area are due to ?. In this paper
 302 we further explore and elaborate upon the ideas introduced by ?

303 (The final “Mingdinkler” was produced using `\citeauthor{...}`.) Another example of
 304 the use of `\citeauthor{...}` is “This problem was addressed in the book by ?.”

305 Another variant of `\cite{...}` is `\citeyear{...}` which is used to produce
 306 only the year of the reference being cited. E.g. “These ideas were also discussed in a
 307 number of papers by Coyote which appeared in ?, ? and ?.” A variant of this variant is
 308 `\citeyearpar{...}` which causes the cited year to be enclosed in parentheses, e.g. “S.
 309 Pussycat (?), in a discussion of a read paper of the Royal Ornithological Society, pointed out
 310 that there remain in the public mind a large number of misconceptions about the behaviour
 311 patterns of canaries.” Of course the same effect could be achieved by *not* keying in the text
 312 “S. Pussycat” and simply using `\cite{Pussycat1989}` so it’s a bit hard to see when
 313 you would actually need to use `\citeyearpar`.

314 Yet another variant of `\cite{...}` is `\citep{...}` which encloses the whole
 315 citation, rather than just the year, in parentheses. E.g. “Some authors prefer the hack (?),
 316 others the hew (?), and still others opt for a combination (?.)”

317 A couple of somewhat subtle variants are `\citealt{...}` and `\citet{...}`. In
 318 the second of these the “t” stands for “text” and produces a citation that is suitable for
 319 appearing in a line of text. Well, I hear you cry, doesn’t just plain `\cite{...}` do that?
 320 Yes it does, *mostly*. In “simple” usage `\citet{...}` and `\cite{...}` produce exactly
 321 the same result. However, if one supplies the optional first argument to these commands
 322 (see Section 4.5) the results produced are different in an important way. We defer giving an
 323 example to Section 4.5.

324 The `\citealt{...}` variant basically has the effect of removing the parentheses
 325 from around the year (or from around the year and “optional first argument”). Compare
 326 `\cite{Coyote2010}` which produces “?” with `\citealt{Coyote2010}` which

327 produces “?”. An example of the use of `\citealt` which involves its “optional first
328 argument” is given in Section 4.5.

329 4.5. Locating references precisely

330 I commence this section with a desideratum, or a plea, rather than a rule as such: Where
331 you have referred to a book, or even a long paper, *please* give some indication (for example
332 a page number or a section number) to help your readers locate the precise reference. This is
333 part of the general exhortation “Have some consideration for your readers!”

334 References to specific locations (pages, sections, theorems etc.) should take the
335 form “(?, Section 2.4)”. That is, the citation should take the foregoing form rather
336 than “Section 2.4 of ?”. This is handled for you automatically by the `\cite{...}`
337 command if you make use of the optional first argument of this command. E.g. use
338 `\cite[Section 2.4]{MittelbachGoossens2004}` to get the appropriate form of
339 the citation referred to above.

340 This example produces (as you can see) a result entirely enclosed in
341 parentheses. Suppose you want to say “See for instance ?, Section 2.4 for additional
342 commentary.” As foreshadowed in Section 4.4, to achieve this effect you can
343 invoke the command `\citet[Section 2.4]{MittelbachGoossens2004}`.
344 Another possibility, which gets rid of parentheses completely, is to use
345 `\citealt[Section 2.4]{MittelbachGoossens2004}`. (This is the example
346 of the use of `\citealt` with an optional first argument, as promised in Section 4.4.) Use
347 of this command would serve to produce “See for instance ?, Section 2.4 for additional
348 commentary.”

349 For page references you may use either the form “p. 42” as in
350 `\cite[p. 42]{Dick1971}`, or “page 42” as in `\cite[page 42]{Dick1971}`.
351 Likewise for multiple pages you may use either `\cite[pp. 42--76]{Dick1971}` or
352 `\cite[pages 42--76]{Dick1971}`. However you must be consistent and stick with
353 one form or the other throughout the paper. Note there must be a *space* between the full stop
354 or period and the following page number.

355 Finally I would like to comment briefly on the convention with regard to citing papers
356 with multiple authors. This convention is followed automatically if you use `BIBTEX` and the
357 `anzsj` bibliography style, but if you don’t, then you will need to take explicit cognizance of
358 this convention:

- 359 • For papers with three or fewer authors, all authors’ names must be given in a citation.
360 E.g. a paper with authors Fred Nurk, Melvin Mingdinkler and Hoo Hee, cited via
361 `\cite{NurkEtAl1984}`, would yield “?”.

- For papers with four or more authors, only the first author’s name, followed by “et al.” should be given in a citation. E.g. a paper with authors D. Trump, M. Rubio, T. Cruz, J. Bush, J. Kasich and B. Carson, cited via `\cite{TrumpEtAl2021}` would yield “?”.

This is a **change of policy** from what was previously stated in the Author Guidelines provided on the Journal’s web page. Both the guidelines (which, by the way, were inconsistent with what was actually implemented by the `anzsj` bibliography style!) and the `anzsj.bst` bibliography style file have been adjusted. The convention formerly stated in the guidelines was intricate, slightly tricky to adhere to and rarely enforced. The adjustment provides a simpler and “cleaner” protocol, achieves an admirable consistency between guidelines and actual practice and makes life a lot simpler for everyone.

5. Notational conventions

It may seem dogmatic, but the Journal has some strict rules about notational conventions that must be followed. The reason for these rules is simply *consistency*. One and only one convention must be followed, otherwise the result is a visually unpleasant hodge-podge. Which convention is chosen does not usually matter very much, but a single one must be chosen and used consistently. The choice is made by the Journal; authors must follow it.

A few of the more important examples of these conventions are listed below. Many others are given in the document “ANZJS Style Guide for Authors” as mentioned in Section 1.

1. The transpose operator: This must be represented as a sans-serif \top , which is most easily rendered in L^AT_EX by `\top`.
2. The symbols “ \forall ” and “ \exists ”: Do *not* use them! Use *words* — “for each” or “for all” and “there exist(s)”.
3. Random and non-random quantities: (Scalar) random variables should generally be denoted by upper case letters such as X or Y . Non-random quantities should be denoted by lower case letters. An observed value of Y would be denoted by y .
4. Vectors and matrices: Vectors quantities should be indicated by bold face font, e.g. \mathbf{y} . Vectors of observations should be presented as (boldface) lower case letters (such as the \mathbf{y} example just given) whereas vectors of random variables should be presented as bold face upper case letters: \mathbf{Y} . Matrices should also be presented as bold face upper case letters: \mathbf{M} . To help you to adhere to these conventions there are now commands `\bx`, `\by`, `\bX`, `\bY` and `\bM` defined in the `anzsauth` document class that produce \mathbf{x} , \mathbf{y} , \mathbf{X} , \mathbf{Y} and \mathbf{M} respectively. To get other bold face letters, have a look at the file `anzsauth.cls` and imitate the construction of the foregoing commands.

5. Expectation: Use “E” (upright Roman font) for the expectation operator, and enclose the argument of this operator in *parentheses* as in $E(X)$.
6. Variance, covariance and correlation: Likewise use “var”, “cov” and “cor” (ordinary Roman font, all lower case) for the variance, covariance and correlation operators, as in $\text{var}(X)$, $\text{cov}(X, Y)$ and $\text{cor}(X, Y)$.
7. Probability: Use “Pr” for the probability function, and enclose the argument of this function in *parentheses* as in $\text{Pr}(A)$. The probability function is best rendered in L^AT_EX by using `\Pr`.
8. Do not begin sentences with symbols (mathematical or otherwise). A sentence *must* begin with a *word* that can be capitalised. For example, instead of “ $\Phi(x)$ is a cumulative distribution function ...”, use “The function $\Phi(x)$ is a cumulative distribution function ...”.

To help you adhere (effortlessly!) to the conventions specified in items 5 and 6 there are now commands `\E`, `\var`, `\cov` and `\cor` defined in the `anzsauth` document class. This is effected by means of the `\newcommand{ }` facility provided by L^AT_EX. These commands produce the required form of the expectation operator and the variance, covariance and correlation operators.

Other notational structures can be created in a similar manner. Look into the `anzsauth.cls` document class file; it’s a plain text file; it won’t bite! By imitating `\E`, `\var`, `\cov`, `\cor` and other examples, you will be able to construct a convenient “shorthand” that will allow you to produce notation conforming to the Journal’s requirements using a minimal number of keystrokes.

6. Equation numbering

An equation should be given a number **ONLY IF** it is referred to elsewhere in the paper. Use `\[... \]` to display an equation *without* a number. You can use `\begin{eqnarray*} ... \end{eqnarray*}` (as I always used to do until the error of my ways was recently pointed out to me) to display an array of equations without numbers, but it is better (see ?) to use `\begin{align*} ... \end{align*}`. You will need to have the package `amsmath` loaded in order to have access to the `align*` (and the `align` and `split` — see below) environments. Examples:

$$\Pr(K = k) = \binom{n}{k} p^k (1 - p)^{n-k}$$

426 and

$$\begin{aligned}
 P_0(x) &= 1 \\
 P_1(x) &= x \\
 P_2(x) &= (3x^2 - 1)/2 \\
 P_3(x) &= (5x^3 - 3x)/2 \\
 &\dots \\
 P_{n+1}(x) &= ((2n+1)xP_n(x) - nP_{n-1}(x))/(n+1)
 \end{aligned}$$

427 Use `\begin{equation} ... \end{equation}` to display an equation *with* a
 428 number. You can use `\begin{eqnarray} ... \end{eqnarray}` to display an
 429 array of equations with numbers, but as for un-numbered arrays of equations it is better to
 430 use `\begin{align} ... \end{align}`. Very often you will wish to have only one
 431 number associated with an array of equations. To suppress equation numbers you can use the
 432 `\nonumber` command with `align`, but you get a sexier result if you use `split` inside an
 433 equation environment. Examples:

$$E\left(\sum_i h(x_i, \mathbf{X} \setminus \{x_i\})\right) = E\left(\int_W h(u, \mathbf{X}) \lambda(u, \mathbf{X}) du\right) \quad (1)$$

434 and

$$\begin{aligned}
 \alpha\beta &= \bar{x} \\
 \alpha\beta^2 &= s^2 \quad .
 \end{aligned} \quad (2)$$

435 Note how the label (i.e. “(2)”) is vertically centred with respect to the array of equations. See
 436 the \LaTeX source for the foregoing example in the file `protoType.tex` for guidance as to
 437 how all this is done.

438 Displayed equations which *are* numbered should be numbered consecutively (1), (2), ...,
 439 throughout the paper, including in the appendices if any. (I.e. they should *not* be numbered
 440 “within sections”.) The required behaviour is the default in \LaTeX . As long as you do not take
 441 any overt action to mess it up, you will get the appropriate style in your document.

442 7. Figures and tables

443 Figures and tables often cause problems with the processing of papers. Here are a few
 444 comments on the preparation and presentation of such displays, with an example of each
 445 type. Of course the “content” of these examples is just flippant, frivolous nonsense, as my

446 examples usually are. (These examples are meant to be humorous; as I indicated previously,
447 whether you find them funny depends on your sense of humour.)

448 It can be a major annoyance if authors supply each panel of a multi-panel figure as
449 a separate figure file. When this is done, authors usually proceed by arranging the panels,
450 within an array that constitutes a single figure, by juxtaposing the commands used to input the
451 figures in an appropriate manner and interleaving appropriate line breaks. Although this is all
452 do-able, and may lead eventually to a visually acceptable figure, it makes extra work both for
453 the author and for the typesetters. It may also add a substantial amount of tedious work to the
454 procedure of uploading the final version of the paper to ScholarOne if you upload the figures
455 individually (rather than in a zip archive, this last now being acceptable to ScholarOne).

456 It is much better to create a multi-panel figure in a single figure file, using appropriate
457 graphics techniques. In R (the recommended software for creating figures) this basically
458 boils down to making use of the `\par(mfrow=c(n1,n2))` command before issuing the
459 `plot()` commands that produce the graphical displays in each panel. (In the foregoing, `n1`
460 and `n2` represent the dimensions of the array of panels. In the example shown in Figure 1,
461 `n1` and `n2` are both equal to 2.)

462 Another important issue is making sure that line types and plotting symbols are
463 *distinguishable* in black and white. Figures appear in the print version of the Journal in black
464 and white *only*, unless authors specifically request that some or all of the figures appear in
465 colour and are *willing to pay a charge* to cover the extra costs that are incurred in printing
466 colour figures. So unless you wish to pay this charge — roughly speaking \$350 USD per
467 figure — you should prepare your figures in black and white, and do this from the very start.
468 (Figures that are prepared in colour and then converted to black and white in the printing
469 process usually look awful! Consequently the Journal does not countenance this practice.) In
470 particular, lines in different categories should be distinguished by *line type* — solid, dashed,
471 dotted . . . , and not by colour. A modest example is given in Figure 1. Sometimes it is useful,
472 or perhaps even necessary, to distinguish categories by means of line *thickness* but proceeding
473 in this way requires a great deal of care.

474 Note that colour figures can appear in the online version of the paper for *free*! However
475 care must be taken, since *only one* version of the text of the paper is produced. Consequently
476 the online colour figures, and captions and references to figures in the text, must be structured
477 in such a way as to make sense both to readers of the black-and-white (print) version and the
478 colour (online) version. See `styleGuide.pdf`, Section 5.1, for a bit more detail.

479 A common error in respect of tables is making them overly elaborate. Remember that
480 the purpose of a table is to convey information! If a table is excessively complex, the reader's
481 eyes will glaze over and he or she will skip the table, resulting in no information at all being
482 conveyed. In particular, if a table is too wide to fit on a page and has to be rotated 90° in




Figure 1. Characteristics of the Lesser Tasmanian Drop Bear (farking fraction, intracranial perspicacity and serendipity all in furlongs per fortnight) plotted against body mass (kilograms). The observations were made on samples obtained at four locations in Tasmania. Plotted points represent the raw observed values; plotted lines represent non-parametric fits to the raw data.

483 order to be displayed, then you are trying to put an excessive amount of information into a
 484 single table. The Journal will henceforth *insist* that tables fit vertically onto a single page.
 485 If your paper contains tables that do not satisfy this condition then you will be required to
 486 re-design your table accordingly. Possibilities for effecting the re-design include eliminating
 487 some of the “information”, splitting the table into two or more smaller tables and putting
 488 all or part of the table into the online supplementary material. An example of a reasonably
 489 perspicuous table is given in Table 1. As stated in the “ANZJS Style Guide for Authors”
 490 captions for tables and figures should be left-justified and not centred unless the text of the
 491 caption fits on a single line. However one-line captions should be centred. For instance if the
 492 caption of Table 1 were simply “Dingoes’ kidneys”, then centring would be preferable. When

Table 1. A load of dingoes’ kidneys in respect of characteristics of the Lesser Tasmanian Drop Bear. Standard deviations are given in parentheses after the mean values.

Location	Body mass (kg.)	Farkling fraction	Intracranial perspicacity	Serendipity
Port Arthur	3.95 (2.40)	10.14 (2.43)	9.91 (1.99)	9.81 (2.24)
Melaleuca	4.55 (2.41)	10.48 (3.51)	10.83 (2.94)	10.54 (3.30)
Wynyard	3.87 (2.70)	9.51 (2.20)	9.40 (2.44)	9.50 (2.23)
Bicheno	4.16 (2.41)	10.46 (2.44)	10.44 (2.64)	10.20 (2.86)

the `anzsauth` document class is used, captions are automatically centred if the caption fits on a single line. (Note that the document class file `anzsauth.cls` has recently — as of 6 November 2016 — been adjusted to make table captions more similar in appearance to figure captions. Because of this adjustment, the centring of one-line table captions is now automatic whereas, previously, overt measures were required.)

A table or figure that appears in the paper *must* be referred to in the text, even if only very briefly. That is, there must at the very least be something like “see Figure 17”. If there is no such reference, then the corresponding table or figure must not be included in the paper.

8. Cross referencing

A facility provided by \LaTeX that tends to be underused in submissions to the Journal is automated cross-referencing as provided by the `\label{...}` and `\ref{...}` commands. It is highly recommended that you learn to make use of these. They make it much easier to keep cross-references correct when you revise a paper. It seems to me to be a good idea to give a label to each section and subsection, as you are composing it, even if you are not sure you will be referring to it in other sections. (There is no *harm* in inserting a label.) If you assign labels to sections then you can easily invite the reader to “see Section 7” (as I am about to do below!). Likewise it is a good idea to give each figure and table (see Section 7) a label so as to be able to refer to it via the `\ref{...}` command.

Only displayed equations that are *actually referred to* should be numbered (see Section 6). If the equation *is* referred to, then of course you should give it a label so that you *can* refer to it easily.

My personal practice is to label sections and subsections with labels of the form `sec:string`, e.g. “`\label{sec:intro}`”. Similarly I form such labels for figures and tables as `fig:string` or `tab:string` (e.g. `\label{fig:ltdb}` or `\label{tab:ltdb}`) and labels for equations as `eq:string` (e.g. `\label{eq:GNZ}`). I find this practice convenient, but you are of course under no obligation to follow it.

A practice that I have often seen and that I think should *not* be indulged in, is to use labels such as “Figure1”. There is *not necessarily* any harm in this, but to a large extent such a practice defeats the purpose of using `\label{...}` and `\ref{...}`. If you decide to change the order in which figures appear in your paper, then the label “Figure1” will probably no longer be appropriate. At best you will confuse yourself, and you run a serious risk of getting labels wrong. Use labels that refer to *content* (in a terse manner, of course) and let L^AT_EX handle the assignment of numbers! If you insist on using labels like unto “Figure1”, then take great care to make sure that the result is correct.

9. Appendices

Journal policy is that if there is a single appendix to your document it should be headed simply ‘**Appendix**’ (i.e. there should be no other text in the header and no number). If the document has more than one appendix these should be headed **Appendix I**, **Appendix II**, ... (i.e. there should be no other text in the headers, and numbering should be in upper case Roman numerals). If you so desire you can place further (centred) headings underneath the “**Appendix**” headings by using e.g. `\section*{}`.

Do *not* use the ‘native’ L^AT_EX command `\appendix`.

To make it easy to supply appendix headers in the appropriate style, the `anzsauth` document class provides two new environments: `uniqueAppendix` and `Appendix`. Use the former if your document has a single appendix, and the latter if it has more than one. The use of the `Appendix` environment is illustrated by means of the dummy appendices Appendix I, Appendix II and Appendix III. These mostly consist of “Lorem ipsum” nonsense Latin and are to be found at the end of this document that you are currently reading.

The `\label{}` and `\ref{}` commands work with appendices (when there are multiple appendices). Just put a label within the relevant `Appendix` environment and then refer to that appendix with constructions like “See Appendix~`\ref{lll}`”, where “lll” is the label that you have assigned to the Appendix in question. Obviously if you have a unique appendix you can just say (e.g.) “See the Appendix ...” and there is no need for labelling.

In order to illustrate the use of `uniqueAppendix` I had to invoke it even though there are actually multiple appendices (four in all) in this document. Don’t *you* do that! Do as I say, not as I do!

The text constituting the illustration of `uniqueAppendix` consists of a recapitulation of the foregoing note.

10. Preparing L^AT_EX and B_IB_TE_X documents

10.1. Editing L^AT_EX source files

There are a number of approaches to preparing your *.tex and *.bib files. A primary consideration is that you should use either a general **text editor**, or a specialised L^AT_EX editor for this task. Do *not* use a word-processing program as an editor. Using a word-processor introduces a plethora of spurious non-printing characters which will completely mess things up and in all likelihood cause the universe to come to an end.

Good text editors include vi or vim, emacs, gedit, pico, Crimson, Notepad++, Good editors will have support for editing of L^AT_EX such as syntax highlighting and code completion. The WindowsTM editors Notepad and Wordpad are distinctly inferior in this respect.

Among a number of possible specialised L^AT_EX editors, one that has been highly recommended to me by several reliable sources is TeXstudio. This is an open-source, multi-platform, fully-featured editor for L^AT_EX. It allows for easy processing of documents, has support for inclusion of a vast range of characters, provides auto-completion of L^AT_EX commands, has a built-in pdf viewer and a number of other helpful facilities. Other similar programs are Texmaker and (WindowsTM only) WinEdt.

Users of WindowsTM will almost surely make use of L^AT_EX via M_IK_TE_X. This is free open source software, and is readily available and easy to install.

The integrated development environment (IDE) proTeXt is described as being “an easy-to-install T_EX distribution for WindowsTM, based on M_IK_TE_X”, “which adds the TeXstudio front end to M_IK_TE_X”. Some authors may find it helpful.

10.2. Processing source files

One advantage of using specialised L^AT_EX editors is the ease of processing (“compiling”) source files, particularly in respect of handling B_IB_TE_X files. Such processing can be accomplished with a single mouse click when TeXstudio, for example, is used.

If you use a “general” text editor and process the source of your document by means of command line instructions, the procedure requires more steps. To compile a document which uses the B_IB_TE_X protocols described in Section 4.2, you need to run L^AT_EX on the document, then run B_IB_TE_X, then run L^AT_EX again (possibly several times) until it stops complaining that labels may have changed. Something like:

```
latex magnumOpus
bibtex magnumOpus
latex magnumOpus
```

587 `latex magnumOpus`

588 `.`

589 `.`

590 `.`

591 (In the foregoing “magnumOpus” represents the *stem* of the name of the file
592 “magnumOpus.tex” containing the source of your paper. You may wish to use `pdflatex`
593 rather than `latex` as your “compilation” command.)

594 Whether you are using a general or a specialised editor, if you get errors or warnings
595 from the `bibtex` command you must edit the `*.bib` file and fix whatever was causing the
596 errors (things like commas being left out). After fixing the problem, process the file again (if
597 you are using a specialised editor) or run `bibtex` again (otherwise). After the initial learning
598 period, the processing procedure all goes very smoothly. Try it. It really does make life a lot
599 easier and saves a lot of time and errors. Once you get used to it you’ll never look back.

600 **11. What to do with `anzsauth.cls` and `anzsj.bst`?**

601 I have been told that some authors don’t know what to do with the files (to be found
602 in `anzsauth.zip`) referred to in the title of this section. In some sense, it’s really very
603 simple: all you need to do is to place these files in a directory (“folder” if you want to *be* that
604 way!) where \LaTeX can find them. A very simple way to accomplish this is to place these files
605 in the “working directory” that contains the source `*.tex` file for your paper. This is a bit
606 untidy, but.

607 Doing things in a tidy organised way is a bit harder and is very much dependent on your
608 operating system and your \TeX installation. The plethora of possibilities involved is what
609 makes things “a bit harder”. (Puts me in mind of a line from a Joni Mitchell song: “...the
610 kind of crazy you get from having too much choice”.) Because of this plethora of possibilities
611 I cannot say very much here. You are advised to seek local guidance. Google™ provides some
612 information, but the instructions that you find are often a bit confusing and sometimes a bit
613 contradictory. Getting “local advice” is best, if this is possible.

614 On Linux systems you can place the files in appropriate sub-directories of the
615 appropriate “`texmf`” directory. You may need to search around a bit to find where this latter
616 directory lives. If your \TeX installation is `texlive`, the relevant directory is actually called
617 `texmf-dist`. Google™ may help you track things down.

618 Another procedure is to put these files in a directory (or in directories) that you create
619 under your home directory, and make use of the *environment* variables `TEXINPUTS` and
620 `BSTINPUTS` to tell \LaTeX where to find them. This is what I do personally. I won’t try to go
621 into the details. It is possible that Google™ will help.

On Mac OSX™ systems you should (apparently) put `anzsauth.cls` in a directory

`~/Library/texmf/tex/latex/anzsauth`

and put `anzsj.bst` in

`~/Library/texmf/bibtex/bst/anzsj`

where “~” means your home directory. (Of course!) Take the foregoing advice with a grain of salt — I don’t use Mac OSX™ and I have not tested the advice that I have given.

As regards Windows™ systems, I can’t help you at all. I don’t *do* Windows™!

12. Concluding comments

This document contains guidance on how to prepare a paper for submission to *ANZJS* by making use of the `anzsauth` document class for L^AT_EX. You will find that by making use of this document class and following the advice that is provided in the foregoing material, you will be able to produce a paper that meets the Journal’s requirements and that requires much less revision and adjustment than it otherwise might, thus speeding up the publication process considerably.

This document also emphasises the importance of good exposition and correct use of the English language. The Journal has very high, and strictly enforced, standards in this regard. Please pay close attention to this requirement and give careful thought to the way in which you express yourself. Doing so will, again, speed up the publication process for you.

The accompanying file `protoType.tex` forms a template for L^AT_EX source files for papers that are to be submitted to the Journal. When preparing your own L^AT_EX source file, you should imitate the structure of the template closely. You may find that an effective way to proceed is to edit the template, *mutatis mutandis*, replacing authors’ names, the title of the paper, the abstract (summary) and the actual content as is appropriate. *Please* remove extraneous bits and pieces from the prototype file when converting it into your own paper. Don’t leave material that is relevant only to the prototype (e.g. comments advising you how to format your paper) lying around. Tidy up! This makes processing your paper for publication much easier (and quicker!). In respect of tidyness I draw your attention to the last paragraph of this section (keep the typescript in your source file tidy!).

With regard to removing extraneous material, it turns out to be expedient for me to mention that the disclaimer at the end of the footnotes on the title page of this document should *not* be included when you adapt the prototype source file to your own uses. That disclaimer applies to *this paper*, i.e. “**How I rose from the dead in my spare time and so can you**”. The Journal does *not* require you to include such a disclaimer in *your* paper, nor should you do so.

Although it is not necessary to prepare the initial submission using the `anzsauth` document class, it is very important that the final version that you submit (after provisional acceptance of your paper) should conform to the Journal's requirements. This is much more likely to be the case if you use the `anzsauth` document class. It is likely to be less work for you if you make use of this document class and of the template from the outset, if this is at all possible. Note that it *is* necessary for the initial submission to be double spaced and to be line-numbered. These requirements are greatly facilitated by using the required document class. See page 3.

It is often the case that the Technical Editor will wish to make some minor (or sometimes major!) adjustments to the \LaTeX source file that you provide, before putting the paper into production. This saves having to send the paper back to authors, yet one more time, to get these adjustments made. The process of making these adjustments is a *whole lot* easier if the source file is constructed in a tidy and comprehensible manner. Use appropriate line breaks (keeping lines to a length of, e.g., at most 80 characters) and ensure that there is appropriate *spacing* between mathematical constructions. Do not embed \LaTeX commands to produce displayed equations in on-running lines of text. All of this will have of course absolutely no impact on the *output* file produced by compiling the \LaTeX source, but it simplifies the process of modifying and adjusting this source by orders of magnitude.

Appendix I

This is an appendix. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Appendix II

This is another appendix. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare

689 odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante.
 690 Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur
 691 ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque
 692 cursus luctus mauris.

693 **Appendix III**

694 Zephod Beeblebrox

695 *This* appendix was written by Zephod Beeblebrox, but he didn't actually have anything
 696 to say. Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt
 697 tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante.
 698 Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie
 699 vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at,
 700 accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat
 701 lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim.
 702 Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar
 703 lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

704 **Appendix**

705 This is what you should get if you had only *one* appendix. Since this document
 706 has several appendices (four, actually) the use of the `uniqueAppendix` environment
 707 is completely inappropriate here. It is included for illustrative purposes only. I needed to
 708 illustrate syntax to be used both for multiple and unique appendices, but obviously one cannot
 709 have a single document in which there is a unique appendix and in which there are multiple
 710 appendices! (That would violate the, uh, law of small numbers. :-)) Consequently I was
 711 forced to include an inappropriate example of the use of `uniqueAppendix`.

712 I reiterate: Use the `uniqueAppendix` environment if there is only one appendix to
 713 your document. Use the `Appendix` environment if there are two or more appendices to your
 714 document.

References