

```

<!-- Section 1: Home Page -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>MelDate | Home</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/
dist/css/bootstrap.min.css" rel="stylesheet">
  <style>
    /* Highlight active link */
    .navbar-nav .nav-link.active {
      text-decoration: underline;
      font-weight: bold;
    }

    /* Smooth scroll for anchor links */
    html {
      scroll-behavior: smooth;
    }
  </style>
</head>
<body>

```

```

<!-- NAVIGATION BAR -->
<style>
  .navbar-custom {
    background-color: #0492c2;
  }
  .navbar-custom .nav-link {
    font-size: 1.2rem;
    font-weight: 500;
    padding-left: 1.2rem;
    padding-right: 1.2rem;
    color: #f8f9fa !important;
  }
  .navbar-custom .nav-link.active {
    text-decoration: underline;
    font-weight: 700;
    color: #FFD700 !important;
  }
  .navbar-brand {
    font-size: 2.5rem;
  }
</style>

```

```

<nav class="navbar navbar-expand-lg navbar-custom sticky-top
justify-content-center">

```

```

<div class="container">
  <a class="navbar-brand fw-bold text-white mx-auto"
href="index.html">MelDate</a>
  <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse justify-content-
center" id="navbarNav">
    <ul class="navbar-nav mx-auto text-center">
      <li class="nav-item"><a class="nav-link active"
href="index.html">Home</a></li>
      <li class="nav-item"><a class="nav-link"
href="explore.html" id="navExplore">Explore</a></li>
      <li class="nav-item"><a class="nav-link"
href="plan.html" id="navPlan">Plan</a></li>
      <li class="nav-item"><a class="nav-link"
href="search.html" id="navSearch">Search</a></li>
      <li class="nav-item"><a class="nav-link"
href="contact.html" id="navContact">Contact</a></li>
    </ul>
  </div>
</div>
</nav>

```

```

<!-- Hero Section -->
<section class="text-white text-center d-flex flex-column
justify-content-center align-items-center" style="min-height:
40vh; background-color: #0492c2;">
  <div class="container">
    <h1 class="display-2 fw-bold mb-3">MelDate</h1>
    <p class="lead fs-3" style="font-family: 'Great Vibes',
cursive;">Creating Unforgettable Moments in Melbourne</p>
    <a href="#plan" class="btn btn-light btn-lg rounded-pill
px-4">Start Planning</a>
  </div>
</section>

```

```

<section class="container py-5">
  <div class="row align-items-center mb-5">
    <div class="col-md-6">
      
    </div>
    <div class="col-md-6">
      <h2 class="display-5 fw-bold text-center my-4">Our
Mission</h2>
      <p>To help couples plan meaningful dates and build
unforgettable memories in beautiful Melbourne locations.</p>

```

```

    </div>
  </div>

  <div class="row align-items-center mb-5">
    <div class="col-md-6 order-md-2">
      
    </div>
    <div class="col-md-6 order-md-1">
      <h2 class="display-5 fw-bold text-center my-4">Our
Vision</h2>
      <p>To be the go-to platform for romantic experiences
in Melbourne, offering inspiration and convenience in one
place.</p>
    </div>
  </div>

```

```

  <div class="text-center">
    <h2 class="display-5 fw-bold text-center
my-4">Achievements</h2>
    <div class="bg-grey">
      <div class="row mt-4">
        <div class="col-md-4">
          <h3 class="display-5 text-primary">1,200+</h3>
          <p>Dates Planned</p>
        </div>
        <div class="col-md-4">
          <h3 class="display-5 text-primary">100+</h3>
          <p>Partners</p>
        </div>
        <div class="col-md-4">
          <h3 class="display-5 text-primary">5,000+</h3>
          <p>Happy Couples</p>
        </div>
      </div>
    </div>
  </div>
</section>

```

```

<!-- Section 2: Explore Page -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <head>
    <title>MelDate | Explore</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/
dist/css/bootstrap.min.css" rel="stylesheet">

```

```

<style>
  .carousel-item img {
    max-height: 400px;
    object-fit: cover;
    width: 100%;
  }
  .carousel-caption {
    background-color: rgba(0, 0, 0, 0.5);
    padding: 1rem;
    border-radius: 0.5rem;
  }
</style>
</head>
</head>
<body class="bg-light">
  <main class="container py-5">
    <h2 class="display-5 fw-bold text-center my-4">Explore
    Romantic Spots in Melbourne</h2>
    <div id="exploreCarousel" class="carousel slide mb-5"
    data-bs-ride="carousel">
      <div class="carousel-inner">

        <div class="carousel-item active">
          
          <div class="carousel-caption d-none d-md-block">
            <h5>Royal Botanic Gardens</h5>
            <p>Perfect for scenic walks and lakeside
picnics.</p>
          </div>
        </div>
        <div class="carousel-item">
          
          <div class="carousel-caption d-none d-md-block">
            <h5>Eureka Skydeck</h5>
            <p>Panoramic city views at sunset – pure magic!</
p>
          </div>
        </div>
        <div class="carousel-item">
          
          <div class="carousel-caption d-none d-md-block">
            <h5>St Kilda Beach</h5>
            <p>Evening strolls and penguin spotting on the

```

```

pier.</p>
    </div>
  </div>
  <div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
      <h5>Victoria Library</h5>
      <p>One of the best collections of natural
history books and journals in Australia.</p>
    </div>
  </div>
</div>
</div>
</div>
</div>

```

```

<!-- Section: Date Plan Options -->
<section class="container py-5">
  <h2 class="display-5 fw-bold text-center my-4">Pick Your
Date Style</h2>
  <div class="row g-4">

```

```

    <!-- Night Date Card -->
    <div class="col-md-4">
      <div class="card text-white border-0 h-100"
style="background-image: url('img/night_date.jpg');
background-size: cover; background-position: center;">
        <div class="card-body d-flex flex-column justify-
content-end bg-primary p-4 rounded">
          <h4 class="card-title fw-bold">Night Date</h4>
          <p class="card-text">Elegant evenings under the city
lights – dinner, jazz, and cozy vibes.</p>
          <a href="#night-date" class="btn btn-light
mt-3">Find out more →</a>
        </div>
      </div>
    </div>
  </div>

```

```

    <!-- Day Date Card -->
    <div class="col-md-4">
      <div class="card text-white border-0 h-100"
style="background-image: url('img/day_date.jpg'); background-
size: cover; background-position: center;">
        <div class="card-body d-flex flex-column justify-
content-end bg-primary p-4 rounded">
          <h4 class="card-title fw-bold">Day Date</h4>
          <p class="card-text">Fun and flirty day plans like
picnics, markets, or coffee adventures.</p>
          <a href="#day-date" class="btn btn-light mt-3">Find

```

```

out more →</a>
    </div>
  </div>
</div>

```

```

<!-- Customize Date Card -->
<div class="col-md-4">
  <div class="card text-white border-0 h-100"
style="background-image: url('img/custom_date.jpg');
background-size: cover; background-position: center;">
    <div class="card-body d-flex flex-column justify-
content-end bg-primary p-4 rounded">
      <h4 class="card-title fw-bold">Customize Date</h4>
      <p class="card-text">Tell us your ideal vibe and
we'll craft a unique date plan for you!</p>
      <a href="#customize-date" class="btn btn-light
mt-3">Find out more →</a>
    </div>
  </div>
</div>

```

```

</div>
</section>
</main>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/
dist/js/bootstrap.bundle.min.js"></script>
</body>

```

```

<!-- Section 4: Search Page -->
<body>
  <main class="container py-5">
    <h2 class="display-5 fw-bold text-center my-4">Search Our
Date Ideas</h2>
    <form class="d-flex justify-content-center my-4">
      <input class="form-control w-50 me-2" type="search"
placeholder="Search places, plans, or ideas" aria-
label="Search">
      <button class="btn btn-outline-primary"
type="submit">Search</button>
    </form>
    <p class="text-center text-muted"></p>
  </main>
</body>
</html>

```

```

<!-- Section 5: Contact Page -->
<body>
  <main class="container py-5">
    <h2 class="text-center">Contact Us</h2>

```

```

        <p class="text-center">We'd love to hear from you. Reach
out with any questions or follow us for updates!</p>
        <div class="text-center">
            <p><strong><i class="fas fa-envelope"></i> Email:</
strong>
                <a href="mailto:hello@meldate.au">hello@meldate.au</
a></p>
            <p><strong><i class="fab fa-instagram"></i> Instagram:</
strong>
                <a href="https://instagram.com/meldate"
target="_blank">@meldate</a></p>
            <p><strong><i class="fab fa-facebook"></i> Facebook:</
strong>
                <a href="https://facebook.com/meldate"
target="_blank">facebook.com/meldate</a></p>
        </div>
    </main>
</body>
</html>
</html>
<footer class="text-white text-center py-3" style="background-
color: #0492c2;">&copy; 2025 MelDate
</footer>

```

```

</body>
</html>

<!-- Section 3: Plan Page -->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>MelDate | Plan</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/
dist/css/bootstrap.min.css" rel="stylesheet">
</head>
<style>
    /* Highlight active link */
    .navbar-nav .nav-link.active {
        text-decoration: underline;
        font-weight: bold;
    }

    /* Smooth scroll for anchor links */

```

```
    html {
        scroll-behavior: smooth;
    }
</style>
</head>
<body>
```

```
<!-- Navigation Bar -->
<nav class="navbar navbar-expand-lg navbar-dark bg-primary
sticky-top justify-content-center">
    <div class="container">
        <a class="navbar-brand fw-bold display-4 text-center mx-
auto" href="index.html">MelDate</a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse justify-content-
center text-center" id="navbarNav">
            <ul class="navbar-nav mx-auto text-center">
<!-- Added 'text-center' to center nav-items -->
                <li class="nav-item"><a class="nav-link active"
href="index.html">Home</a> <!-- Highlighted active page --></
li>
                <li class="nav-item"><a class="nav-link"
href="explore.html" id="navExplore">Explore</a> <!-- Ready for
active link highlight --></li>
                <li class="nav-item"><a class="nav-link"
href="plan.html" id="navPlan">Plan</a> <!-- Ready for active
link highlight --></li>
                <li class="nav-item"><a class="nav-link"
href="search.html" id="navSearch">Search</a> <!-- Ready for
active link highlight --></li>
                <li class="nav-item"><a class="nav-link"
href="contact.html" id="navContact">Contact</a> <!-- Ready for
active link highlight --></li>
            </ul>
        </div>
    </div>
</nav>
```

```
<body>
```

```
<!-- Section 3: Plan Page -->
<section class="container py-5" id="plan">
    <h2 class="text-center mb-4">Make the Plan</h2>
```

```
<!-- Nav Tabs -->
<ul class="nav nav-tabs justify-content-center mb-4"
id="planTabs" role="tablist">
```



```

        <li class="nav-item" role="presentation">
            <button class="nav-link active" id="day-tab" data-bs-
toggle="tab" data-bs-target="#day" type="button"
role="tab">Day Date</button>
        </li>
        <li class="nav-item" role="presentation">
            <button class="nav-link" id="night-tab" data-bs-
toggle="tab" data-bs-target="#night" type="button"
role="tab">Night Date</button>
        </li>
        <li class="nav-item" role="presentation">
            <button class="nav-link" id="custom-tab" data-bs-
toggle="tab" data-bs-target="#custom" type="button"
role="tab">Customize Date</button>
        </li>
    </ul>

```

```

<!-- Tab Contents -->
<div class="tab-content" id="planTabContent">

```

```

    <!-- Day Date Tab -->
    <div class="tab-pane fade show active" id="day"
role="tabpanel">
        <div class="row g-4">
            <div class="col-md-4">
                <div class="card h-100">
                    
                    <div class="card-body">
                        <h5 class="card-title">Tour Picnic</h5>
                        <p class="card-text">A cozy park setup with
snacks, drinks, and chill vibes.</p>
                        <a href="#" class="btn btn-primary">Book This
Plan</a>
                    </div>
                </div>
            </div>
            <div class="col-md-4">
                <div class="card h-100">
                    
                    <div class="card-body">
                        <h5 class="card-title">Trekking</h5>
                        <p class="card-text">Explore nature trails
together with stunning views.</p>
                        <a href="#" class="btn btn-primary">Book This
Plan</a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="col-md-4">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Outdoor Activities</h5>
                    <p class="card-text">Adventurous games and
challenges to keep the day fun!</p>
                    <a href="#" class="btn btn-primary">Book This
Plan</a>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Indoor Activities</h5>
                    <p class="card-text">Board games, workshops, or
cooking classes together.</p>
                    <a href="#" class="btn btn-primary">Book This
Plan</a>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Chilling & Relaxing</h5>
                    <p class="card-text">Spa day, book café, and
quality conversation.</p>
                    <a href="#" class="btn btn-primary">Book This
Plan</a>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Road Trip</h5>
                    <p class="card-text">Explore hidden gems around
Melbourne with a planned route.</p>
                    <a href="#" class="btn btn-primary">Book This
Plan</a>
                </div>
            </div>
        </div>
    </div>

```

```
    </div>
  </div>
</div>
</div>
```

```
    <!-- Night Date Tab -->
    <div class="tab-pane fade" id="night" role="tabpanel">
      <div class="row g-4 mt-3">
        <div class="col-md-4">
          <div class="card h-100 text-white"
style="background-image: url('img/comedy.jpg'); background-
size: cover; background-position: center;">
            <div class="card-body d-flex flex-column justify-
content-end bg-dark bg-opacity-50 p-3 rounded">
              <h5 class="card-title fw-bold">Comedy Show</h5>
              <p class="card-text">Laugh together at
Melbourne's top comedy spots.</p>
              <a href="#" class="btn btn-light mt-2">Book This
Plan</a>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card h-100 text-white"
style="background-image: url('img/candle.jpg'); background-
size: cover; background-position: center;">
            <div class="card-body d-flex flex-column justify-
content-end bg-dark bg-opacity-50 p-3 rounded">
              <h5 class="card-title fw-bold">Candle Show</h5>
              <p class="card-text">Romantic candlelight
concerts in historical venues.</p>
              <a href="#" class="btn btn-light mt-2">Book This
Plan</a>
            </div>
          </div>
        </div>
        <div class="col-md-4">
          <div class="card h-100 text-white"
style="background-image: url('img/music.jpg'); background-
size: cover; background-position: center;">
            <div class="card-body d-flex flex-column justify-
content-end bg-dark bg-opacity-50 p-3 rounded">
              <h5 class="card-title fw-bold">Music Show</h5>
              <p class="card-text">Catch live gigs across
Melbourne's buzzing venues.</p>
              <a href="#" class="btn btn-light mt-2">Book This
Plan</a>
            </div>
          </div>
        </div>
      </div>
    </div>
```

```

        <div class="col-md-4">
            <div class="card h-100 text-white"
style="background-image: url('img/movie.jpg'); background-
size: cover; background-position: center;">
                <div class="card-body d-flex flex-column justify-
content-end bg-dark bg-opacity-50 p-3 rounded">
                    <h5 class="card-title fw-bold">Outdoor Movie</
h5>
                    <p class="card-text">Watch a classic film under
the stars in the park.</p>
                    <a href="#" class="btn btn-light mt-2">Book This
Plan</a>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card h-100 text-white"
style="background-image: url('img/cocktail.jpg'); background-
size: cover; background-position: center;">
                <div class="card-body d-flex flex-column justify-
content-end bg-dark bg-opacity-50 p-3 rounded">
                    <h5 class="card-title fw-bold">Bar & Cocktail</
h5>
                    <p class="card-text">Sip and chat at Melbourne's
trendiest rooftop bars.</p>
                    <a href="#" class="btn btn-light mt-2">Book This
Plan</a>
                </div>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card h-100 text-white"
style="background-image: url('img/night_activity.jpg');
background-size: cover; background-position: center;">
                <div class="card-body d-flex flex-column justify-
content-end bg-dark bg-opacity-50 p-3 rounded">
                    <h5 class="card-title fw-bold">Night
Activities</h5>
                    <p class="card-text">Mini golf, bowling,
arcades, and more late-night fun!</p>
                    <a href="#" class="btn btn-light mt-2">Book This
Plan</a>
                </div>
            </div>
        </div>
    </div>

```

```

<!-- Customize Date Tab -->
<div class="tab-pane fade" id="custom" role="tabpanel">

```

```

<form class="row g-3 mt-4">
  <div class="col-md-6">
    <label class="form-label">Name</label>
    <input type="text" class="form-control" required>
  </div>
  <div class="col-md-6">
    <label class="form-label">Email</label>
    <input type="email" class="form-control" required>
  </div>
  <div class="col-md-4">
    <label class="form-label">Preference</label>
    <select class="form-select">
      <option>Day</option>
      <option>Night</option>
    </select>
  </div>
  <div class="col-md-4">
    <label class="form-label">Date</label>
    <input type="date" class="form-control">
  </div>
  <div class="col-md-4">
    <label class="form-label">Number of People</label>
    <input type="number" class="form-control" min="1"
value="2">
  </div>
  <div class="col-md-6">
    <label class="form-label">Duration</label>
    <input type="text" class="form-control"
placeholder="e.g., 2 hours">
  </div>
  <div class="col-md-6">
    <label class="form-label">Budget</label>
    <select class="form-select">
      <option>$0 - $50</option>
      <option>$50 - $100</option>
      <option>$100 - $200</option>
      <option>$200+</option>
    </select>
  </div>
  <div class="col-12">
    <label class="form-label">Notes</label>
    <textarea class="form-control" rows="3"></textarea>
  </div>
  <div class="col-12">
    <button type="submit" class="btn btn-success">Submit
Plan</button>
  </div>
</form>
</div>
</div>

```

```
</main>  
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/  
dist/js/bootstrap.bundle.min.js"></script>  
</body>  
</section>
```