

Comparison	Archetype rule	N	Coverage (%)	Outcome (%)	Baseline (%)	Enrichment	q (BH-FDR)
NM advantage—survivors	Coagulation derangement present; Invasive hemodynamic monitoring	72	33.0%	62.5%	35.8%	1.75	2.29e-06
NM advantage—survivors	Ionized hypocalcemia present; Invasive hemodynamic monitoring	46	21.1%	69.6%	35.8%	1.94	1.03e-05
NM advantage—survivors	Invasive hemodynamic monitoring; Low albumin present	50	22.9%	68.0%	35.8%	1.90	1.03e-05
NM advantage—survivors	Ionized hypocalcemia present; Invasive hemodynamic monitoring; On ventilator	38	17.4%	68.4%	35.8%	1.91	1.62e-04
NM advantage—survivors	Invasive hemodynamic monitoring; Synthetic liver dysfunction	52	23.9%	63.5%	35.8%	1.77	1.85e-04
NM advantage—survivors	Invasive hemodynamic monitoring; Neutrophilia present	54	24.8%	61.1%	35.8%	1.71	4.06e-04
NM advantage—survivors	Invasive hemodynamic monitoring; On ventilator	53	24.3%	60.4%	35.8%	1.69	6.23e-04
NM advantage—survivors	On ventilator; Synthetic liver dysfunction	61	28.0%	55.7%	35.8%	1.56	0.003