

Comparison	Meta-feature	Feature family	Direction of difference	Median (error)	Median (success)	Effect size	p-value	q (per-family BH-FDR)	n (error)	n (success)
Rule: Low albumin present; Synthetic liver dysfunction (<i>n err: 572, n suc: 2,212</i>)										
SM false alarms (FP)	Imputation proportion	Imputation	Higher in success	0.615	0.654	-0.038	1.49e-04	1.49e-04	143	553
SM false alarms (FP)	Total measurement events	Density	Higher in error	46.137	37.878	8.259	1.25e-04	2.24e-04	143	553
SM false alarms (FP)	Unique feature count	Density	Higher in error	40.000	36.000	4.000	1.49e-04	2.24e-04	143	553
SM false alarms (FP)	Input character count	Density	Higher in error	8.526	8.505	0.020	0.048	0.048	143	553
Rule: Low albumin present (<i>n err: 904, n suc: 3,440</i>)										
SM false alarms (FP)	Imputation proportion	Imputation	Higher in success	0.635	0.663	-0.029	1.90e-04	1.90e-04	226	860
SM false alarms (FP)	Unique feature count	Density	Higher in error	38.000	35.000	3.000	1.90e-04	5.43e-04	226	860
SM false alarms (FP)	Total measurement events	Density	Higher in error	41.820	35.049	6.771	3.62e-04	5.43e-04	226	860
SM false alarms (FP)	Input character count	Density	Higher in error	8.497	8.464	0.033	0.026	0.026	226	860
Rule: Neutrophilia present; Low albumin present (<i>n err: 680, n suc: 2,288</i>)										
SM false alarms (FP)	Total measurement events	Density	Higher in error	44.367	37.108	7.259	7.77e-04	0.002	170	572
SM false alarms (FP)	Imputation proportion	Imputation	Higher in success	0.625	0.654	-0.029	0.003	0.003	170	572
SM false alarms (FP)	Unique feature count	Density	Higher in error	39.000	36.000	3.000	0.003	0.004	170	572
SM false alarms (FP)	Input character count	Density	Higher in error	8.526	8.493	0.033	0.026	0.026	170	572
Rule: Coagulation derangement present; Neutrophilia present; Low albumin present (<i>n err: 552, n suc: 1,816</i>)										
SM false alarms (FP)	Total measurement events	Density	Higher in error	46.833	38.116	8.716	0.001	0.004	138	454
SM false alarms (FP)	Imputation proportion	Imputation	Higher in success	0.615	0.644	-0.029	0.006	0.006	138	454
SM false alarms (FP)	Unique feature count	Density	Higher in error	40.000	37.000	3.000	0.006	0.009	138	454
SM false alarms (FP)	Input character count	Density	Higher in error	8.557	8.522	0.035	0.043	0.043	138	454
Rule: Neutrophilia present; Low albumin present; Synthetic liver dysfunction (<i>n err: 330, n suc: 1,095</i>)										
SM false alarms (FP)	Total measurement events	Density	Higher in error	47.267	38.801	8.467	0.002	0.005	110	365
SM false alarms (FP)	Imputation proportion	Imputation	Higher in success	0.606	0.644	-0.038	0.007	0.007	110	365
SM false alarms (FP)	Unique feature count	Density	Higher in error	41.000	37.000	4.000	0.007	0.010	110	365
Rule: Low albumin present; SIRS white blood cell criterion present (<i>n err: 357, n suc: 1,158</i>)										
SM false alarms (FP)	Imputation proportion	Imputation	Higher in success	0.635	0.654	-0.019	0.008	0.008	119	386
SM false alarms (FP)	Unique feature count	Density	Higher in error	38.000	36.000	2.000	0.008	0.013	119	386
SM false alarms (FP)	Total measurement events	Density	Higher in error	43.559	37.732	5.827	0.009	0.013	119	386
Rule: Neutrophilia present; Low albumin present; SIRS white blood cell criterion present (<i>n err: 291, n suc: 801</i>)										
SM false alarms (FP)	Imputation proportion	Imputation	Higher in success	0.625	0.635	-0.010	0.030	0.030	97	267
SM false alarms (FP)	Total measurement events	Density	Higher in error	46.372	40.140	6.232	0.023	0.045	97	267
SM false alarms (FP)	Unique feature count	Density	Higher in error	39.000	38.000	1.000	0.030	0.045	97	267