

Comparison	Meta-feature	Feature family	Direction of difference	Median (error)	Median (success)	Effect size	p-value	q (per-family BH-FDR)	n (error)	n (success)
Rule: Severe acute kidney injury present (<i>n err: 498, n suc: 426</i>)										
SM advantage—survivors	Input character count	Density	Higher in success	8.453	8.596	-0.142	3.74e-05	1.12 e-04	83	71
SM advantage—survivors	Imputation proportion	Imputation	Higher in error	0.702	0.615	0.087	2.52e-04	2.52e-04	83	71
SM advantage—survivors	Unique feature count	Density	Higher in success	31.000	40.000	-9.000	2.52e-04	3.78e-04	83	71
SM advantage—survivors	Aggregate stddev	Volatility	Higher in success	-0.099	0.118	-0.217	3.02e-04	3.98e-04	83	71
SM advantage—survivors	Aggregate slope	Volatility	Higher in success	0.391	0.485	-0.094	3.98e-04	3.98e-04	83	71
SM advantage—survivors	Total measurement events	Density	Higher in success	25.670	47.932	-22.261	0.001	0.001	83	71
Rule: Coagulation derangement present; Severe acute kidney injury present (<i>n err: 390, n suc: 354</i>)										
SM advantage—survivors	Input character count	Density	Higher in success	8.491	8.622	-0.130	6.89e-05	2.07e-04	65	59
SM advantage—survivors	Imputation proportion	Imputation	Higher in error	0.702	0.606	0.096	0.002	0.002	65	59
SM advantage—survivors	Unique feature count	Density	Higher in success	31.000	41.000	-10.000	0.002	0.002	65	59
SM advantage—survivors	Total measurement events	Density	Higher in success	30.476	50.915	-20.439	0.003	0.003	65	59
SM advantage—survivors	Aggregate stddev	Volatility	Higher in success	-0.057	0.118	-0.175	0.002	0.004	65	59
SM advantage—survivors	Aggregate slope	Volatility	Higher in success	0.410	0.479	-0.069	0.004	0.004	65	59
Rule: AKI stage 2 (<i>n err: 348, n suc: 288</i>)										
SM advantage—survivors	Input character count	Density	Higher in success	8.471	8.622	-0.151	2.66e-04	7.74e-04	58	48
SM advantage—survivors	Total measurement events	Density	Higher in success	28.083	51.555	-23.472	7.42e-04	7.74e-04	58	48
SM advantage—survivors	Imputation proportion	Imputation	Higher in error	0.702	0.601	0.101	7.74e-04	7.74e-04	58	48
SM advantage—survivors	Unique feature count	Density	Higher in success	31.000	41.500	-10.500	7.74e-04	7.74e-04	58	48
SM advantage—survivors	Aggregate stddev	Volatility	Higher in success	-0.113	0.160	-0.274	9.55e-04	0.001	58	48
SM advantage—survivors	Aggregate slope	Volatility	Higher in success	0.390	0.509	-0.119	0.001	0.001	58	48
Rule: Severe acute kidney injury present; SIRS respiratory-rate criterion present (<i>n err: 198, n suc: 150</i>)										
SM advantage—survivors	Input character count	Density	Higher in success	8.453	8.646	-0.193	2.70e-04	8.09e-04	33	25
SM advantage—survivors	Aggregate slope	Volatility	Higher in success	0.410	0.553	-0.143	0.005	0.007	33	25
SM advantage—survivors	Aggregate stddev	Volatility	Higher in success	-0.124	0.234	-0.358	0.007	0.007	33	25
SM advantage—survivors	Imputation proportion	Imputation	Higher in error	0.702	0.596	0.106	0.008	0.008	33	25
SM advantage—survivors	Unique feature count	Density	Higher in success	31.000	42.000	-11.000	0.008	0.012	33	25
SM advantage—survivors	Total measurement events	Density	Higher in success	25.670	52.194	-26.524	0.014	0.014	33	25
Rule: Moderate anemia; Severe acute kidney injury present (<i>n err: 88, n suc: 56</i>)										
SM advantage—survivors	Aggregate slope	Volatility	Higher in success	0.378	0.457	-0.078	0.013	0.018	44	28
SM advantage—survivors	Aggregate stddev	Volatility	Higher in success	-0.124	0.008	-0.132	0.018	0.018	44	28