

Clinical Archetypes Overview — NM_false_alarm

Top 8 highest-significance patient subgroups

#1 COAGULATION DERANGEMENT

Clinical Conditions

- Prolonged coagulation present
- Synthetic hepatic dysfunction

Key Statistics

Patients:	837
Coverage:	17.2%
Outcome:	8.6% vs 3.4%
Enrichment:	2.51×
p-value:	4.98e-14

#2 LIVER DYSFUNCTION

Clinical Conditions

- Creatinine elevation present
- Synthetic hepatic dysfunction

Key Statistics

Patients:	296
Coverage:	6.1%
Outcome:	13.5% vs 3.4%
Enrichment:	3.94×
p-value:	2.41e-13

#3 LIVER DYSFUNCTION

Clinical Conditions

- Low albumin present
- Synthetic hepatic dysfunction

Key Statistics

Patients:	581
Coverage:	11.9%
Outcome:	9.1% vs 3.4%
Enrichment:	2.66×
p-value:	4.09e-11

#4 COAGULATION DERANGEMENT

Clinical Conditions

- Creatinine elevation present
- Prolonged coagulation present

Key Statistics

Patients:	729
Coverage:	15.0%
Outcome:	8.4% vs 3.4%
Enrichment:	2.44×
p-value:	4.09e-11

#5 NEUTROPHILIA

Clinical Conditions

- High neutrophil count present
- Synthetic hepatic dysfunction

Key Statistics

Patients:	531
Coverage:	10.9%
Outcome:	9.4% vs 3.4%
Enrichment:	2.74×
p-value:	5.07e-11

#6 CREATININE ELEVATION

Clinical Conditions

- Creatinine elevation present

Key Statistics

Patients:	1,069
Coverage:	22.0%
Outcome:	7.0% vs 3.4%
Enrichment:	2.04×
p-value:	1.48e-10

#7 NEUTROPHILIA

Clinical Conditions

- High neutrophil count present
- Mechanical ventilation data present

Key Statistics

Patients:	584
Coverage:	12.0%
Outcome:	8.6% vs 3.4%
Enrichment:	2.50×
p-value:	9.95e-10

#8 NEUTROPHILIA

Clinical Conditions

- High neutrophil count present
- Prolonged coagulation present

Key Statistics

Patients:	1,415
Coverage:	29.1%
Outcome:	5.5% vs 3.4%
Enrichment:	1.61×
p-value:	1.57e-06