
SEMPLAG - Raport de similitudine





Valorile procentuale ale identității (sau similitudinii absolute), citării și similitudinii relative în raport cu textele găsite. Indecizia este dată de procentul frazelor care nu au fost regăsite în baza de contrastare și/sau pe Web.

| Sumar | |
|--------------|-------|
| Similitudine | 15.0% |

| Indecizie 85 | 5.0% |
|--------------|------|
|--------------|------|

| Surse similare: | | |
|-----------------|--|------|
| 1) | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf | 5.5% |
| 2) | 2) Lucrare ROSOGA.docx 1.3% | |
| 3) | Lucrare STOICA.docx | 1.0% |
| 4) | 4) OECD_2012_Languages in a Global World_9611071e.pdf | |
| 5) | 5) OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf 0.9 | |
| 6) | Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf | 0.6% |

Gradul de **similitudine** și **identitate** între textul analizat și textele găsite. Valoarea indică procentul frazelor asemănătoare sau identice din textele găsite și care au fost detectate în textul analizat.

| Detalii detecţie: | | |
|---|---|--|
| | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The totality of sampling errors in all possible samples of the same size generates the sampling distribution of the statistic which is being used to estimate the parent value. | |
| Am creat un exemplu pentru a prezenta gestionarea erorilor: | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf For example, an error can be inserted in the cell values after a table is created, which means that the error is introduced to the output of the data and will therefore be referred to as output perturbation. | |
| Acesta este un exemplu de validare a formularului pe partea clientului. | Addressing the Tax Challenges of the Digital Economy_2314251e_16.sept.2014.pdf Source: Addressing the Tax Challenges of the Digital Economy_2314251e_16.sept.2014.pdf EXECUTIVE SUMMARY digital economy, particularly in cases where users and customers become an important component of the value chain, for example in relation to multi-sided business models and the sharing economy. | |
| | Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf Source: Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf For instance, service platform providers often use the freemium model on one or more sides of their market, where the cost of the free service is subsidised by premium customers across all sides of their markets. | |
| | Data-Driven Innovation Big Data for Growth and Well-Being9315021e.pdf Source: Data-Driven Innovation Big Data for Growth and Well-Being9315021e.pdf For instance, service platform providers often use the freemium model on one or more sides of their market, where the cost of the free service is subsidised by premium customers across all sides of their markets. | |

| Comenzile DCL controlează accesul la date în baza de date. | OECD_1997_Law Drafting and Regulatory Management in Central and Eastern Europe_5kml618wrlg7.pdf Source: OECD_1997_Law Drafting and Regulatory Management in Central and Eastern Europe_5kml618wrlg7.pdf There are three index models based on chronology, the date at which the law took effect, alphabetical order and subject order, or the problem addressed. |
|---|--|
| Crawler-ele web, sau păianjenii motoarelor de căutare, sunt un tip de agent web care citește paginile web fără cunoștințe prealabile despre conținutul lor. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Search engine A search engine is a set of computer programs that finds web pages. OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf There are general search engines that search large portions of the Web and specialized content search engines that target selected areas of the Web, such as the Government of Canada's search engine searches only federal government Web sites. |
| Stiva LAMP a câștigat teren în sectorul dezvoltării web ca metodă preferată pentru implementarea aplicațiilor web. | Lucrare ROSOGA.docx Source: Lucrare ROSOGA.docx Dezvoltarea web se referă la construirea site-ului Web și implementarea pe web. |
| Acest lucru permite dezvoltarea full-stack folosind un singur limbaj de programare. | OECD_2012_Languages in a Global World_9611071e.pdf Source: OECD_2012_Languages in a Global World_9611071e.pdf Mother tongue and the language used most often at work, working population |

| Clauzele SQL comune includ: WHERE: Filtrează înregistrările pe baza unor condiții specificate. | OECD_2012_Languages in a Global World_9611071e.pdf Source: OECD_2012_Languages in a Global World_9611071e.pdf The state language in its current condition is not fit to be the basis for civil identity. OECD_1982_OECD Economic Surveys Ireland 1982_1082181e.pdf Source: OECD_1982_OECD Economic Surveys Ireland 1982_1082181e.pdf Includes contingency provision of £70 million in respect of additional capital for State-sponsored bodies. |
|---|--|
| Pentru Windows și macOS, există stive similare, cunoscute sub numele de WAMP și MAMP, respectiv, cu inițiala denotând sistemul de operare. | OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Source: OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Similar systems exist under different names and forms in all |
| Exemplu de funcții de ordin superior: | OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Source: OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf For example, the accounts of the French Post and |
| | OECD Digital Economy Outlook 2015 9315041e.pdf Source: OECD Digital Economy Outlook 2015 9315041e.pdf Jobs will still be associated with providing these functions; however, many of them will require higher skills, for example, repair and programming of robotic functions. having a skilled labour force is therefore crucial. |
| | OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Source: OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Managing Equilibria and the Command Post |

| Pentru acești crawleri, și pentru agenții automatizați viitori, aplicarea consecventă a HTML-ului semantic este crucială pentru interpretarea semnificației conținutului web. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The meaning or semantic content of a value. |
|--|--|
| Douglas Crockford evidențiază modelul de moștenire prototipală al JavaScript, unde obiectele servesc ca prototipuri pentru alte obiecte, permițând instanțelor mutabile să fie augmentate cu noi proprietăți și metode. | Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf Source: Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf Market research Design of objects or services Data-Driven Innovation Big Data for Growth and Well-Being9315021e.pdf Source: Data-Driven Innovation Big Data for Growth and Well-Being9315021e.pdf Market research Design of objects or services |
| JOIN: Combină rânduri din două sau mai multe tabele pe baza unei coloane comune. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Thus, rows or columns in tables can be combined into larger class intervals or new groupings of characteristics. |

| LIMIT: Specifică numărul de înregistrări de returnat. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Registry item is a metadata item recorded in a Metadata Registry. |
|---|---|
| | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf A tightly specified item in a specific establishment. |
| | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Context: A data item is a specific sub-component of a data record. |
| În JavaScript, obiectele sunt esențialmente tablouri asociative cu un prototip. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Metadata object is an object type defined by a metamodel. |
| SQL oferă o varietate de funcții încorporate pentru a efectua calcule pe date. | OECD_1997_Internet Domain Names_5kzdd8fgbhq6.pdf Source: OECD_1997_Internet Domain Names_5kzdd8fgbhq6.pdf It is no longer appropriate for these functions to be performed by volunteers. |

| Proprietățile pot fi adăugate, schimbate sau eliminate dinamic. | OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Source: OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf It can change funding levels, eliminate programmes, or add programmes not requested by the President. |
|--|--|
| rroprietațiie pot ii adaugate, sciiiiibate sau eiiiiiiiate diiialiiic. | OECD_2003_OECD Communications Outlook 2003_9303021e.pdf Source: OECD_2003_OECD Communications Outlook 2003_9303021e.pdf A change in ownership requires approval by Pa |
| World Wide Web constă în principal din documente HTML livrate prin Hypertext Transfer Protocol (HTTP). | Addressing the Tax Challenges of the Digital Economy_2314251e_16.sept.2014.pdf Source: Addressing the Tax Challenges of the Digital Economy_2314251e_16.sept.2014.pdf The core higher-level protocols that allow communication of data between applications, such as the Hypertext Transfer Protocol (HTTP) that forms the foundation of data communication on the World Wide Web, or the SMTP that provides a standard for email transmission, are another form of accessibility. OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Current transfers consist of all transfers that are not transfer of capital. |
| Utilizarea cuvântului cheie new înainte de un apel de funcție creează o nouă instanță care moștenește de la prototipul constructorului. | OECD_2012_Languages in a Global World_9611071e.pdf Source: OECD_2012_Languages in a Global World_9611071e.pdf A speaker uses verlan to reorganise the sounds of French words, thus creating new words and encoding the original words. Emerging Policy Issues in Synthetic Biology_9214041e.pdf Source: Emerging Policy Issues in Synthetic Biology_9214041e.pdf Placing a new name on an old technology does not create a new hazard." |

| ECMAScript 5 a introdus Object.create pentru crearea instanțelor fără a moșteni de la prototipul Obiectului. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf An abstraction of a property of an object or of a set of objects. |
|---|---|
| Constructorii au o proprietate de prototip care setează prototipul intern pentru obiectele noi. | OECD_2010_PISA 2009 Assessment Framework_9809101e.pdf Source: OECD_2010_PISA 2009 Assessment Framework_9809101e.pdf Description is the type of text where the information refers to properties of objects in space. OECD_2010_PISA 2009 Assessment Framework_9809101e.pdf Source: OECD_2010_PISA 2009 Assessment Framework_9809101e.pdf |
| | Narration is the type of text where the information refers to properties of objects in time. |
| Specificațiile CSS sunt menținute de Consorțiul World Wide Web (W3C). | Lucrare STOICA.docx Source: Lucrare STOICA.docx Pentru a rezolva această problemă, CSS a fost introdus în 1996 de Consorțiul World Wide Web (W3C), care deține standardul. |
| | Lucrare ROSOGA.docx Source: Lucrare ROSOGA.docx Aceste pagini web sunt disponibile prin World Wide Web. |
| | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The Internet is also the foundation for the World Wide Web (WWW). |

OECD_1997_Law Drafting and Regulatory Management in Central and Eastern Europe 5kml618wrlq7.pdf **Source:** OECD 1997 Law Drafting and Regulatory Management in Central and Eastern Este utilizat si în trusa de unelte pentru widget-uri GTK. Europe 5kml618wrlg7.pdf Alternatives to legislating — using the Government "tool kit". Lucrare STOICA.docx **Source:** Lucrare STOICA.docx Limbajele de programare utilizate HTML reprezintă HyperText Markup Language. Herausforderungen für die Besteuerung der digitalen Wirtschaft 2314255e.pdf HTML (HyperText Markup Language) HTML, sau HyperText Markup **Source:** Herausforderungen für die Besteuerung der digitalen Wirtschaft 2314255e.pdf Language, este limbaiul fundamental pentru crearea documentelor web. Auch dieser Commoditisierungsprozess wurde durch Standards vorangetrieben, angefangen von den Internetstandards wie Hypertext Transfer Protocol (HTTP) sowie den Datenformaten Hypertext Markup Language (HTML) und später Extensible Markup Language (XML) bis hin zu E-Mail-Protokollen wie Simple Mail Transfer Protocol (SMTP), Post Office Protocol (POP) und Internet Message Access Protocol (IMAP). Lucrare STOICA.docx **Source:** Lucrare STOICA.docx PHP reprezintă Hypertext Preprocessor. PHP (Hypertext Preprocessor) PHP este un limbaj versatil care este folosit în principal pentru dezvoltarea web. Lucrare ROSOGA.docx **Source:** Lucrare ROSOGA.docx Termenul PHP este un acronim pentru PHP: Hypertext Preprocessor.

OECD 2008 OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf

See also: Structured Query Language (SQL)

Lucrare STOICA.docx **Source:** Lucrare STOICA.docx

MySQL suportă standardul SQL (Language Structured Query Language).

Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf Source: Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf

SQL [structured query language] databases, distributed data management with tools such as Hadoop), and data pre-processing methods (data cleaning).

Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf Source: Data-Driven Innovation Big Data for Growth and Well-Being 9315021e.pdf

Such models can be explicit, as in the case of a structured query language (SQL) database, where the data model is reflected in the structure of the database's tables.

Financial Literacy 9816021e.pdf

Source: PISA 2015 Assessment and Analytical Framework Science%2C Reading%2C Mathematic and Financial Literacy 9816021e.pdf

PISA 2015 Assessment and Analytical Framework Science%2C Reading%2C Mathematic and

How old were you when you started <ISCED 0>?

Ulterior, SQL a devenit acronimul pentru Structured Query Language.

Aceste setări au fost descurajate începând cu PHP 5.3.0 și eliminate

generat de SemPlag 2024-05-27 20:57:38

începând cu PHP 5.4.0.

© UFFISCDI 2013-2016

| Inițial, PHP era abrevierea de la Personal Home Page, dar acum se referă la acronimul recursiv PHP: Hypertext Preprocessor. | Lucrare STOICA.docx Source: Lucrare STOICA.docx PHP reprezintă Hypertext Preprocessor. Lucrare ROSOGA.docx Source: Lucrare ROSOGA.docx Termenul PHP este un acronim pentru PHP: Hypertext Preprocessor . |
|--|---|
| Operatorii unari + și - își convertește operandul într-un număr. | OECD_1982_OECD Economic Surveys Australia 1982_1082041e.pdf Source: OECD_1982_OECD Economic Surveys Australia 1982_1082041e.pdf Figures from 1971 are converted at market rates of exchange. |
| Numerele sunt convertite în echivalentele lor de șir. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Numbers should be converted to full-time equivalents (FTEs) |
| | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Values at current exchange rates (at current USD) are series at current domestic prices converted to a common currency by way of current exchange rates. |
| | OECD_1982_OECD Economic Surveys Australia 1982_1082041e.pdf Source: OECD_1982_OECD Economic Surveys Australia 1982_1082041e.pdf Figures from 1971 are converted at market rates of exchange. |

OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf

"sample design" cover in addition the method of estimation; and "survey design" may cover also other

aspects of the survey, e.g. choice and training of interviewers, tabulation plans, etc. "Sample design" is sometimes used in a clearly defined sense, with reference to a given frame, as the set of rules or specifications for the drawing of a sample in an unequivocal manner (The International Statistical Institute, "The Oxford Dictionary of Statistical Terms", edited by Yadolah Dodge, Oxford University

Source: OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf Tablourile sunt transformate în siruri, cu elementele unite prin virgule. The range of possible values of a cell in a table of frequency counts where the cell value has been perturbed or suppressed. OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf **Source:** OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf The designation of an object by a linguistic expression. OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf Source: OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf Obiectele sunt convertite la forma de sir [object Object], unde Object este numele constructorului. Data element concept object class is the designation of an Object class for a Data element concept. OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf Source: OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf An abstraction of a property of an object or of a set of objects. OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD 2008 OECD Glossary of Statistical Terms 3008121e.pdf The term "sampling plan" may be restricted to mean all steps taken in selecting the sample; the term

generat de **SemPlag** 2024-05-27 20:57:38

Acest exemplu acoperă utilizarea si comportamentul operatorilor + si -,

precum si regulile de conversie a tipurilor în JavaScript.

© UFFISCDI 2013-2016

Press, 2003)

| În schimb, ele definesc structura paginii, cu unele tag-uri introducând conținut (, <input/>) și altele oferind informații despre text (). | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Input editing is editing that is performed as data is input. |
|---|---|
| SQL este proiectat special pentru a interoga datele dintr-o bază de date relațională. | OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Source: OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf At the same time, on the basis in particular of up-dated economic forecasts by the |
| Funcțiile sunt definite folosind cuvântul cheie function sau ca funcții săgeată (ES6). | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The working poor are defined as the proportion of employed persons living below the poverty line. |
| lavaScript suportă programarea orientată pe obiecte prin prototipuri și clase ES6. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf In object-oriented design or programming, an object is a concrete realisation of a class that consists of data and the operations associated with that data. |
| | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Metadata object is an object type defined by a metamodel. |
| Aceste stiluri pot fi aplicate direct în cadrul unui document HTML sau, mai eficient, prin fișiere externe .css, asigurând uniformitatea pe mai multe pagini. | Developing a Multilateral Instrument to Modify Bilateral Tax Treaties, Action 15 - 2015 Final Report2315401e.pdf Source: Developing a Multilateral Instrument to Modify Bilateral Tax Treaties, Action 15 - 2015 Final Report2315401e.pdf Indeed, some provisions would be much more effective if implemented through a multilateral instrument. |

| Nu toate tag-urile necesită un tag de închidere; browserele pot deduce sfârșitul unui element din context, urmând regulile standardului HTML. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Context: This contract may be part of a broader employment contract, it may be set forth in the plan rules or documents, or it may be required by law. |
|--|---|
| Sintaxa generală pentru un element HTML include numele tag-ului, atributele ca perechi nume-valoare (atribut="valoare") și conținutul: <tag atribut="valoare">conținut</tag> . | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Data element concept property is the designation of a Property for a Data element concept. |
| Această flexibilitate permite variabilelor să-și schimbe tipurile, cum ar fi de la un număr la un șir. | OECD Digital Economy Outlook 2015 9315041e.pdf Source: OECD Digital Economy Outlook 2015 9315041e.pdf machine-to-machine communication is predicted to become one of the main sources of growth and innovation in the digital economy in the coming decade (see Chapter 6). in 2014, the netherlands became the first country to reform numbering regulations to enable private networks to have access to mobile number or international mobile subscription identity (imsi) ranges.13 the main advantage of this regulatory setting is that allows businesses, especially large users of mobile services, greater flexibility in choosing how to offer m2m services across borders. this is a significant development for consideration by policy makers in all countries, with a view to ensuring the competitiveness of the mobile communication sector and its ability to meet rapidly evolving market demand. in a similar vein, germany has launched a public consultation on the use of numbers/imsi identifiers (Bundesnetzagentur, 2014). in most countries, companies would need to become an mVnO to be assigned numbers. relaxing |
| PHP este un limbaj de programare general care este utilizat în principal pentru dezvoltarea web bazată pe server. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf French equivalent: Campagne (céréales secondaires) COBOL (Common Business Oriented Language) A high level programming language used in business applications. |

| De obicei, proprietățile legate de text sunt moștenite, în timp ce proprietățile legate de casetă nu sunt. | PISA 2015 Assessment and Analytical Framework Science%2C Reading%2C Mathematic and Financial Literacy _9816021e.pdf Source: PISA 2015 Assessment and Analytical Framework Science%2C Reading%2C Mathematic and Financial Literacy _9816021e.pdf fferent texts are connected with one another through hypertext links; and, given these text characteristics, the way that readers typically engage with digital texts To a much greater extent than with printed or hand-written texts, readers need to construct their own pathways to complete any reading activity associated with a digital textin order to achieve one's goals, develop one's knowledge and potential, and participate in society. |
|---|--|
| Poate servi, de asemenea, ca ancoră într-un URL pentru a direcționa către o parte specifică a paginii. class: Grupuri de elemente cu caracteristici similare. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Property A characteristic common to all members of an object class. |
| Este folosit atât pentru semnificație semantică cât și pentru stilizare, permițând elementelor să fie stilizate colectiv sau identificate ca parte a microformatelor. | OECD_2005_Culture and Local Development_8405021e.pdf Source: OECD_2005_Culture and Local Development_8405021e.pdf Communities takes part in the work of the OECD. |
| Comenzile DDL sunt utilizate pentru a defini structura bazei de date. | Developing a Multilateral Instrument to Modify Bilateral Tax Treaties, Action 15 - 2015 Final Report2315401e.pdf Source: Developing a Multilateral Instrument to Modify Bilateral Tax Treaties, Action 15 - 2015 Final Report2315401e.pdf Given the risk of abuse arising from the use of these structures, countries may conclude that it is better to address dual-residence situations on a case-by-case basis in order to deter aggressive tax planning that facilitates BEPS. Developing a Multilateral Instrument to Modify Bilateral Tax Treaties_2314311e.pdf Source: Developing a Multilateral Instrument to Modify Bilateral Tax Treaties_2314311e.pdf Given the risk of abuse arising from the use of these structures, countries may conclude that it is better to address dual-residence situations on a case-by-case basis in order to deter aggressive tax planning that facilitates BEPS. |

| Şirurile de caractere pot fi concatenate utilizând operatorul punct. | OECD_2010_PISA 2009 Assessment Framework_9809101e.pdf Source: OECD_2010_PISA 2009 Assessment Framework_9809101e.pdf A combination of multiple-choice and constructed- response item types is used and some items involve partial credit scoring. |
|--|--|
| Cu toate acestea, moștenirea CSS diferă de moștenirea bazată pe clase din limbajele de programare. | OECD_2012_Languages in a Global World_9611071e.pdf Source: OECD_2012_Languages in a Global World_9611071e.pdf Linguistic heritage: Roots to a forgotten language |
| Comenzile DDL comune includ: CREATE: Creează o nouă tabelă, bază de date, index sau vizualizare; ALTER: Modifică un obiect existent în baza de date, cum ar fi o tabelă; DROP: Șterge o tabelă, bază de date, index sau vizualizare: | Lucrare ROSOGA.docx Source: Lucrare ROSOGA.docx Diferența este în loc de a crea o nouă bază de date ne vom conecta la baza de date existentă și creăm un tabel în acea bază de date. |
| De exemplu, < și & pot fi scrise ca < și & respectiv. | OECD_2005_Culture and Local Development_8405021e.pdf Source: OECD_2005_Culture and Local Development_8405021e.pdf This indicator may also be written as follows: [N(S,Z)/N(S)]. |
| Array-urile sunt structuri de date care pot conține multiple valori. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The interval containing possible values for a suppressed cell in a table, given the table structure and the values published. |

| Comenzile DML sunt utilizate pentru a gestiona datele din tabelele bazei de date. | Lucrare STOICA.docx Source: Lucrare STOICA.docx Actualizarea datelor din tabelele bazei de date PISA 2015 Assessment and Analytical Framework Science%2C Reading%2C Mathematic and Financial Literacy _9816021e.pdf Source: PISA 2015 Assessment and Analytical Framework Science%2C Reading%2C Mathematic and Financial Literacy _9816021e.pdf The concept of variables, including dependent, independent and control variables Concepts of measurement, e g quantitative (measurements), qualitative (observations), the use of a scale, categorical and continuous variables Ways of assessing and minimising uncertainty, such as repeating and averaging measurements Mechanisms to ensure the replicability (closeness of agreement between repeated measures of the same quantity) and accuracy of data (the closeness of agreement between a measured quantity and a true value of the measure) Common ways of abstracting and representing data using tables, graphs and charts, and using them appropriately The control-of-variables strategy and its role in experimental design or the use of randomised controlled trials to avoid confounded findings and identify possible causal mechanisms The nature of an appropriate design for a given scientific question, e g experimental, field-based or pattern-seeking Epistemic knowledge |
|--|--|
| CSS este utilizat pentru a controla aspectul vizual al unei pagini web. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Browser A program used to locate and view Web pages. |
| Comenzile DML comune includ: SELECT: Recuperează date din baza de date; INSERT: Adaugă noi înregistrări într-o tabelă; UPDATE: Modifică înregistrările existente dintr-o tabelă; DELETE: Șterge înregistrări dintr-o tabelă. | OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf Source: OECD_1996_Budgeting and Policy Making_5kml6g6wccq0.pdf The bottom line in the table shows the actual deficits recorded in these years. |

| Comenzile DCL controlează accesul la date în baza de date. | OECD_1997_Law Drafting and Regulatory Management in Central and Eastern Europe_5kml618wrlg7.pdf Source: OECD_1997_Law Drafting and Regulatory Management in Central and Eastern Europe_5kml618wrlg7.pdf There are three index models based on chronology, the date at which the law took effect, alphabetical order and subject order, or the problem addressed. |
|---|---|
| JavaScript este limbajul dominant de scripting pe partea de client a Web-ului, cu 99% dintre toate site-urile web care îl folosesc în acest scop. | OECD_2012_Languages in a Global World_9611071e.pdf Source: OECD_2012_Languages in a Global World_9611071e.pdf Two languages functioned side by side. |
| De exemplu, cele mai utlizate de către programatori sunt: date: Formatează o dată/ora localăș strtotime: Convertește un șir de caractere la format de timp Unixș time: Returnează timpul actual ca o marcă temporală Unix. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The transmission of a single character at a time. |
| În php, este posibilă manipularea fișierelor printr-o serie de funcții. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The amount of available resources spent by the railway enterprise in conjunction with an operation or service, or with a series of operations and services. |
| Acest lucru ajută la menținerea consistenței între diferite browsere și asigură că paginile web sunt afișate așa cum sunt intenționate. | Lucrare ROSOGA.docx Source: Lucrare ROSOGA.docx Cum va fi afișat designul site-ului web în diferite browsere? |
| HTML semantic este practica de a scrie cod HTML care prioritizează semnificația conținutului peste aspectul său. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The meaning or semantic content of a value. |

| Proprietarul site-ului web poate folosi aceste date pentru analitice, urmărirea anunțurilor și personalizare. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Working proprietors (in an establishment) |
|---|--|
| Proprietățile sunt urmate de valori care specifică modul în care elementul trebuie stilizat: | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Statistical measure A summary (means, mode, total, index, etc.) of the individual quantitative variable values for the statistical units in a specific group (study domains). |
| Conținutul elementului, dacă este prezent, este plasat între aceste taguri. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf These tables present the number of units of analysis in a cell. |
| Aceste elemente necesită doar un singur tag și nu au nevoie de un tag de sfârșit. | OECD_2003_OECD Communications Outlook 2003_9303021e.pdf Source: OECD_2003_OECD Communications Outlook 2003_9303021e.pdf This is because, with the rare exception of carriers that charge for call attempts, it is only by terminating calls that revenue is generated. |
| | OECD_2008_Internet Address Space_5kz83bhdspvg.pdf Source: OECD_2008_Internet Address Space_5kz83bhdspvg.pdf However, NAT modifies the packet's header before it reaches its destination and thus requires intelligence and processing power within the network rather than only at the end points. |
| Acestea permit stocarea datelor într-o structură tabelară. | OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf The interval containing possible values for a suppressed cell in a table, given the table structure and the values published. |

Clasa text setează dimensiunea fontului la 2rem, care se scală cu dimensiunea fontului elementului root.

OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf Source: OECD_2008_OECD Glossary of Statistical Terms_3008121e.pdf

A two-point scale with the response categories 'yes' and 'no' was used.