

Java github Jenkins y Maven

Plugins necesarios en Jenkins

Maven integration

Github Branch source plugin

Ir a “administrar Jenkins” / “tools”

Instalaciones de Maven / añadir Maven y configuramos un nombre

instalaciones de Maven

Añadir Maven

Maven

Nombre

maven-jenkins

☒ Instalar automáticamente ?

Instalar desde Apache

Versión

3.9.11

Añadir un instalador ▾

Creamos una tarea y configuramos el repositorio con el código fuente

Para clonar el repo en este caso usaré el https

Al ser publico no se necesitan credenciales

Configurar la rama deseada

Jenkins / JavaMavenApp / Configuration

Configure

- General
- Configurar el origen del código fuente
- Triggers
- Environment
- Build Steps
- Acciones para ejecutar después.

General

Descripción

Java app con maven

Plain text Visualizar

☐ Desechar ejecuciones antiguas ?

☐ Esta ejecución debe parametrizarse ?

☐ GitHub project

☐ Throttle builds ?

☐ Lanzar ejecuciones concurrentes en caso de ser necesario ?

Avanzado ▾

Configurar el origen del código fuente

Connect and manage your code repository to automatically pull the latest code for your builds.

☐ Ninguno

☒ Git ?

Repositories ?

Repository URL ?

https://github.com/maclooujulian/simple-java-maven-app.git

Credentials ?

- none -

+ Add

Save Apply

Console output del job

Jenkins / JavaMavenApp / #1 / Salida de consola

Estado

Cambios

Console Output

Editar información de la ejecución

Delete build #1

Timings

Git Build Data

Salida de consola

```
Started by user jenkins
Running as SYSTEM
Building in workspace /var/jenkins_home/workspace/JavaMavenApp
The recommended git tool is: NONE
No credentials specified
Cloning the remote git repository
Cloning repository https://github.com/maclooujulian/simple-java-maven-app.git
> git init /var/jenkins_home/workspace/JavaMavenApp # timeout=10
Fetching upstream changes from https://github.com/maclooujulian/simple-java-maven-app.git
> git --version # timeout=10
> git --version # "git version 2.39.5"
> git fetch --tags --force --progress -- https://github.com/maclooujulian/simple-java-maven-app.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/maclooujulian/simple-java-maven-app.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rebase refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 9396b7c42f467673997e3d5f68b9f460a734e178 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f 9396b7c42f467673997e3d5f68b9f460a734e178 # timeout=10
Commit message: "Javamaven0513.groovy"
First time build. Skipping changelog.
Finished: SUCCESS
```

El código se encuentra aquí

Building in workspace /var/jenkins_home/workspace/JavaMavenApp

Veamos el repo clonado


```
ls /var/jenkins_home/workspace/JavaMavenApp
```

```
DSL Dockerfile Dockerfile2 Jenkinsfile1 Jenkinsfile3 Jenkinsfile4 README.md
jenkins pom.xml src
```

```
root@1d65952d6ee8:/var/jenkins_home/workspace#
```


Build de la app

Configurar el job



De momento haremos algo simple con una ejecución el comando.

Eliminar el mvn ya que está puesto como ejemplo para entender lo que se ejecuta por detrás.



-B -DskipTests clean package

Se busca el pom y se construye la app

[INFO] Building my-app 1.0-SNAPSHOT

[INFO] from pom.xml

Al final veremos el .jar que se ha construido

[INFO] Building jar: /var/jenkins_home/workspace/JavaMavenApp/target/my-app-1.0-SNAPSHOT.jar

[INFO] -----

[INFO] BUILD SUCCESS

[INFO] -----

[INFO] Total time: 8.471 s

[INFO] Finished at: 2025-07-26T08:21:12Z

[INFO] -----

[Slack Notifications] found #1 as previous completed, non-aborted build

[Slack Notifications] will send OnSuccessNotification because build matches and user preferences allow it

Finished: SUCCESS

Aquí nos deja el artefacto

[INFO] Building jar: /var/jenkins_home/workspace/JavaMavenApp/target/my-app-1.0-SNAPSHOT.jar

Comprobar artefacto generado

root@1d65952d6ee8:/var/jenkins_home/workspace/JavaMavenApp/target

ls my-app-1.0-SNAPSHOT.jar

my-app-1.0-SNAPSHOT.jar

Porque my-app-1.0-SNAPSHOT ???

Pom.xml

```
<artifactId>my-app</artifactId>
```

```
<packaging>jar</packaging>
```

```
<version>1.0-SNAPSHOT</version>
```

```
<name>my-app</name>
```