CareBridge

Developer Manual & Test Checklist

Architecture, setup, deployment and the full manual test plan

Live app: carebridge-topaz-eta.vercel.app
Code: github.com/TeohXiXian-2025/carebridge
Design: Figma file · **Spec:** docs/SPEC.md
Version: November 2026
WIX2002 Project Management · Universiti Malaya

Contents

1. Overview . . . 3
Links . . . 3
Tech stack (all free tiers) . . . 3
2. Architecture . . . 4
Data layer . . . 4
Repository structure . . . 4
3. Data model . . . 5
Statuses . . . 5
Workflows (from SPEC.md) . . . 5
4. Roles, sign-in and security . . . 6
Security rules summary . . . 6
5. Notifications . . . 7
Events sent to /api/notify . . . 7
6. Setup and deployment . . . 8
Environment variables . . . 8
One-time Firebase setup . . . 8
Vercel . . . 8
Run locally . . . 8
7. Troubleshooting . . . 9
Automated checks used during development . . . 9
Part B · Manual test checklist . . . 10
1. Sign-up and log-in . . . 11
2. Donor . . . 11
3. Home registration and approval . . . 12
4. Home admin . . . 12
5. Managers and admins . . . 13
6. Privacy and security . . . 13
7. Notifications (app and email) . . . 14
8. Phone app, layout and edge cases . . . 15
8b. Added in the 3 November update . . . 15
9. Bugs and results . . . 16

1. Overview

CareBridge is a needs-based wishlist and direct pledging web app for welfare homes. It is built twice from one spec (**docs/SPEC.md**): a no-code prototype in Bubble.io for the course, and this coded version, which is free to run long-term and installable on phones. Both follow the same screens, data, statuses and workflows.

Links

What	Where
Live app (production)	carebridge-topaz-eta.vercel.app
Source code	https://github.com/TeohXiXian-2025/carebridge
Figma (mobile + desktop)	https://www.figma.com/design/jHmYLe3TR7fmlCwH4OWXkK
Shared spec	docs/SPEC.md in the repo
Bubble.io version	coming soon
Firebase project	carebridge-51218 (console.firebase.google.com)

Tech stack (all free tiers)

Layer	Choice	Why
Front end	React 19, TypeScript, Vite 8, react-router-dom 7, plain CSS tokens	Fast, small, no UI framework to fight
Hosting	Vercel Hobby	Deploys on every push to main; serverless function for notifications
Auth	Firebase Authentication: Google + Email/Password	Free; email verification and password reset built in
Database	Cloud Firestore (asia-southeast1), live listeners	Real-time updates; security rules enforce privacy
Photos	Compressed in the browser, stored as data URLs in Firestore	Cloud Storage needs the paid Blaze plan
App notifications	Firebase Cloud Messaging (web push) + PWA service worker	Free; works with the app closed
Email	nodemailer over Gmail SMTP (App Password)	Free, about 500 emails a day
Server code	One Vercel function: api/notify.ts (firebase-admin 13.10)	Cloud Functions need Blaze

2. Architecture

```
Browser / installed PWA (React)
  |-- Firebase Auth ............ sign-in (Google, email)
  |-- Firestore ................ read/write data, live onSnapshot listeners
  |                               (security rules = privacy rules)
  |-- writes in-app notifications (notifications collection)
  '-- POST /api/notify  (with Firebase ID token)
          |
          v
   Vercel function api/notify.ts  (firebase-admin)
     |-- verifies the ID token and the event
     |-- looks up recipients in Firestore (home managers, donor, admins)
     |-- FCM web push -> each saved device token (data-only message)
     '-- SMTP email   -> recipients with emailNotifications on
          |
          v
   public/firebase-messaging-sw.js shows the notification; tap opens the page
```

Data layer

- **src/lib/store.ts** defines one **Store** interface used by every page.
- **firebaseStore.ts** implements it with Firestore. Every list/one read starts a live listener that calls **bump()**, so pages re-render within a second when anyone changes data.
- **localStore.ts** implements the same interface in localStorage (**demo mode**), seeded from seed.ts. It is used automatically when no VITE_FIREBASE_* values are set.
- **api.ts** wraps the store: after each workflow it writes in-app notifications and calls /api/notify.
- **logic.ts** holds the pure business rules: calcStatus, stillNeeded, canPledge, sortItems, fulfilment, makePledgeNo (CB-YYMMDD-XXXX).

Repository structure

```
src/lib/          types, store interface, firebase + demo stores, api, logic, push, auth
src/components/   layout (nav, sidebar, tab bar, account menu), bell, managers panel,
                  account settings, home form, item cards, ui primitives
src/pages/        Home, Directory, HomeProfile, PledgeConfirmed, MyPledges, Login,
                  RegisterHome, Profile
src/pages/admin/  Dashboard, Wishlist, Pledges, PledgeActions, HomeSettings, AdminShell
src/pages/platform/Platform.tsx   Approvals, Overview, Homes, Admins, Account
api/notify.ts     Vercel serverless function (push + email)
public/           manifest.webmanifest, sw.js, firebase-messaging-sw.js, icons
firestore.rules   security rules (paste into Firebase console)
docs/             SPEC.md and these PDF manuals
```

3. Data model

Collection	Key fields	Notes
users/{uid}	name, email, phone, role (donor | homeAdmin | platformAdmin), homeId, fcmTokens[], emailNotifications	Created on first sign-in by ensureProfile()
homes/{id}	name, type, area, address, dropOffHours, about, photo, notifyEmail, status (Pending | Approved | Rejected), adminId, reviewNote, reviewedAt, resubmittedAt	Visible to donors only when Approved
items/{id}	homeId, homeApproved, name, category, unit, qtyNeeded, qtyPledged, qtyReceived, priority, status, note	homeApproved is copied from the home so donor queries stay simple
pledges/{id}	pledgeNo, itemId, homeId, donorId, donor name/phone, quantity, dropOffDate, status, qtyReceived, receivedAt	Created in a transaction with the item update
invites/{email}	role, homeId, homeName, invitedBy, invitedByName, createdAt	Doc id is the lower-case email; accepted on first sign-in
notifications/{id}	toUser | toHome | toRole, title, body, path, pledgeId, homeId, from, createdAt, read	Feeds the bell; rules allow only the people involved

Statuses

Thing	Values	Rule
Item	Open, Partially pledged, Fully pledged, Fulfilled, Paused	Fulfilled when received ≥ needed; Fully pledged when received + pledged ≥ needed; Partially when anything is pledged; Paused is set by hand
Pledge	Pending, Accepted, Declined, Received, Cancelled	Pending → Accepted/Declined; Accepted → Received; donor may cancel Pending or Accepted
Home	Pending, Approved, Rejected	Platform admins can move between any of them; a Rejected home can ask again (→ Pending)

Workflows (from SPEC.md)

#	Workflow	What happens
W1	Donor confirms pledge	1 ≤ qty ≤ still needed → Pledge (Pending) → item.qtyPledged += qty → recalc → notify home + donor
W2	Home accepts	Pledge → Accepted → notify donor with drop-off details
W3	Home declines	Pledge → Declined → item.qtyPledged −= qty → recalc → notify donor
W4	Donor cancels	Pending/Accepted → Cancelled → item.qtyPledged −= qty → notify home
W5	Home marks received	Enter delivered qty → item.qtyReceived += delivered, qtyPledged −= pledged → recalc → thank donor
W6	Add a need	New item with 0 pledged/received, status Open, homeApproved from the home
W7	Pause / resume	Paused hides it from donors; resume recalculates
W8	Register a home	Home (Pending, adminId = user); user becomes homeAdmin of it in the same batch
W9	Approve	Home → Approved; all its items get homeApproved = true
W10	Reject	Home → Rejected with an optional reason shown to its managers
W11	Ask again	Rejected home edits details → Pending; platform admins notified

4. Roles, sign-in and security

- **Donors and homes sign themselves up** (Google or email). A home is linked to the account that registered it; more managers are added by email invite.
- **Platform admins do not sign up.** The bootstrap admin email is listed in **src/lib/admins.ts** and **firestore.rules** (xixianteoh@gmail.com). Others are invited in Platform → Admins.
- On first sign-in, **ensureProfile()** creates the user doc. If an invite exists for the verified email it applies the role in a batch that also deletes the invite.
- Email/password accounts must verify their email before an invite is accepted (rules use the verified email only).

Security rules summary

Collection	Who can read	Who can write
users	Self, platform admins, co-managers of the same home	Self (not role/homeId except via invite, W8 or leaving); platform admins; a manager removing a co-manager
invites	Platform admins, the invited verified email, that home's managers	Platform admins (any role); managers (homeAdmin for their home)
homes	Anyone if Approved; platform admins; its managers	Create as Pending by self; managers edit profile only; platform admins change status; W11 re-review
items	Anyone if homeApproved; platform admins; its managers	Managers; donors may only change qtyPledged/status within 0..qtyNeeded
pledges	The donor, that home's managers, platform admins	Create Pending with matching item increment (transaction); donor cancels; managers accept/decline/receive
notifications	The recipient (user, home managers or platform admins)	Only the person whose action caused it, to the people involved

Every time firestore.rules changes, copy the whole file into Firebase console → Firestore → Rules and click **Publish**. Vercel does not deploy rules. If the app shows a red banner saying the database refused access, the published rules are out of date.

5. Notifications

Channel	How it works
In-app (bell)	api.ts writes a notifications doc for each recipient. NotificationBell listens live, shows an unread count and a toast for new items.
App / push	pushClient.syncPushToken() runs on every app start: if permission is granted it registers firebase-messaging-sw.js (scope /firebase-cloud-messaging-push-scope, config in the query string), gets an FCM token and saves it in users.fcmTokens. api/notify.ts sends **data-only** web-push messages (Urgency high). firebase-messaging-sw.js handles the push event itself (no Firebase SDK in the worker) and always calls showNotification with the title and text, so Android never falls back to a blank 'CareBridge' notification and each one appears once, even with the app closed.
Email	api/notify.ts sends through SMTP (Gmail App Password) to recipients whose emailNotifications is not false, with an 'Open CareBridge' button.

Events sent to /api/notify

Event	Recipients
pledge.created	All managers of the home (New pledge) and the donor (Pledge sent)
pledge.accepted / pledge.declined / pledge.received	The donor
pledge.cancelled	All managers of the home
home.registered (also used for re-review)	Platform admins
home.reviewed	All managers of the home, with the reason when rejected
invite.created	The invited email address (email only)

The function checks the caller's Firebase ID token. **GET /api/notify** is a self-test that reports configuration without sending anything:

```
{"serviceAccountSet":true,"emailConfigured":true,"serviceAccountProject":"carebridge-51218",
"privateKeyLooksOk":true,"firestore":"ok","messaging":"ok","email":"ok"}
```

iPhone note: web push works only from the installed app (Share → Add to Home Screen) on iOS 16.4 or newer.

6. Setup and deployment

Environment variables

Variable	Where	Value
VITE_FIREBASE_API_KEY, _AUTH_DOMAIN, _PROJECT_ID, _STORAGE_BUCKET, _MESSAGING_SENDER_ID, _APP_ID	.env.production (committed; these are public)	Firebase → Project settings → Your apps → Web app
VITE_FIREBASE_VAPID_KEY	.env.production	Project settings → Cloud Messaging → Web Push certificates → public key
FIREBASE_SERVICE_ACCOUNT	**Vercel only** (secret)	Project settings → Service accounts → Generate new private key → whole JSON
SMTP_USER	**Vercel only**	The Gmail address that sends notification emails
SMTP_PASS	**Vercel only** (secret)	That account's 16-letter App Password (2-Step Verification must be on)
SMTP_HOST, SMTP_PORT, APP_URL	Vercel, optional	Defaults: smtp.gmail.com, 465, the site's own address

Never commit the service-account JSON or the App Password. .gitignore already excludes .env.local and *service-account*.json. After adding or changing Vercel variables, **redeploy**.

One-time Firebase setup

1. Authentication → Sign-in method: enable **Google** and **Email/Password**.
2. Authentication → Settings → Authorized domains: add **carebridge-topaz-eta.vercel.app** (and localhost for development).
3. Firestore: create the database in production mode, region **asia-southeast1**.
4. Firestore → Rules: paste **firestore.rules** and Publish.
5. Cloud Messaging: generate the Web Push key pair; put the public key in VITE_FIREBASE_VAPID_KEY.
6. Sign in with Google as the bootstrap admin email; it becomes platform admin automatically.

Vercel

1. Import the GitHub repo in Vercel (framework preset: Vite). vercel.json rewrites every non-/api path to index.html.
2. Add the three server variables above, then redeploy.
3. Every push to **main** deploys to production. Open /api/notify to confirm all checks say ok.
4. package.json pins **engines.node 22.x** for the function.

Run locally

```
npm install
npm run dev      # demo mode: seeded data in localStorage
npm run build    # type-check + production build
npm run lint
```

Demo accounts (password demo1234): donor@demo.test, admin@demo.test (Sri Damai Elderly Home), platform@demo.test. Copy .env.production to .env.local to use the real Firebase project locally.

7. Troubleshooting

Symptom	Cause and fix
Log-in error: domain not authorised / OAuth popup fails	The page is a Vercel preview URL. Use the production domain, or add the domain to Firebase Authorized domains.
Manifest CORS errors in the console on preview URLs	Vercel deployment protection on previews. Harmless; production is unaffected.
Red banner: database refused access	firestore.rules in the console is older than the repo. Paste and Publish again.
/api/notify returns 500 FUNCTION_INVOCATION_FAILED	Check Vercel → Logs. Imports are lazy so a bad env var shows as JSON from the self-test instead of crashing.
require() of ES Module jose from jwks-rsa	firebase-admin 14 needs an ESM runtime. Keep firebase-admin pinned to 13.10.0.
Self-test serviceAccountSet:false / privateKeyLooksOk:false	FIREBASE_SERVICE_ACCOUNT is missing or was pasted without the full JSON (the private key needs its \n line breaks).
email: failed	Wrong SMTP_USER / SMTP_PASS, or 2-Step Verification is off on that Gmail.
No push when the app is closed	The device has no saved token: open the app once with notifications allowed (tokens are re-synced on each start). On iPhone use the installed app.
UM Google account can't sign in	The university's Google Workspace may block third-party apps. Use the email form.
'Firebase Dynamic Links' deprecation warning	Not used by CareBridge; ignore.

Automated checks used during development

A Playwright script runs 143 checks against demo mode at phone (390 px) and desktop (1280 px) widths: every route, each workflow W1–W11, role guards, filters, the bell, managers and layout overflow. Latest run: **143 / 143 passed**, no page errors. The manual checklist below covers the live Firebase behaviour those scripts can't (real sign-in, rules, push and email).

Part B · Manual test checklist

Run every test on the live site, carebridge-topaz-eta.vercel.app, and write **Pass** or **Fail** in the Result column. Log any Fail in section 9.

Setup checks (do these first)

- ■ Firestore → Rules shows the latest firestore.rules from GitHub, published today
- ■ Authentication → Sign-in method: Google and Email/Password both enabled
- ■ Authentication → Settings → Authorized domains includes carebridge-topaz-eta.vercel.app
- ■ Vercel → Environment Variables has FIREBASE_SERVICE_ACCOUNT, SMTP_USER, SMTP_PASS, and the project was redeployed after adding them

Test accounts

Role	Account	How to create
Platform admin	xixianteoh@gmail.com	Continue with Google (becomes admin automatically)
Donor A	a second Gmail	Sign up → A donor → Google
Donor B	any email + password	Sign up → A donor → email form
Home manager 1	a third Gmail	Sign up → A welfare home
Home manager 2	a fourth email	Invited later in the managers tests

Use a different browser profile or an incognito window per account. Devices: one laptop (Chrome) and at least one phone; test both Android and iPhone if possible.

1. Sign-up and log-in

#	Test	Steps	Expected	Result
1.1	Platform admin by Google	Log in → Continue with Google → xixianteoh@gmail.com	Lands on Home approvals; sidebar shows Approvals, Overview, Homes, Admins	
1.2	Donor sign-up by Google	Sign up → A donor → Continue with Google (Donor A)	Lands on Welfare homes; avatar shows initials; Profile says Donor	
1.3	Donor sign-up by email	Sign up → A donor → name, phone, email, password	Account created; lands on Welfare homes; a verification email arrives	
1.4	Home sign-up	Sign up → A welfare home → Google (Manager 1)	Goes straight to the Register a home form	
1.5	Log out and back in	Avatar → Log out; log in again (each method)	Returns to the right page for the role	
1.6	Wrong password	Log in with Donor B and a wrong password	Message: wrong email or password	
1.7	Duplicate email	Sign up again with Donor B's email	Message: account already exists	
1.8	Weak password	Sign up with a 4-letter password	Blocked; at least 6 characters	
1.9	Cancel Google pop-up	Continue with Google, then close the pop-up	Message: Google sign-in was cancelled; nothing breaks	
1.10	Pages need the right role	Logged out open /my-pledges, /admin, /platform; as a donor open /admin and /platform	Logged out → Log in; donor → Home	
1.11	Edit my account	Profile → change name and phone → Save; reload	New name and phone kept	

2. Donor

Run after section 3 has at least one approved home with a few wishlist items (one High priority).

#	Test	Steps	Expected	Result
2.1	Home page	Open the site logged out	Hero, How it works, Urgent needs shows High-priority open items only	
2.2	Directory: approved only	Open Homes	Approved homes shown; Pending or Rejected never appear	
2.3	Filters	Try Urgent only, type, area, category, search	List narrows correctly; 'No homes match' when nothing fits	
2.4	Fulfilment bar	Compare a home card with its wishlist	'X of Y needs fulfilled' = Fulfilled items ÷ items not Paused	
2.5	Home profile	Open a home	About, drop-off address and hours, wishlist by priority; Paused and Fulfilled hidden	
2.6	Pledge needs login	Logged out, tap Pledge	Sent to Log in, then back to the same pledge	
2.7	Quantity limit	Item with 30 still needed; try 0, 31, 30	0 and 31 blocked; max shown is 30; 30 allowed	
2.8	Past date blocked	Choose yesterday as drop-off date	Blocked with a message	
2.9	Pledge confirmed	Pledge 10 of an item	Pledge sent page with CB-YYMMDD-XXXX, status Pending, drop-off address	

#	Test	Steps	Expected	Result
2.10	Counts update	Reopen the home	Item shows +10 pledged; Open → Partially pledged	
2.11	Fully pledged	Pledge the rest of an item	Status Fully pledged; button greys out to Pledged	
2.12	Two donors, last units	Donor A and B pledge the last 5 at the same time	One succeeds; the other is told it is no longer available	
2.13	My pledges	Open My pledges	Active, Completed, Cancelled tabs with correct counts and timeline	
2.14	Cancel pledge	Cancel a Pending pledge	Moves to Cancelled; item's pledged count goes back down	

3. Home registration and approval

Do this section first, so the donor tests have a home to use.

#	Test	Steps	Expected	Result
3.1	Required fields	Submit the form with name or address empty	Blocked with a message	
3.2	Photo upload	Upload a large phone photo (5 MB+)	Preview shows; saves quickly (shrunk first)	
3.3	Register	Fill all fields → Submit for review	Dashboard with 'Waiting for approval' note	
3.4	Hidden while pending	Donor opens Homes and the home's link	Not listed; direct link says not available	
3.5	Prepare wishlist while pending	Manager 1 adds 3 needs (one High)	Saved; still hidden from donors	
3.6	Admin sees it	Platform admin → Approvals	Card with type, area, contact, submitted date	
3.7	Preview	Click Preview public page	Opens the page with a 'pending' preview note	
3.8	Approve	Click Approve	Recently reviewed (Approved); home and its 3 items visible to donors	
3.9	Reject	Register a second test home, then Reject it	Rejected; never visible to donors; its manager sees a red note	
3.10	One home per account	Manager 1 opens Register a home again	Told the account already manages a home	

4. Home admin

Note the item's three numbers (needed / pledged / received) before each step.

#	Test	Steps	Expected	Result
4.1	Dashboard numbers	Open Dashboard after donor pledges	Open needs, Pending pledges, Received this month match the data	
4.2	Add need	Wishlist → + Add need → Save	Appears as Open; donors see it on the home page	
4.3	Edit need	Edit name, quantity, priority	Saved; status recalculated	
4.4	Quantity below pledged	Item with 20 pledged → need 10	Blocked: can't be lower than 20	
4.5	Pause / Resume	Pause an item, check donor view, Resume	Paused = hidden and not counted; Resume restores status	

#	Test	Steps	Expected	Result
4.6	Accept	Pledges → Accept a Pending pledge	Status Accepted; numbers unchanged	
4.7	Decline	Decline another Pending pledge	Declined; item's pledged count goes down by that quantity	
4.8	Mark received (full)	Accepted pledge of 10 → Mark received → 10	Received +10; pledge Received; preview matched	
4.9	Mark received (fewer)	Accepted pledge of 10 → enter 7	Received +7 and pledged −10 (3 released)	
4.10	Fulfilled	Receive enough to reach the needed amount	Item Fulfilled (green); fulfilment bar goes up	
4.11	Can't repeat	Accept a Declined pledge or receive one twice	Buttons not shown, or a clear message	
4.12	Filters	Pledges tabs: Pending, Accepted, Received, Declined / cancelled	Each tab shows only that status, correct counts	
4.13	Edit home profile	Profile → Home details → hours and photo → Save	Public page shows the changes	

5. Managers and admins

#	Test	Steps	Expected	Result
5.1	Invite home manager	Manager 1 → Profile → Home managers → add Manager 2's email	Shows as Invited; Manager 2 gets an invite email	
5.2	Invite accepted	Manager 2 signs in with that email	Lands on the same home's dashboard; sees the same pledges	
5.3	Both get alerts	Donor pledges	Both managers get the app notification and email	
5.4	Cancel invite	Invite a third email, then Cancel	Invite gone; that email signs in as a normal donor	
5.5	Last manager can't leave	Remove Manager 2; Manager 1 tries Leave	Leave is disabled while only one manager remains	
5.6	Hand over a home	Re-add Manager 2; Manager 1 clicks Leave	Manager 1 becomes a donor; Manager 2 still runs the home	
5.7	Platform: add admin	Platform → Admins → add Donor A's email	Donor A becomes platform admin straight away	
5.8	Platform: remove admin	Remove Donor A	Back to donor; can't open /platform	
5.9	Platform: change a home's account	Platform → Homes → Managers → add an email	Same as 5.1–5.2 for that home	
5.10	Email/password invite	Invite Donor B's email (email account)	Joins only after verifying the email and signing in again	

6. Privacy and security

Test on the live site, not demo mode. For 6.3–6.5 also check Firestore → Data in the console.

#	Test	Steps	Expected	Result
6.1	Donors see only their pledges	Donor B opens My pledges	Only Donor B's pledges	
6.2	Homes see only their pledges	Manager of home X opens Pledges	Only pledges for home X	

#	Test	Steps	Expected	Result
6.3	No access to other homes' admin	Manager of X tries another home's data	Can't see or edit another home's wishlist or pledges	
6.4	Donor can't open admin pages	Donor types /admin, /admin/pledges, /platform	Sent back to Home	
6.5	Contact details private	As a donor, look at homes and directory	No donor phones or manager emails; only a home's public email if set	
6.6	Pending homes hidden	Logged out, open a pending home's link	'This home isn't available'	

7. Notifications (app and email)

On each test device: log in → Profile → **Turn on** notifications → Allow. On iPhone install the app first (8.2). Check spam folders.

#	Event	Who should get it	App	Email	Result
7.1	Donor makes a pledge	Home managers: New pledge; donor: Pledge sent	☐	☐	
7.2	Home accepts	Donor: Pledge accepted, with drop-off date and address	☐	☐	
7.3	Home declines	Donor: Pledge declined	☐	☐	
7.4	Home marks received	Donor: Thank you – your donation was received	☐	☐	
7.5	Donor cancels	Home managers: Pledge cancelled	☐	☐	
7.6	Home registers	Platform admins: New home to review	☐	☐	
7.7	Home approved / rejected	Home managers	☐	☐	
7.8	Manager / admin invited	The invited email (email only)	–	☐	

- App closed or phone locked: notification still arrives; tapping it opens the right page
- Profile → Email notifications off: next event sends the app notification but no email
- The email's 'Open CareBridge' button opens the live site
- Nothing arrives? Open /api/notify (self-test) and Vercel → Logs filtered to /api/notify

8. Phone app, layout and edge cases

#	Test	Steps	Expected	Result
8.1	Install on Android	Chrome → ⋮ → Install app	Icon on home screen; opens full-screen	
8.2	Install on iPhone	Safari → Share → Add to Home Screen	Icon added; full-screen; notifications can be turned on (iOS 16.4+)	
8.3	Phone layout	Go through every screen on the phone	Bottom tab bar; pledge form as a bottom sheet; nothing cut off	
8.4	Desktop layout	Same screens on a laptop	Top nav (donor) or sidebar (admins); matches Figma desktop frames	
8.5	Resize	Drag the window narrow and wide	Switches cleanly at about 900 px	
8.6	Weak or no internet	Airplane mode, open the installed app	App opens; actions show an error, not a freeze; recovers online	
8.7	Refresh any page	Reload on a deep page, e.g. a home profile	Same page loads again (no 404)	
8.8	Empty states	New home with no needs; donor with no pledges	Friendly 'nothing here yet' messages	
8.9	Long text	Very long home name, item name, about text	Wraps neatly; layout doesn't break	

8b. Added in the 3 November update

10 more tests, so the checklist has 91 in total.

#	Test	Steps	Expected	Result
8b.1	Reject with reason	Platform admin → Reject → type a reason	Home manager sees the reason in a red note on every admin page	
8b.2	Ask for review again	Rejected home → Edit home details → Ask for review again	Back to Pending; platform admins get 'Home asks for review again'	
8b.3	Change any status	Platform → Homes → Back to pending / Approve / Reject	Status changes; donors stop or start seeing the home	
8b.4	Fulfilled hidden	Fulfil an item, open the home as a donor	Item gone from the donor wishlist; 'N needs already fulfilled'	
8b.5	Fulfilled filter	Wishlist → Unfulfilled / Fulfilled / Paused chips	Each chip shows only those items, with counts	
8b.6	Live updates	Same home on two devices; pledge on one	Other device updates within seconds without reloading	
8b.7	Live role change	Platform adds someone as admin while they are logged in	Their menu changes to admin without logging out	
8b.8	Bell	Accept a pledge, look at the donor's bell	Red count; 'Pledge accepted'; tap opens My pledges; Mark all read clears	
8b.9	Account menu	Desktop: click your avatar	Menu with name, email, role, links and Log out (no instant log-out)	
8b.10	Notification setup check	Open /api/notify on the live site	serviceAccountSet, emailConfigured true; firestore, messaging, email ok	

9. Bugs and results

Log every Fail here, one row each, newest first, then send the list to the developers.

Test #	What happened	What should happen	Device / browser	Account / role	Fixed?

Results summary

Section	Tests	Passed	Failed
1. Sign-up and log-in	11		
2. Donor	14		
3. Home registration and approval	10		
4. Home admin	13		
5. Managers and admins	10		
6. Privacy and security	6		
7. Notifications	8		
8. Phone app, layout, edge cases	9		
8b. 3 November update	10		
Total	**91**		

Tested by	Date	Build / commit	Signature