

Untitled

Terence McSweeney

24/07/2020

Link

Everything you need to know for making text tables is here: <https://cran.r-project.org/web/packages/huxtable/vignettes/huxtable.html#introduction>

```
library(huxtable)
```

```
## Warning: package 'huxtable' was built under R version 4.0.2
```

```
library(readxl)
```

```
library(dplyr)
```

```
##
```

```
## Attaching package: 'dplyr'
```

```
## The following object is masked from 'package:huxtable':
```

```
##
```

```
##   add_rownames
```

```
## The following objects are masked from 'package:stats':
```

```
##
```

```
##   filter, lag
```

```
## The following objects are masked from 'package:base':
```

```
##
```

```
##   intersect, setdiff, setequal, union
```

```
jams <- hux(  
  Type = c("Strawberry", "Raspberry", "Plum"),  
  Price = c(1.90, 2.10, 1.80)  
)
```

```
jams %>%  
  set_caption("test")
```

```
library(huxtable)
```

```
library(readxl)
```

```
library(dplyr)
```

```
test_table <- read_excel("Table_incl_excl_crit.xlsx")
```

Table 1: test

Type	Price
Strawberry	1.9
Raspberry	2.1
Plum	1.8

```
## New names:
## * ' ' -> ...2
```

```
test_table <- as_hux(test_table)

test_table %>%
  set_background_color(evens, everywhere, "grey95") %>%
  set_markdown_contents(1, 2, "") %>%
  set_tb_borders(brdr(0.3, "solid", "grey80")) %>%
  set_top_border_color(1, everywhere, "white") %>%
  set_bottom_border_color(10, everywhere, "white") %>%
  set_all_padding(4) %>%
  set_outer_padding(5) %>%
  set_number_format(2) %>%
  set_bold(c(1,6), everywhere) %>%
  set_bottom_border(c(1,6), everywhere, brdr(thickness = 0.5,
                                              style = "solid", "black")) %>%

  set_width(1.0) %>%
  set_caption("Table 1. Proposed inclusion and exclusion criteria.")
```

Table 2: Table 1. Proposed inclusion and exclusion criteria.

Inclusion Criteria	
Population	Adults with chronic non-specific LBP or part of a pain-free control group
Intervention/Exposure	Quantitative imaging or electrophysiological signal taken while the spine is in continuous motion
Comparison	CNSLBP compared to healthy controls
Outcome	Relevant kinematic variables, signal amplitude reflective of muscle or other tissue function
Exclusion Criteria	
Study type	Case-controlled observational (quantitative) studies
Population	Criteria for a diagnosis of chronic LBP is not met. Studies where pain was induced. Studies where participants have received surgery or an underlying pathology has been diagnosed.
Intervention/Exposure	Static isometric contractions, studies where movement was introduced by balance perturbation, studies of gait or functional or lifting tasks where the spine moves through multiple planes
Study type	Peer-reviewed and grey literature including theses.