Joddy Street <peeyushraj8@gmail.com>

Regarding Setup from Source and Change Directory of installation
6 messages

Joddy Street <peeyushraj8@gmail.com>   Mon, Aug 11, 2014 at 9:51 PM
To: checkmk-en@lists.mathias-kettner.de

Hello All,

I was wondering if someone has a setup of OMD in different base directory than /opt/omd

I have a requirement to change the directory from "**/opt/omd/**" to **/apps/omd** and the softlink at **/omd** should be changed as well to **/apps/omd** itself.

Is that something easily doable ?

What all files and modules I need to go though to make this happen ?

Joddy Street <peeyushraj8@gmail.com>   Mon, Aug 11, 2014 at 9:52 PM
To: checkmk-en@lists.mathias-kettner.de

I am using : omd1.10.src.tar.gz and RHEL6.5
[Quoted text hidden]
--
< J >

Jim Welch <jim.welch@oit.gatech.edu>   Mon, Aug 11, 2014 at 10:03 PM
To: Joddy Street <peeyushraj8@gmail.com>

hmmm...If I were writing an app, I'd have all references use the
sysmlink (/omd) so you could put it anywhere. Do a quick install
on a test box, move /opt/omd to /app/omd and change the symlink
and see if it works...

From: "Joddy Street" <peeyushraj8@gmail.com>
To: checkmk-en@lists.mathias-kettner.de
Sent: Monday, August 11, 2014 12:21:00 PM
Subject: [Check_mk (english)] Regarding Setup from Source and
Change   Directory of installation
[Quoted text hidden]
_____
checkmk-en mailing list
checkmk-en@lists.mathias-kettner.de
http://lists.mathias-kettner.de/mailman/listinfo/checkmk-en

Joddy Street <peeyushraj8@gmail.com>   Mon, Aug 11, 2014 at 10:16 PM

To: Jim Welch <jim.welch@oit.gatech.edu>

Hi Jim,

thanks for the response, but my problem is, I can't have a /omd symlink as well. So every module needs to point at /apps/omd instead of /omd itself.

See?
[Quoted text hidden]
--
< J >

Jim Welch <jim.welch@oit.gatech.edu>   Mon, Aug 11, 2014 at 10:30 PM
To: Joddy Street <peeyushraj8@gmail.com>

I don't think that is practical, but you could go through the source code and see.

From: "Joddy Street" <peeyushraj8@gmail.com>
To: "Jim Welch" <jim.welch@oit.gatech.edu>
Sent: Monday, August 11, 2014 12:46:08 PM
Subject: Re: [Check_mk (english)] Regarding Setup from Source and Change Directory of installation
[Quoted text hidden]

Joddy Street <peeyushraj8@gmail.com>   Fri, Aug 15, 2014 at 4:48 PM
To: checkmk-en@lists.mathias-kettner.de

There were a few changes in make files of omd and packages

1. Makefile.omd

OMD_BASE   = /apps/omd
OMD_PHYSICAL_BASE = /apps/omd

2. Makefile

comment : A="$(OMD_PHYSICAL_BASE)" ; ln -s $${A:1} $(DESTDIR)/omd
No need to setup a link

3. Makefile

change all the /omd to /apps/omd (seen in install-global: & in alt:)

4. In checkmk web, web/htdocs/defaults.py change the /omd to /apps/omd and change the site name variable from [3] to [4]

make && make pack
make setup

That should do all the required setup.

On Mon, Aug 11, 2014 at 9:52 PM, Joddy Street <peeyushraj8@gmail.com> wrote:
I am using : omd1.10.src.tar.gz and RHEL6.5

On Mon, Aug 11, 2014 at 9:51 PM, Joddy Street <peeyushraj8@gmail.com> wrote:
Hello All,

I was wondering if someone has a setup of OMD in different base directory than /opt/omd

I have a requirement to change the directory from "**/opt/omd/**" to **/apps/omd** and the softlink at **/omd** should be changed as well to **/apps/omd** itself.

Is that something easily doable ?

What all files and modules I need to go though to make this happen ?

--
< J >

--
< J >