nocout_gis

GIS Inventory Nocout

Installation Steps:

Pre-requisits

- 1. Linux System (Ubuntu 12.04 LTS)
- 2. Python Virtualenv (sudo aptitude install python-virtualenv)
- 3. OMDdistro
- 4. Install MariaDB or MySQL
 - 1. If the installation is with mysql: sudo aptitude install mysqlclient-dev libmysqlclient-dev
 - 2. If the installation is with mariadb: sudo aptitude install mariadbclient-dev libmariadbclient-dev
- 5. Install python-dev sudo aptitude install python-dev
- 6. Install phpmyadmin
- 7. Create a database named : nocout_dev
- 8. Install graphviz sudo aptitude install graphviz
- 9. Install Python Wrapper to graphviz sudo aptitude install python-pygraphviz
- 10. Install Shared libraries graphviz & python sudo aptitude install libgraphviz-dev
- 11. Install Geometry Engine, Open Source libraries sudo aptitude install libgeos-dev


Setup Enviornment

- 1. Create folder in /home/<USER>/Document NOCOUT
- 2. Change dir \$:~ cd /home/<USER>/Documents/NOCOUT
- 3. Clone "nocout_gis" repository to this folder (/home/<USER>/Documents/NOCOUT) - \$:~ git clone <REPOSITORY-ADDRESS>
- Go to the cloned repository folder : cd /home/<USER>/Documents/NOCOUT/nocout_gis
- 5. Create virtualenv \$:~ virtualenv nout
- 6. Activate virtualenv (nout):~ source nout/bin/activate
- 7. Install the requirements for Django app (nout):~pip install -r requirements.txt

Setup Application

- $1. \ \ Go\ to\ folder: /home/< USER > /Documents/NOCOUT/nocout_gis/nocout$
- 2. Run syncdb: python manage.py syncdb--noinput
- 3. Run migrations: python manage.py migrate
- 4. Run the data loading fixtures : Load Commands : python manage.py loaddata fixtures/<FIXTURE NAME>.json

Module Files



```
- models.py
  - static
  L__ css
     └─ command.css
   - templates
  L— command
     — command delete.html

command detail.html

      — command_new.html
       command_update.html
     commands list.html
  tests.py
  urls.py
 views.py
- department
 — __init__.py
  - models.py

    templates

  L— department
     └─ department.html
  tests.py
___ views.py
device
 — __init__.py
  – ajax.py
  api.py

device extra fields urls.py

  device_frequency_urls.py
  device_model_urls.py
  device_ports_urls.py
  device technology urls.py
  device type urls.py
  device_vendor_urls.py
  – forms.py
  - migrations
    — 0001_initial.py
— __init__.py
  - models.py
  static
     – css
     L— device.css
      - device
       — css
        └─ device.css
     – is
      loadTreeLib.js
       nocout_forms.js
   - templates
      - device
        device_delete.html
        device_detail.html
        - device new.html
        device_update.html
        - devices_list.html
        - devices tree view.html
      device extra fields
        device_extra_field_delete.html
```

```
device_extra_field_detail.html
         device_extra_field_new.html
         device_extra_field_update.html
         device_extra_fields_list.html
     device frequency

    device frequency delete.html

        - device frequency list.html
         device_frequency_new.html
         device_frequency_update.html
      device_model
        - device model delete.html
        device model detail.html
        - device model list.html
        - device_model_new.html
        device_model_update.html
      device_port
        device_port_delete.html
        - device_port_detail.html
        - device port new.html
        device_port_update.html
        device_ports_list.html
     device_technology
        device_technology_delete.html

    device technology detail.html

         device_technology_list.html
        device_technology_new.html
         device technology update.html
      device_type
        device_type_delete.html
        device_type_detail.html
        - device type list.html
        device_type_new.html
        device_type_update.html
     - device_vendor
        device_vendor_delete.html
       - device vendor detail.html
        device_vendor_list.html
       - device_vendor_new.html

device vendor update.html

  templatetags
      __init__.py
     continue_and_break.py
  - tests.py
  - urls.py
 – views.py
device_group
   __init__.py
  admin.py
  – ajax.py
  - forms.py
  migrations
    – 0001_initial.py
     – __init__.py
  - models.py
  - static
      device group.css
```

```
- templates
     — device_group
       — dg_delete.html
        dg_detail.html
        – dg list.html
        - dg new.html
       dg update.html
   - tests.py
   - urls.py
  - views.py
devicevisualization
 --- ___init___.py
  admin.py
  models.py
  - static
      L— style.css
        advanceSearchLib.js

    devicePlottingLib.js

devicevisualization.js

        earth_devicePlottingLib.js
        fullScreenControl.js
        infobox.js
        markerclusterer.js
        – markerwithlabel.js
       — oms.min.js

    livePolling.json

      - new_format.json
    - services.json
  - templates
  — devicevisualization
        google_earth_template.html
       locate_devices.html
  tests.py
  urls.py
  views.py
download_center
 — __init__.py
  – admin.py
  models.py
  tests.py
 — views.py
 — 14_jul_2014_data_dump_all.txt
  14_jul_2014_eve_data_dump_all.txt
  – 15_july_2014_data_dump_all.json
  – 17_july_2014_data_dump_all.json
  - 22 evening july 2014 data dump all.json
  - 22_july_2014_data_dump_all.json
  – 23__july_2014_data_dump_all.json
  - 24 july default data.json
  - 25 july data.json
  – 28_july_fixtures.json
  – 29_july_dump_all.json
  - 31 july dump all.json
  - default
```

```
README.txt
      auth.json
      · command_default.json
      default_data.json
      device_frequency_default_data.json
      device_group_default.json
     – django user groups.json
      initial_default_data.json
      inventory_default.json
     – inventory_settings.json

latest default data.json

     – machine default.json

organization default.json

     service_default.json

site instance default.json

     user_default.json
     user_group_default.json
   default_date_23_july.json
   geo data
     - README.txt
     – city.json
     – country.json
      - state.json
     stategeoinfo.json
   performance
  performance_dump_data.json
- home
   __init__.py
   - models.py
   static
      — nocout dashboard.css
       highcharts.js
     nocout_dashboard.js

    templates

   └─ home
     └─ home.html
  tests.py
 views.py
inventory
  __init__.py
  – ajax.py
  antenna_urls.py
  backhaul urls.py
  base_station_urls.py
  circuit_urls.py
  customer_urls.py
  forms.py
   icon_settings_urls.py
   live_polling_settings_urls.py

    migrations

     – 0001_initial.py
    — __init__.py
   - models.py
   sector urls.py
   sub_station_urls.py
```

	templates				
i þ	— antenna				
i i	antenna delete.html				
i i	— antenna detail.html				
ii	- antenna list.html				
	antenna new.html				
	antenna_update.html				
	— backhaul				
	— backhaul detail.html				
Ιİ	backhaul new.html				
	backhaul_update.html				
	backhauls list.html				
i i	— base station				
	base station delete.html				
	— base station detail.html				
Ιİ	base station new.html				
	— base station update.html				
	base stations list.html				
	— circuit				
	circuit delete.html				
	— circuit detail.html				
	circuit new.html				
Ιİ	circuit_update.html				
	circuits list.html				
-	— customer				
Ιİ	— customer delete.html				
İİ	customer_detail.html				
	— customer_new.html				
Ιİ	— customer_update.html				
	L— customers_list.html				
-	— icon_settings				
	icon_settings_delete.html				
	— icon_settings_detail.html				
	icon_settings_list.html				
	icon_settings_new.html				
	L— icon_settings_update.html				
	— inventory				
	— inventory.html				
	inventory_delete.html				
	inventory_list.html				
	inventory_new.html				
	inventory_update.html				
-	— live_polling_settings				
	— live_polling_settings_delete.html				
	— live_polling_settings_detail.html				
	— live_polling_settings_list.html				
	— live_polling_settings_new.html				
	L— live_polling_settings_update.html				
	— sector				
	sector_delete.html				
	sector_detail.html				
	sector_new.html				
	sector_update.html				
	L— sectors_list.html				
	— sub_station				
1 1					

```
sub_station_detail.html
          sub_station_new.html
         sub_station_update.html
         sub_stations_list.html
      - thematic settings

    thematic settings delete.html

         - thematic settings detail.html
         - thematic_settings_list.html
         thematic_settings_new.html
         thematic_settings_update.html
      - threshold configuration

    threshold configuration delete.html

    threshold configuration detail.html

        – threshold_configuration_list.html

    threshold configuration new.html

        threshold_configuration_update.html
   tests.py
   · thematic_settings_urls.py
   - threshold configuration urls.py
   urls.py
  views.py
- machine
  __init__.py
   - admin.py
  – forms.py

    migrations

    — 0001 initial.py

      __init__.py
   - models.py
   templates
   — machine
       — machine delete.html
        machine_detail.html
        — machine_new.html
        - machine update.html
       — machines_list.html
   tests.py
   - urls.py
  views.py
- manage.py
- media
- nocout
    __init__.py

    context processors profile


      – __init__.py
     user_profile_atts.py
   local_settings.py
   - media
   L— icons
     └─ 2.jpg


    middleware.py


    middlewares


    LoginRequiredMiddleware.py

      __init__.py
   nocout_nginx.conf -> nocout_nginx_https.conf
   nocout nginx http.conf
   nocout nginx https.conf
```









```
avatar2.jpg
   avatar3.jpg
   avatar4.jpg
   avatar5.jpg
   avatar6.jpg
   - avatar7.jpg
  avatar8.jpg
 carousel
   1.jpg
   2.jpg
  3.jpg
- chat
 — headshot1.jpg
  headshot2.jpg
  headshot3.jpg
   - headshot4.jpg
  headshot5.jpg
chat-arrow-mod.png
chat-arrow.png
dots.png
gallery
  1.png
   2.jpg
  3.png
   4.png

    5.png

   7.jpg

    8.png


   – img
  └── 1.jpg
 gritter
 — buy.png
   - cloud.png
  settings.png
- headshot.png
- icons
  mobilephonetower1.png

    mobilephonetower10.png

mobilephonetower2.png

    mobilephonetower3.png


   - mobilephonetower4.png
   mobilephonetower5.png
   mobilephonetower6.png
  mobilephonetower7.png
  mobilephonetower8.png
   - mobilephonetower9.png
   wifi1.png
   - wifi10.png
   - wifi2.png
   - wifi3.png
   - wifi4.png
   - wifi5.png
   wifi6.png
   wifi7.png
   wifi8.png
   - wifi9.png
```



```
master01.png
   master02.png
   master03.png
   slave01.png
   slave02.png
   · slave03.png
- nms icons
   - big
      circle_green.png
      circle_grey.png
     circle orange.png
     circle red.png
     circle yellow.png
     help_circle_blue.png
     minus_circle_green.png
   circle_green.png
   circle_grey.png
   · circle_orange.png
   circle red.png
   circle_yellow.png
   help_circle_blue.png
   - medium
     circle_green.png
      circle_grey.png
     circle orange.png
     circle red.png


circle yellow.png


      - help_circle_blue.png
      - minus_circle_green.png
   - minus_circle_green.png
  - small
    — circle green.png
     circle_grey.png
     circle_orange.png
     circle red.png
     circle yellow.png
     help_circle_blue.png
    minus_circle_green.png
pattern.png
profile
— avatar.jpg
- search
  sample.jpg
search-icon.png
severity
  status-0.png
   - status-1.png
  status-3.png
  - status-4.png
   - status_old_icons
     status-0.png
      - status-1.png
      - status-2.png
      - status-3.png
      - status-4.png
      - status-5.png
      - status-6.png
```




		lang
		├— af.js
		i i
		i i
— ca.js		i i
		i i
— cy.js		i i
		i i
— de.js — el.js — en-au.js — en-ca.js — en-gb.js — eo.js — eo.js — es.js — et.js — fi.js — fi.js — fi.js — fi.js — hi.js — hi.js — hi.js — hi.js — hi.js — id.js — it.js — ko.js — ku.js — ku.js — ko.js — ms.js — ms.js — ms.js — no.js — pl.js — pt-br.js — pt.js — pt.js — pt.js — pt.js — pt.js — si.js — si.js — si.js — si.js — si.js — si.js — si.js — si.js — si.js — sq.js —		
— el.js		!!
— en-au.js — en-gb.js — en.js — eo.js — eo.js — es.js — et.js — fo.js — fo.js — fr.js — gl.js — hi.js — hi.js — hi.js — hi.js — hi.js — hi.js — id.js — ka.js — ko.js — ku.js — lt.js — ms.js — ms.js — no.js — nl.js — pl.js — pt.js — pt.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js — sk.js		
— en-ca.js — en-gb.js — en.js — eo.js — es.js — et.js — et.js — fo.js — fr.js — fr.js — gl.js — hi.js		├— el.js
— en-gb.js — en.js — eo.js — es.js — et.js — et.js — fo.js — fo.js — fr-ca.js — fr.js — gl.js — hi.js		en-au.js
— en.js — eo.js — es.js — et.js — eu.js — fa.js — fo.js — fr.js — gl.js — hi.js — hi.js — hi.js — hi.js — ka.js — ka.js — ku.js — lt.js — ms.js — ms.js — no.js — no.js — pl.js — pt.js — ro.js — si.js — si.js — sq.js		en-ca.js
— en.js — eo.js — es.js — et.js — eu.js — fa.js — fo.js — fr.js — gl.js — hi.js — hi.js — hi.js — hi.js — ka.js — ka.js — ku.js — lt.js — ms.js — ms.js — no.js — no.js — pl.js — pt.js — ro.js — si.js — si.js — sq.js		en-gb.js
— eo.js		
es.js — et.js — et.js — fa.js — fa.js — fo.js — fr.js — fr.js — gl.js — hi.js — hi.js — hi.js — hi.js — ko.js — ko.js — ku.js — kv.js — ms.js — ms.js — nb.js — nl.js — pt.js — pt.js — ro.js — ro.js — si.js — sq.js		i i
et.js — eu.js — fa.js — fi.js — fo.js — fr.js — fr.js — gl.js — hi.js — hi.js — hi.js — hi.js — ka.js — ku.js — ku.js — ku.js — lt.js — ms.js — ms.js — nl.js — nl.js — pt.js — pt.js — ru.js — ru.js — si.js — sq.js		
— eu.js — fa.js — fi.js — fo.js — fr-ca.js — fr.js — gl.js — hi.js — hi.js — hi.js — hi.js — id.js — id.js — id.js — ka.js — ka.js — ku.js — ku.js — lv.js — ms.js — ms.js — nl.js — nl.js — pt-br.js — pt-br.js — ro.js — ru.js — si.js — si.js — sq.js		
— fa.js		· ·
— fi.js — fo.js — fr.ca.js — fr.js — gl.js — gl.js — he.js — hi.js — hi.js — id.js — id.js — id.js — ko.js — ko.js — ko.js — ko.js — mh.js — mh.js — mh.js — mh.js — mh.js — nl.js — nl.js — pl.js — pl.js — pt.js — ro.js — pt.js — ro.js — si.js — si.js — sq.js — sq.js		
— fr-ca.js — fr.js — gl.js — gu.js — he.js — hi.js — hu.js — id.js — is.js — ka.js — ka.js — ku.js — ku.js — ms.js — ms.js — ms.js — nl.js — nl.js — pl.js — pt-br.js — pt-br.js — pt-br.js — ro.js — ro.js — ro.js — si.js — sl.js — sq.js —		
— fr.js		: :
		├── fr-ca.js
— gu.js — he.js — hi.js — hr.js — hu.js — id.js — is.js — it.js — ka.js — ku.js — ku.js — ku.js — mn.js — mn.js — mn.js — nl.js — nl.js — pt-br.js — pt.js — pt.js — ro.js — ru.js — si.js — sl.js — sl.js — sq.js — sq.js — sq.js		├— fr.js
— he.js		├— gl.js
— he.js	İ	i i
		i i
— hr.js		
	! 	i i
it.js — ja.js — ka.js — km.js — ko.js — lt.js — lt.js — mk.js — ms.js — ms.js — nb.js — nl.js — pl.js — pt-br.js — pt.js — ro.js — ru.js — sk.js — sl.js — sq.js	l i	
— ka.js		
— km.js		: :
		├── km.js
		i i
— mn.js — ms.js — nb.js — nl.js — no.js — pl.js — pt-br.js — pt.js — ro.js — ru.js — si.js — sk.js — sq.js		
		i i
		i i
		!!!
— pt.js — ro.js — ru.js — si.js — sk.js — sl.js — sq.js		
ro.js — ro.js — ru.js — si.js — sk.js — sl.js — sq.js		pt-br.js
ro.js — ro.js — ru.js — si.js — sk.js — sl.js — sq.js		├— pt.js
— ru.js — si.js — sk.js — sl.js — sq.js		
		! ! -
		i i
sl.js — sq.js		
│		
		i i
	l	sr-iath.js


```
- sr.js
   - sv.js
   - th.js
   - tr.js
   - ug.js
   – uk.js
   – vi.js
   – zh-cn.js
  – zh.js
- plugins
  – a11yhelp
   L— dialogs
      — a11yhelp.js
         – lang
         – ar.js
            – bg.js
             – ca.js
             - cs.js
             - cy.js
             – da.js
             – de.js
             – el.js
             - en.js
            – eo.js
            – es.js
            – et.js
             – fa.js
             - fi.js
            – fr-ca.js
            – fr.js
            – gl.js
             - gu.js
             – he.js
            – hi.js
            – hr.js
             – hu.js
             – id.js
            – it.js
            – ja.js
             – km.js
             – ku.js
             – lt.js
            – lv.js
            – mk.js
            – mn.js
            – nb.js
             – nl.js
            – no.js
            – pl.js
             – pt-br.js
             - pt.js
             – ro.js
             – ru.js
            – si.js
             – sk.js
             – sl.js
```








```
devil_smile.gif
       embaressed_smile.gif
      embarrassed_smile.gif
      - envelope.gif
      - heart.gif
      - kiss.gif
      - lightbulb.gif
      - omg_smile.gif
      - regular_smile.gif
      - sad_smile.gif
      - shades_smile.gif
      - teeth smile.gif
      - thumbs_down.gif
      - thumbs_up.gif
      - tongue_smile.gif
      tounge_smile.gif
      whatchutalkingabout_smile.gif
      wink_smile.gif
- specialchar
L— dialogs
      – lang
          _translationstatus.txt
          – ar.js
         – bg.js
          – ca.js
          – cs.js
          - cy.js
          - de.js
          - el.js
          – en.js
          - eo.js
         – es.js
          - et.js
         – fa.js
         – fi.js
         – fr-ca.js
          - fr.js
          - gl.js
         – he.js
          - hr.js
          - hu.js
          - id.js
          - it.js
          - ja.js
          - ku.js
         – lv.js
          – nb.js
          - nl.js
          - no.js
          – pl.js
          - pt-br.js
          pt.js
          - ru.js
          - si.js
          - sk.js
          - sl.js
          - sq.js
```

















```
images
         Sorting icons.psd
         back_disabled.png
          back_enabled.png

    back enabled hover.png

    favicon.ico

         - forward disabled.png
         forward enabled.png
         forward_enabled_hover.png
         sort_asc.png

    sort asc disabled.png

         - sort both.png
         sort desc.png
        sort_desc_disabled.png
      - js
        - jquery.dataTables.js

    jquery.dataTables.min.js

        – jquery.js
- datepicker
    legacy.js
    picker.date.js
    picker.js
    picker.time.js
   - themes
     default.date.min.css

    default.min.css

    default.time.min.css
dropzone

    dropzone.min.css

    dropzone.min.js


   - spritemap.png
  spritemap@2x.png
easypiechart
    angular.easypiechart.min.js
   - easypiechart.min.js
  jquery.easypiechart.min.js
   - jquery.easypiechart.min.js.2.0

    jquery.easypiechart.min.js.older

- flot
   - excanvas.min.js
   jquery.colorhelpers.min.js
   - jquery.flot.canvas.min.js
   - jquery.flot.categories.min.js
   jquery.flot.crosshair.min.js

    jquery.flot.errorbars.min.js

    jquery.flot.fillbetween.min.js
   - jquery.flot.image.min.js
    jquery.flot.min.js
   - jquery.flot.navigate.min.js
   - jquery.flot.pie.min.js
    jquery.flot.resize.min.js
    jquery.flot.selection.min.js
    jquery.flot.stack.min.js
    jquery.flot.symbol.min.js
    jquery.flot.threshold.min.js
    jquery.flot.time.min.js
    jquery.min.js
```



```
slimScrollHorizontal.min.js
jqgrid
  - css
  ui.jqgrid.min.css
    – grid.locale-en.min.js
   — jquery.jqGrid.min.js
iquery
  – jquery-1.11.1.min.js
  – jquery-2.0.3.min.js
 jquery-migrate-1.2.1.min.js
- jquery-easing
iquery.easing.min.js
- jquery-raty
  - img

    0.png

    1.png

     – 2.png
     3.png
     4.png
     5.png
     cancel-custom-off.png
     cancel-custom-on.png
     cancel-off-big.png
     cancel-off.png
     cancel-on-big.png
    cancel-on.png
     cookie-half.png
     cookie-off.png
     cookie-on.png
     off.png
     on.png
     star-half-big.png
     star-half.png
     star-off-big.png
     star-off.png
     star-on-big.png
    star-on.png
  jquery.raty.min.js
jquery-todo
  - css
  L— styles.css
  - js
  └─ paddystodolist.js
iguery-ui-1.10.3.custom
  - css
  — custom-theme
        – images
           - animated-overlay.gif
           - ui-bg_diagonals-thick_75_f3d8d8_40x40.png
          ui-bg_dots-small_65_a6a6a6_2x2.png
           ui-bg flat 0 333333 40x100.png
           - ui-bg flat 100 eeeeee 40x100.png
           ui-bg_flat_100_f6f6f6_40x100.png
           ui-bg flat 15 5E87B0 40x100.png
           - ui-bg flat 55 fbf8ee 40x100.png
           - ui-bg flat 65 ffffff 40x100.png
```

```
ui-bg_flat_75_ffffff_40x100.png
            ui-icons_004276_256x240.png
            ui-icons_333333_256x240.png
            ui-icons_555555_256x240.png
            ui-icons_5E87B0_256x240.png
            ui-icons cc0000 256x240.png
           - ui-icons ffffff 256x240.png
        - jquery-ui-1.10.3.custom.min.css
   js
    - jquery-1.9.1.js
    jquery-ui-1.10.3.custom.min.js
jquery-upload
  - css
     – demo-ie8.css
     - demo.css
      jquery.fileupload-noscript.css

    jquery.fileupload-ui-noscript.css

     - jquery.fileupload-ui.css

    jquery.fileupload.css

     style.css
  - img
     loading.gif

    progressbar.gif

  - is
    – app.js

    jquery.postmessage-transport.js

        jquery.xdr-transport.js
     - jquery.fileupload-angular.js
     - jquery.fileupload-audio.min.js
     - jquery.fileupload-image.min.js
    - jquery.fileupload-jquery-ui.js
     jquery.fileupload-process.min.js
     - jquery.fileupload-ui.min.js
     - jquery.fileupload-validate.min.js
    - jquery.fileupload-video.min.js
     - jquery.fileupload.min.js
     - jquery.iframe-transport.js
    – main.js
     - vendor
      — jquery.ui.widget.js
jquery-validate
  - additional-methods.js
   additional-methods.min.js

    jquery.validate.js

  jquery.validate.min.js
jqvmap
  - data
  iquery.vmap.sampledata.js
  - jquery.vmap.min.js
  - jquery.vmap.packed.js

    jqvmap.css


  maps
     - continents
        jquery.vmap.africa.js
        - jquery.vmap.asia.js
        - jquery.vmap.australia.js
```

```
jquery.vmap.europe.js
         · jquery.vmap.north-america.js
        - jquery.vmap.south-america.js
        readme.txt
     - jquery.vmap.algeria.js
     - jquery.vmap.europe.js
     - jquery.vmap.france.js
     - jquery.vmap.germany.js
     - jquery.vmap.russia.js
     – jquery.vmap.usa.js
     jquery.vmap.world.js
- justgage
└─ js
    justgage.1.0.1.js
     – justgage.1.0.1.min.js
   — raphael.2.1.0.min.js
magic-suggest
 magicsuggest-1.3.1-min.css
  magicsuggest-1.3.1-min.js
- media-ie
css3-mediaqueries.js
- navmaster
  – jquery.nav.js
  jquery.scrollTo.js
- nestable
iquery.nestable.min.js
- nocout
   - dummy_data
   — devices_list.js
  – nocoutPerfLib.js
  nocoutSpinnerLib.js
  nocout forms.js


    openTabContentLib.js

  selected_side_menu.js
 — softDeleteLib.js
prettify
  prettify.css
  prettify.js
- purl.js
- script.js
- select2
  select2-spinner.gif
  - select2.min.css
  select2.min.js
  select2.png
 select2x2.png
- slidernav
  slidernav.css
 — slidernav.js
- sparklines
iquery.sparkline.min.js
- spin
└─ spin.js
- tablecloth
   - css
      - bootstrap-responsive.css

    bootstrap-responsive.min.css
```



```
- example_json.json
   – js
      – locale
          – af.js
          - ar.js
          - bg.js
          - ca.js
          - cz.js
          - da.js
          - de.js
          – el.js
          – en-24hr.js
          – en.js
          – es.js
          - eu.js
          - fi.js
          - fo.js
          - fr.js
          - gl.js
          - he.js
          - hu.js
          - hy.js
          - id.js
          - is.js
          - it.js
          - iw.js
          – ja.js
          - ka.js
          - ko.js
          - lb.js
          – lv.js
          – nl.js
          – no.js
          – pl.js
          - pt-br.js
          – pt.js
          - ru.js
          - si.js
          - sk.js
          - sl.js
          - sr-cy.js
          - sr.js
          - sv.js
          – ta.js
          – tl.js
          – tr.js
          – zh-cn.js
          – zh-tw.js
      - storyjs-embed-cdn.js
      - storyjs-embed-generator.js
      - storyjs-embed.min.js
      - timeline-min.js
      – timeline.js
typeahead
   - typeahead.css
    typeahead.min.js
- uniform
```



```
- static
  L__ css
     — organization.css
   templates
  — organization
      organization.html
       organization_delete.html

organization detail.html

        organization_list.html
        organization_new.html

organization update.html

  - tests.py
  – urls.py
  views.py
performance
   - __init__.py
  - admin.py
  - migrations
    — 0001 initial.py

    – 0002 auto add index eventstatus service name add index eventstatus device.py

     – 0003_auto__add_field_eventnetwork_description.py
     - 0004_auto__chg_field_eventstatus_sys_timestamp__del_index_eventstatus_sys_t.py
     - __init__.py
  - models.py
   - templates
  — performance
      — live perf.html
        network perf.html
       other_perf.html
      — perf dashboard.html
       sector dashboard.html

    single device perf.html

  tests.py
  – urls.py
 — views.py
- scheduling management
  _ __init__.py
  - admin.py
  models.py
  - static
     – js
     └─ nocout_scheduling.js
  - templates
  — scheduling management
     scheduler template.html
  tests.py
  urls.py
  views.py
- schema
  - db dummy data
  — nocout_dev - dummy data.sql
  - db dump
  ___ nocout dev.sql
  - initial_data_sql
  initial data v1.sql
service
 --- ___init___.py
```

```
device_service_configuration_urls.py
   - forms.py

    migrations

      - 0001_initial.py

    - 0002 auto add field deviceserviceconfiguration is added.py

  models.py
   - para_urls.py
   protocol_urls.py
   service_data_source_urls.py
   - static
     – css
      L— service.css
     — service.js
   templates
       device_service_configuration
      — device service configuration list.html
      protocol

    protocol delete.html

         protocol_detail.html
         protocol_new.html
         protocol_update.html
         - protocols list.html
      service
        – service delete.html
        service detail.html
         service_new.html
         service_update.html
       — services_list.html
      - service data source

    service data source delete.html

    service data source detail.html

        service_data_source_new.html

    service data source update.html

service data sources list.html

      service_parameter
        service_parameter_delete.html
        service_parameter_detail.html

    service parameter new.html

        service_parameter_update.html
        services_parameter_list.html
  tests.py
  – urls.py
 -- views.py
- service_group
   - __init__.py
  models.py
  tests.py
  views.py
- session_management
   - __init__.py
  models.py
   - static
     session_management
       – img
          icon-False.gif
```

```
icon-True.gif
   - templates
   — session_management
     users_status_list.html
   - urls.py
  views.py
- session_security
  _ __init__.py
   locale
      L__ LC_MESSAGES
          — django.mo
          — django.po
     - pt_BR
     L LC MESSAGES
          – django.mo
         — django.po
   middleware.py
  - models.py
  settings.py
  - static
   — session_security
     ├─ script.js
       — style.css
   - templates
   ___ session_security
      — all.html
       — dialog.html
   - templatetags
       __init__.py
    — session_security_tags.py
  tests
      - __init__.py
     base.py
     middleware.py
    — script.py
— views.py
  – urls.py
  utils.py
 — views.py
site_instance
  _ __init__.py
  – admin.py
  forms.py
  migrations
    — 0001_initial.py
     — __init__.py
  - models.py
  - static
   L__ css
     └─ site_instance.css
  - templates
   └── site_instance
       — site_instance_delete.html
       site_instance_detail.html
        - site instance list.html
        site_instance_new.html
```

```
— site_instance_update.html
   - tests.py
  – urls.py
  — views.py
- sitesearch
  — init__.py
   admin.py
  models.py
   tests.py
   – urls.py
└─ views.py
static
user_group
  — __init__.py
   admin.py
   – ajax.py
   forms.py
   - migrations
     — 0001_initial.py
    — __init__.py
   - models.py
   - static
   L__ css
     user_group.css
   - templates
   L— user_group
       — ug_delete.html
        ug_detail.html
       — ug_list.html
        ug_new.html
       — ug update.html
   tests.py
   - urls.py
  views.py
 user_profile
  _ __init__.py
  – admin.py
  – ajax.py
  forms.py
  migrations
   — 0001_initial.py
— __init__.py
  – models.py
  - static
  user profile
     L__ css
       user_profile.css
  - templates
  user_profile
      --- user_delete.html
      — user_detail.html
      — user_myprofile.html
      — user_new.html
      — user_update.html
— users_list.html
   tests.py
  urls.py
```

