

In [6]:

```
create table pp_scratch.temp_pxx (
  id varchar(10)
) primary index (id);
```

INFO: Started executing: create table pp\_scratch.temp\_pxx (
 id varchar(10)
) primary index (id);
INFO: Execution Completed. 0 rows fetched.

Out[6]:

[]

In [8]:

```
insert into pp_scratch.temp_pxx values ('1');
```

INFO: Started executing: insert into pp\_scratch.temp\_pxx values ('1'
);
INFO: Execution Completed. 0 rows fetched.

Out[8]:

[]

In [10]:

```
select * from pp_scratch.temp_pxx;
```

INFO: Started executing: select \* from pp\_scratch.temp\_pxx;
INFO: Execution Completed. 1 rows fetched.

Out[10]:

| id |
|----|
| 1  |

In [12]:

```
drop table pp_scratch.temp_pxx;
```

INFO: Started executing: drop table pp\_scratch.temp\_pxx;
INFO: Execution Completed. 0 rows fetched.

Out[12]:

[]

In [14]:

```
create table pp_scratch.temp_pzk as (select username from dbc.usersV) with data;
```

INFO: Started executing: create table pp\_scratch.temp\_pzk as (select username from dbc.usersV) with data;  
INFO: Execution Completed. 0 rows fetched.

Out[14]:

[]

In [16]:

```
select * from pp_scratch.temp_pzk;
```

INFO: Started executing: select \* from pp\_scratch.temp\_pzk;  
INFO: Execution Completed. 1 rows fetched.

Out[16]:

| UserName    |
|-------------|
| pkasinathan |

In [18]:

```
drop table pp_scratch.temp_pzk;
```

INFO: Started executing: drop table pp\_scratch.temp\_pzk;  
INFO: Execution Completed. 0 rows fetched.

Out[18]:

[]

In [20]:

```
ct pp_scratch.temp_pzk as (select username from dbc.usersV) with data;
```

INFO: Started executing: ct pp\_scratch.temp\_pzk as (select username from dbc.usersV) with data;  
INFO: Execution Completed. 0 rows fetched.

Out[20]:

[]

In [22]:

```
select * from pp_scratch.temp_pxx;
```

INFO: Started executing: select \* from pp\_scratch.temp\_pxx;  
ERROR: (teradata.api.DatabaseError) (3932, '[25000] [Teradata][ODBC Teradata Driver][Teradata Database] Only an ET or null statement is legal after a DDL Statement. ') [SQL: 'select \* from pp\_scratch.temp\_pxx;']

An exception has occurred, use %tb to see the full traceback.

**SystemExit:** Query failed because of error

To exit: use 'exit', 'quit', or Ctrl-D.

In [24]:

```
select procid, queryid, appid, querytext, errorcode, errortext  
from dbc.qrylog  
where username = 'pkasinathan'  
and sessionid = 88666470  
order by firststeptime desc
```

INFO: Started executing: select procid, queryid, appid, querytext, errorcode, errortext  
from dbc.qrylog  
where username = 'pkasinathan'  
and sessionid = 88666470  
order by firststeptime desc  
INFO: Execution Completed. 32 rows fetched.

Out[24]:

| Procid | QueryID            | AppID     | QueryText                                  | ErrorCode | ErrorText                                                   |
|--------|--------------------|-----------|--------------------------------------------|-----------|-------------------------------------------------------------|
| 30641  | 306411043397906779 | PYTHON3.5 | ROLLBACK                                   | 3514      | User-generated transaction ABORT.                           |
| 30641  | 306411043397906778 | PYTHON3.5 | select * from pp_scratch.temp_pxx;         | 3932      | Only an ET or null statement is legal after a DDL Statement |
| 30641  | 306411043397906777 | PYTHON3.5 | ct pp_scratch.temp_pxx as (select username | 0         | None                                                        |

|       |                    |           |                                                                                              |   |                |
|-------|--------------------|-----------|----------------------------------------------------------------------------------------------|---|----------------|
|       |                    |           | from dbc.usersV) with data;                                                                  |   |                |
| 30641 | 306411043397906776 | PYTHON3.5 | BT                                                                                           | 0 | None           |
| 30641 | 306411043397906728 | PYTHON3.5 | ET                                                                                           | 0 | None           |
| 30641 | 306411043397906727 | PYTHON3.5 | drop table<br>pp_scratch.temp_pzk;                                                           | 0 | None           |
| 30641 | 306411043397906726 | PYTHON3.5 | select * from<br>pp_scratch.temp_pzk;                                                        | 0 | None           |
| 30641 | 306411043397906725 | PYTHON3.5 | BT                                                                                           | 0 | None           |
| 30641 | 306411043397906724 | PYTHON3.5 | ET                                                                                           | 0 | None           |
| 30641 | 306411043397906723 | PYTHON3.5 | create table<br>pp_scratch.temp_pzk<br>as (select username<br>from dbc.usersV) with<br>data; | 0 | None           |
| 30641 | 306411043397906722 | PYTHON3.5 | BT                                                                                           | 0 | None           |
| 30641 | 306411043397906718 | PYTHON3.5 | ET                                                                                           | 0 | None           |
| 30641 | 306411043397906717 | PYTHON3.5 | drop table<br>pp_scratch.temp_pzk;                                                           | 0 | None           |
| 30641 | 306411043397906716 | PYTHON3.5 | select * from<br>pp_scratch.temp_pzk;                                                        | 0 | None           |
| 30641 | 306411043397906715 | PYTHON3.5 | BT                                                                                           | 0 | None           |
| 30641 | 306411043397906714 | PYTHON3.5 | ET                                                                                           | 0 | None           |
| 30641 | 306411043397906713 | PYTHON3.5 | insert into<br>pp_scratch.temp_pzk<br>values ('1');                                          | 0 | None           |
| 30641 | 306411043397906712 | PYTHON3.5 | BT                                                                                           | 0 | None           |
| 30641 | 306411043397906711 | PYTHON3.5 | ET                                                                                           | 0 | None           |
| 30641 | 306411043397906710 | PYTHON3.5 | create table<br>pp_scratch.temp_pzk<br>( id varchar(10) )<br>primary index (id);             | 0 | None           |
| 30641 | 306411043397906709 | PYTHON3.5 | select session;                                                                              | 0 | None           |
| 30641 | 306411043397906708 | PYTHON3.5 | BT                                                                                           | 0 | None           |
|       |                    |           |                                                                                              |   | User-generated |

|       |                    |           |                                                                                           |      |                       |
|-------|--------------------|-----------|-------------------------------------------------------------------------------------------|------|-----------------------|
| 30641 | 306411043397906707 | PYTHON3.5 | ROLLBACK                                                                                  | 3514 | transaction<br>ABORT. |
| 30641 | 306411043397906706 | PYTHON3.5 | SELECT CAST('test<br>unicode returns' AS<br>VARCHAR(60) CHAR<br>SET UNICODE) AS<br>anon_1 | 0    | None                  |
| 30641 | 306411043397906705 | PYTHON3.5 | SELECT CAST('test<br>plain returns' AS<br>VARCHAR(60)) AS<br>anon_1                       | 0    | None                  |
| 30641 | 306411043397906704 | PYTHON3.5 | select database                                                                           | 0    | None                  |
| 30641 | 306411043397906703 | PYTHON3.5 | BT                                                                                        | 0    | None                  |
| 30641 | 306411043397906702 | PYTHON3.5 | ET                                                                                        | 0    | None                  |
| 30641 | 306411043397906701 | PYTHON3.5 | SELECT SESSION                                                                            | 0    | None                  |
| 30641 | 306411043397906700 | PYTHON3.5 | BT                                                                                        | 0    | None                  |
| 30641 | 306411043397906699 | PYTHON3.5 | HELP SESSION                                                                              | 0    | None                  |

In [26]:

```
select * from pp_scratch.temp_pxx;
```

INFO: Started executing: select \* from pp\_scratch.temp\_pxx;  
ERROR: (teradata.api.DatabaseError) (3807, "[42S02] [Teradata][ODBC  
Teradata Driver][Teradata Database] Object 'pp\_scratch.temp\_pxx' doe  
s not exist. ") [SQL: 'select \* from pp\_scratch.temp\_pxx;']

An exception has occurred, use %tb to see the full traceback.

**SystemExit:** Query failed because of error

To exit: use 'exit', 'quit', or Ctrl-D.

In [ ]: