
AWS Assignment Case Study 2


Shared File System using AWS EFS

Problem Statement ABC is India based entertainment production company with a focus on Northeast and East Indian cinema. They wanted a highly available and reliable storage solution for their on prem data. The client wanted the data to be reliable, highly available, secure, and persistent and also wanted to have data on the storage to be accessible from all the servers. The issues with the existing infrastructure are mentioned below: 1) They were using NAS storage which had limitations in scalability. 2) The client wanted a complete application to run in Aws cloud with storage in the cloud to keep his files in sync with servers so that he has centralized storage of data 3) There were security issues in the existing infrastructure and no encryption at rest or transit. 4) Manual intervention was needed to change the storage type and transfer files to infrequent storage. 5) The client is unable to scale up the infrastructure due to high capital costs for new hardware. 6) Need for low-cost storage options for both frequent and infrequent data. 7) Highly available, secure, and persistent shared File system in AWS cloud with EFS.


Architectural Diagram




1. Search for EFS in Amazon console




2. Click on Create file system, a popup will open, click on customize.




3. Enter the respective data as below:
   a) Name = Name of your choice
   b) Storage class = standard/ regional
   c) Automatic backup = enabled
   d) Transition to IA = Choose 30 days from the list
   e) Transition out of IA = Choose On first access




4. Enable encryption of data at rest and click on Create an AWS KMS Key.




5. After the KMS dashboard is open. Enter the respective data as below:
   a) Key type = Symmetric
   b) Key usage = Encrypt and decrypt
   c) Keep rest as default and click Next.




In Add labels, Enter Alias with a name of your choice. Keep rest as default and Next.




Leave key administrator and key deletion options as default and click Next.




Keep Key usage permissions as default and click Next.




Review and Click on Finish.




6. Go back to EFS create wizard screen and Choose the KMS key created in previous step from drop down list. Leave rest as default and then Next.




In Network access setting. Under VPC, Select VPC of your choice. Leave rest as default and click Next.




In File system Policy leave as default and Click on Next.




Review and Click on Create.




7. Search for EC2 in Amazon console and go to Security Groups under Network and Security settings. Click on Create Security Group




8. Create Security group wizard will open. Then enter the following details:
   a) Security group name = Name of our choice
   b) Description = Security group for file system
   c) VPC = Give ID of the VPC in which file system is created.
   In Inbound rule click on Add rule. Select Type = NFS and Source = IPV4 anywhere. Leave rest as default and Click Create security group.




9. Go back to EFS. Select your file system -> Click on View details. Click on Network Tab in details page. Under Network Tab -> Select Manage option. In each Mount target -> remove default security group -> add security group created in previous steps with NFS protocol. Click on Save.




10. Go back to EC2, Click on Instances. Then Launch Instances.
    Launch wizard will open, then enter the following:
    a) Name = FIRSTEC2
    b) Number of instances = 1
    In application and OS image -> Amazon Linux
    In Instance type -> Select t3.micro



In Key pair -> click on Create new keypair. In Create key pair tab, Enter Name of your choice, leave rest as default and click Create key pair.



In network settings -> Click on Edit.
Select a) VPC = VPC in which file system is created
b) Subnet = Choose subnet of your choice
c) Auto assign Public IP = Enable




Select Create Security group and Enter


a) Security group name = Name of your choice

b) Type = SSH


c) Source = IPV4 anywhere


Leave rest as default -> Click Launch Instance.







11. Launch one more EC2 repeat step number 10, In this EC2 give
    a) Name = SECONDEC2
    b) Subnet = choose subnet in availability zone different from firstEC2








Observe both EC2 instances are launched in different availability zones.



12. Select FIRSTEC2 instance -> click CONNECT.




Select EC2 Instance connect -> click Connect.

Now run the following commands:

sudo yum install amazon-efs-utils
mkdir efs



13. From services menu -> open EFS in new tab. Select your EFS filesystem -> Click on View details Click on Attach.




Select Mount via DNS -> copy first command (This command has option parameter as tls which will enable encryption in transit).


Paste the command in EC2 CLI and press enter.




Enter command $ df-k and notice filesystem is mounted on /home/EC2-user/efs directory.




Check if encryption at transit is enabled or not by giving command
$ mount | column -t




14. Now connect to SECONDEC2 and mount filesystem on it. REPEAT step number 13. And notice that file system is mounted on SECONDEC2.





15. Now in FIRSTEC2 CLI -> Enter command
    $ cd efs (to go inside efs directory)
    $ sudo touch file1 (to create an empty file1)





16. Now go to SECONDEC2
    $ cd efs
    $ ls (to list all contents of directory)





    We can access file1 created by FIRSTEC2 through SECONDEC2. Hence, shared file system is working with both EC2.


17. In EC2 dashboard select both instances -> Instance state -> Terminate Instance. In EFS dashboard -> Select your file system -> click Delete



Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
Amazon EFS > File systems > Create
Step 1
File system settings
Step 2
Network access
Step 3 - optional
File system policy
Step 4
Review and create
File system settings
General
Name - optional
Name your file system.
Terdeage-EFS
Name can include letters, numbers, and +-=._:/ symbols, up to 256 characters.
File system type
Choose to either store data across multiple Availability Zones or within a single Availability Zone. Learn more
Regional
Offers the highest levels of availability and durability by storing file system data across multiple Availability Zones within an AWS Region.
One Zone
Provides continuous availability to data within a single Availability Zone within an AWS Region.
Automatic backups
Automatically backup your file system data with AWS Backup using recommended settings. Additional pricing applies. Learn more
Enable automatic backups
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
Amazon EFS > File systems > Create
Lifecycle management
Automatically save money as access patterns change by moving files into the Infrequent Access (IA) or Archive storage class. Learn more
Transition into Infrequent Access (IA)
Transition files to IA based on the time since they were last accessed in Standard storage.
30 day(s) since last access
Transition into Archive
Transition files to Archive based on the time since they were last accessed in Standard storage.
90 day(s) since last access
Transition into Standard
Transition files back to Standard storage based on when they are first accessed in IA or Archive storage.
On first access
Encryption
Choose to enable encryption of your file system's data at rest. Uses the AWS KMS service key (aws/elasticfilesystem) by default. Learn more
Enable encryption of data at rest
Customize encryption settings
KMS key
Choose or input a KMS key ID or ARN to use instead of the AWS KMS service key. Learn more
arn:aws:kms:us-east-1:518733266010:key/0330
Create an AWS KMS key
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
KMS > Customer managed keys > Create key
Introducing the new Create key experience
We've improved the create key experience with an enhanced policy editor. Let us know what you think or you can use the old experience.
Step 1
Configure key
Step 2
Add labels
Step 3 - optional
Define key administrative permissions
Step 4 - optional
Define key usage permissions
Step 5 - optional
Edit key policy
Step 6
Review
Configure key
Key type
Help me choose
Symmetric
A single key used for encrypting and decrypting data or generating and verifying HMAC codes
Asymmetric
A public and private key pair used for encrypting and decrypting data, signing and verifying messages, or deriving shared secrets
Key usage
Help me choose
Encrypt and decrypt
Use the key only to encrypt and decrypt data.
Generate and verify MAC
Use the key only to generate and verify hash-based message authentication codes (HMAC).
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
KMS > Customer managed keys > Create key
Step 1
Configure key
Step 2
Add labels
Step 3 - optional
Define key administrative permissions
Step 4 - optional
Define key usage permissions
Step 5 - optional
Edit key policy
Step 6
Review
Add labels
Alias
You can change the alias at any time. Learn more
Alias
user8key
Description - optional
You can change the description at any time.
Description
Description of the key
Tags - optional
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
KMS > Customer managed keys > Create key
Configure key
Step 2
Add labels
Step 3 - optional
Define key administrative permissions
Step 4 - optional
Define key usage permissions
Step 5 - optional
Edit key policy
Step 6
Review
Define key administrative permissions - optional
Key administrators (1/63)
Select the IAM users and roles authorized to manage this key via the KMS API. These administrators will be added to the key policy under the statement identifier (Sid) 'Allow administration of the key'. Modifying this Sid might impact the console's ability to update the administrator statement in the key policy. Learn more
user8
1 matches
1
Name
Path
Type
user8
/
User
Key deletion
Allow key administrators to delete this key.
Cancel
Skip to Review
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
KMS > Customer managed keys > Create key
Configure key
Step 2
Add labels
Step 3 - optional
Define key administrative permissions
Step 4 - optional
Define key usage permissions
Step 5 - optional
Edit key policy
Step 6
Review
Define key usage permissions - optional
Key users (1/63)
Select the IAM users and roles authorized to use this key in cryptographic operations. These users will be added to the key policy under the statement identifiers (Sid) 'Allow use of the key' and 'Allow attachment of persistent resources'. Modifying these Sids might impact the console's ability to update the user statements in the key policy. Learn more
user8
1 matches
1
Name
Path
Type
user8
/
User
Other AWS accounts
Specify the AWS accounts that can use this key. Administrators of the accounts you specify are responsible for managing the permissions that allow their IAM users and roles to use this key. Learn more
Add another AWS account
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
KMS > Customer managed keys
Key Management Service (KMS)
AWS managed keys
Customer managed keys
Custom key stores
AWS CloudHSM key stores
External key stores
Success
Your AWS KMS key was created with alias user8Key and key ID 03303eab-c9e3-42c7-b863-c9a4b88d7691.
View key
Customer managed keys (11)
Key actions
Create key
Filter keys by properties or tags
Aliases
Key ID
Status
Key type
Key spec
user8Key
Alias-Abhishek
yeshu
key-rahul
gitesh_alias
sachi-efs-key
abhinavkmskey
Enabled
Symmetric
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
Amazon EFS > File systems > Create
Customize encryption settings
KMS key
Choose or input a KMS key ID or ARN to use instead of the AWS KMS service key.
Learn more
arn:aws:kms:us-east-1:518733266010:key/0330
Create an AWS KMS key
AWS KMS key details
Key ARN
arn:aws:kms:us-east-1:518733266010:key/03303eab-c9e3-42c7-b863-c9a4b88d7691
Key status
Enabled
Key aliases
user8Key
Performance settings
Throughput mode
Choose a method for your file system's throughput limits.
Learn more
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
Amazon EFS > File systems
Elastic File System
File systems
Access points
AWS Backup
AWS DataSync
AWS Transfer
Documentation
Success!
File system (fs-0ec7f578ec76921d7) is available.
View file system
File systems (12)
View details
Delete
Create file system
Filter by property values
Name
File system ID
Encrypted
Total size
Size in Standard
Size in IA
Size in Archive
Terdeage-EFS
fs-0ec7f578ec76921d7
Encrypted
6.00 KiB
6.00 KiB
0 Bytes
0 Bytes
midhun-efs
fs-025dae33bc5bd25af
Encrypted
6.00 KiB
6.00 KiB
0 Bytes
0 Bytes
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Create a security group









Search [Alt+S]
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
EC2 > Security Groups > sg-092a35c9656528f43
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Security group (sg-092a35c9656528f43 | Terdeage-SG) was created successfully
Details
sg-092a35c9656528f43 - Terdeage-SG
Actions
Details
Security group name
Terdeage-SG
Security group ID
sg-092a35c9656528f43
Description
Terdeage-SG
VPC ID
vpc-0a5fa091f2260504a
Owner
518733266010
Inbound rules count
1 Permission entry
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Tags
Inbound rules (1)
Edit inbound rules
Type
Protocol
Port range
Source
Description - optional
NFS
TCP
2049
0.0.0.0/0
–
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
Amazon EFS > File systems > fs-0ec7f578ec76921d7
Elastic File System
File systems
Access points
AWS Backup
AWS DataSync
AWS Transfer
Documentation
Metered size
Monitoring
Tags
File system policy
Access points
Network
Replication
Network
Manage
Availability zone (AZ-ID)
Mount target ID
Subnet ID
VPC ID
Mount target state
IPv4 address
IPv6 address
us-east-1a (use1-az1)
fsmt-08fb15b1116c1894b
subnet-0fd8cc3f9011d1184
vpc-0a5fa091f2260504a
Available
172.31.6.182
N/A
us-east-1b (use1-az2)
fsmt-00950e2fe671a43a1
subnet-038f58360d88add95
vpc-0a5fa091f2260504a
Available
172.31.87.206
N/A
us-east-1c
fsmt-059e33994
subnet-0c846238fc
vpc-0a5fa091f2
Available
172.31.24.2
N/A
https://us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems/fs-0ec7f578ec76921d7/network-access
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
Amazon EFS > File systems > fs-0ec7f578ec76921d7 > Network access
Elastic File System
File systems
Access points
AWS Backup
AWS DataSync
AWS Transfer
Documentation
Availability zone
us-east-1a
Subnet ID
subnet-0fd8cc3f9011d1184
IP address type
IPv4 only
IPv4 address
172.31.6.182
IPv6 address
Security groups
Choose security groups
sg-092a35c9656528f43
Terdeage-SG
Remove
Availability zone
us-east-1b
Subnet ID
subnet-038f58360d88add95
IP address type
IPv4 only
IPv4 address
172.31.87.206
IPv6 address
Security groups
Choose security groups
sg-092a35c9656528f43
Terdeage-SG
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
Amazon EFS > File systems > fs-0ec7f578ec76921d7
Elastic File System
File systems
Access points
AWS Backup
AWS DataSync
AWS Transfer
Documentation
Success!
Submitted all mount target changes successfully for file system (fs-0ec7f578ec76921d7)
Metered size
Monitoring
Tags
File system policy
Access points
Network
Replication
Network
Manage
Availability zone (AZ-ID)
Mount target ID
Subnet ID
VPC ID
Mount target state
IPv4 address
IPv6 address
us-east-1a (use1-az1)
fsmt-08fb15b1116c1894b
subnet-0fd8cc3f9011d1184
vpc-0a5fa091f2260504a
Available
172.31.6.182
N/A
eni-0b288b7ddc
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
EC2 > Instances > Launch an instance
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
FirstEC2-Terdeage
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
My AMIs
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Browse more AMIs
Including AMIs from AWS, Marketplace and
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d27e0fb3bac4d724
Virtual server type (instance type)
t2.micro
Firewall (security group)
Terdeage-SG
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
EC2 > Instances > Launch an instance
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
Free tier eligible
ami-0d27e0fb3bac4d724 (64-bit (x86), uefi-preferred) / ami-065b1b834d2a83a7a (64-bit (Arm), uefi)
Virtualization: hvm ENA enabled: true Root device type: ebs
Description
Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.
Amazon Linux 2023 AMI 2023.12.20260930.0 x86_64 HVM kernel-6.18
Architecture
Boot mode
AMI ID
Creation Date
Username
64-bit (...
uefi-preferred
ami-0d27e0fb3bac4d724
2026-09-29
ec2-user
Verified provider
Instance type Info | Get advice
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d27e0fb3bac4d724
Virtual server type (instance type)
t2.micro
Firewall (security group)
Terdeage-SG
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
EC2 > Instances > Launch an instance
Instance type Info | Get advice
Instance type
t2.micro Free tier eligible
Family: t2 1 vCPU 1 GiB Memory Current generation: true
On-Demand Linux base pricing: 0.0116 USD per Hour
On-Demand Windows base pricing: 0.0162 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0134 USD per Hour
On-Demand SUSE base pricing: 0.0116 USD per Hour
On-Demand RHEL base pricing: 0.026 USD per Hour
All generations
Compare instance types
Additional costs apply for AMIs with pre-installed software
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
TerdeageKeyPair
Create new key pair
Network settings Info
VPC - required Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d27e0fb3bac4d724
Virtual server type (instance type)
t2.micro
Firewall (security group)
Terdeage-SG
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
EC2 > Instances > Launch an instance
Network settings Info
VPC - required Info
vpc-0a5fa091f2260504a (default)
172.31.0.0/16
Subnet Info
subnet-0fd8cc3f9011d1184
VPC: vpc-0a5fa091f2260504a Owner: 518733266010
Availability Zone: us-east-1a (use1-az1) Zone type: Availability Zone
IP addresses available: 4075 CIDR: 172.31.0.0/20)
Create new subnet
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Common security groups Info
Select security groups
Compare security group rules
Terdeage-SG sg-092a35c9656528f43
VPC: vpc-0a5fa091f2260504a
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d27e0fb3bac4d724
Virtual server type (instance type)
t2.micro
Firewall (security group)
Terdeage-SG
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
EC2 > Instances > Launch an instance
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Security group name - required
launch-wizard-4user8
This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&;{}!$*
Description - required Info
launch-wizard-4 created 2026-10-10T16:20:19.995Z
Inbound Security Group Rules
Security group rule 1 (TCP, 22, 0.0.0.0/0)
Remove
Type Info
ssh
Protocol Info
TCP
Port range Info
22
Source type Info
Anywhere
Source Info
Add CIDR, prefix list or security
0.0.0.0/0
Description - optional Info
e.g. SSH for admin desktop
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0d27e0fb3bac4d724
Virtual server type (instance type)
t2.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Account ID: 5187-3326-6010
user8
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-0bc8f8d88542a68aa)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences