

TERRANOVA / FERRAI PUBLIC RELEASE CANDIDATE

Version: v0.1

Prepared: 2026-05-25

Author: Silvan Lenhard

Repository: Terra-Nova-Restore/TerraNova-s-Framework

TerraNova / FerrAI Semantic Architecture Public Release v0.1

Status: public release candidate v0.1 Source: GitHub public semantic architecture spine, atlas Mermaid Cluster bridge, public boundary governance Trace: prepared 2026-05-25 from PR #62 follow-up work Boundary: public-safe synthesis only; no raw Notion URLs, no raw exports, no protected TNPX-01 draft details Mode: SYNC / citable public artifact preparation GitHub sync state: prepared for public GitHub review Notion source awareness: Notion remains a living source layer for Mermaid/SCL material; this artifact cites GitHub-visible redacted mirrors

Citation Block

Suggested citation:

Lenhard, Silvan. TerraNova / FerrAI Semantic Architecture Public Release v0.1. Terra-Nova-Restore/TerraNova-s-Framework, 2026-05-25.

Canonical GitHub entry points:

LAYER	FILE
Architecture spine	../architecture/public_semantic_architecture_spine.md
Registry bridge	../atlas/semantic_spine_registry.md
Mermaid Cluster	../atlas/mermaid_cluster.md

Abstract

This release defines the public TerraNova / FerrAI semantic architecture spine. It introduces triggers as semantic displacement spaces, the Semantic Core Layer as language-first control surface, iterative interaction collapse as the route from semantic ambiguity to traceable artifact, the Lenhard Decoding Module as signal-to-route decoder, the Lenhard Model as transformation umbrella, and the Mermaid Cluster as visual trigger graph layer.

The release is a public-safe architecture synthesis. It is not a raw workspace export, not a patent filing, not a medical model and not a claim of hidden connector authorization.

Core Claims

CLAIM	PUBLIC STATUS
A TerraNova trigger is a semantic field operator, not a flat activator.	Architecture claim
SCL is a language-first operating surface, not a prompt library.	Architecture claim
Interaction can collapse iteratively into traceable artifacts.	Workflow claim
LDM translates signals and context into route, gate and schema.	Architecture claim
The Lenhard Model connects SCL, triggers, LDM, collapse, Mermaid and CIC.	Transformation model claim
Mermaid diagrams can be read as living graph surfaces with nodes, edges and guards.	Documentation/modeling claim

Concept Map

```
flowchart TB
  SCL["Semantic Core Layer"]
  TRG["Semantic Trigger Architecture"]
  IIC["Iterative Interaction Collapse"]
  LDM["Lenhard Decoding Module"]
  LM["Lenhard Model"]
  MMD["Mermaid Cluster"]
  CIC["CIC / coherence frame"]
  ART["Traceable public artifact"]

  SCL --> TRG
  TRG --> IIC
  SCL --> LDM
  LDM --> LM
  IIC --> LM
  LM --> MMD
  LM --> CIC
  MMD --> ART
  CIC --> ART
```

Public Boundary

This release keeps protected content out of the public artifact:

BLOCKED DETAIL	PUBLIC SUBSTITUTE
Raw Notion page URLs and page IDs	Source class and GitHub mirror paths
Raw exports and chat transcripts	Synthesized public docs
Protected TNPX-01 draft mechanics	Historical context anchor only
Private trigger tables	Semantic trigger architecture
Wallet, token or operational secrets	Public boundary reference only
Medical, psychological or legal claims	Architecture and workflow framing

Release Spine

ARTIFACT	FUNCTION
<u>Semantic Trigger Architecture</u>	Defines trigger-as-field-operator model.
<u>Semantic Core Layer</u>	Defines language-first control layer.
<u>Iterative Interaction Collapse</u>	Defines collapse from open field to artifact.
<u>Lenhard Decoding Module</u>	Defines decoder from signal to route.
<u>Lenhard Model</u>	Defines the transformation umbrella model.
<u>Mermaid Cluster</u>	Defines visual trigger graph interpretation.

Zenodo Preparation Note

This Markdown file is release-ready as a citable public artifact. A Zenodo publication step still requires an explicit external upload/action and final metadata review.