Command Reference > SCPI Command Reference > MMEMory Commands >
MMEMory:LOAD:CORRection

MMEMory:LOAD:CORRection <Channel>[, <CalGroupFile>]

Applies a system error correction data set stored in the cal pool (cal group file) to channel
no. <Ch>.

Parameters:

<Channel>	Channel number of an existing channel. ALL applies the selected data set to all channels.
<CalGroupFile>	String parameter to specify the name of the cal group file to be loaded. Cal group files must have the extension *.cal. The directory path must not be specified; the analyzer always uses the default cal pool directory C:\Users\Public\Documents\Rohde-Schwarz\Vna\Calibration\Data.
Example:	MMEM:STOR:CORR 1,'Calgroup1.cal'
	Copy the current correction data set of channel 1 to a cal group file Calgroup1.cal.
	CONF:CHAN2:STAT ON; :MMEM:LOAD:CORR 2,'Calgroup1.cal'
	Apply the stored correction data (cal group file) to channel 2.
	MMEM:LOAD:CORR? 2
	Query the cal group file for channel 2. Response:
	'Calgroup1.cal'
	MMEM:LOAD:CORR:RES 2,'Calgroup1.cal'
	Resolve the pool link between channel 2 and the cal group file.
	MMEM:LOAD:CORR? 2
	Query the cal group file for channel 2. Response: ''
	MMEM:DEL:CORR 'Calgroup1.cal'
	Delete the created cal group file.
Manual operation:	See "Add / Add All / Replace / Apply / Apply to All"

Top