HANDYHUB

Style Guide

Structure Classes

Defined and flexible core structure we can use on all or most pages.

page-wrapper

main-wrapper

button-group

container-small

container-medium

container-large

padding-global

padding-section-small

padding-section-medium

padding-section-large

Headings

HTML tags define default Heading styles. Use Heading classes when the typography style doesn't match the default HTML tag.

H1

Heading

heading-style-h1

Heading

H2

Heading

heading-style-h2

Heading

H3

Heading

heading-style-h3

Heading

H4

Heading

heading-style-h4

Heading

H5

Heading

heading-style-h5

Heading

H6

Heading

heading-style-h6

Heading

Other HTML Tags

HTML tags define default text styles.

All paragraphs

Sample text is being used as a placeholder for real text that is normally present. Sample text helps you understand how real text may look on your website. Sample text is being used as a placeholder for real text.

All links

All Links

All quotes

> Sample text is being used as a placeholder for real text that is normally present. Sample text helps you understand how real text may look on your website.

All Ordered Lists

1. Sample text is being used as a placeholder for real text that is normally present.
2. Sample text is being used as a placeholder for real text that is normally present.
3. Sample text is being used as a placeholder for real text that is normally present.

All Unordered Lists

- Sample text is being used as a placeholder for real text that is normally present.
- Sample text is being used as a placeholder for real text that is normally present.
- Sample text is being used as a placeholder for real text that is normally present.

Text Classes

Text classes when typography style doesn't match the default HTML tag.

Text Sizes

text-xs

Sample

text-sm

Sample

text-base

Sample

text-lg

Sample

text-xl

Sample

text-2xl

Sample

text-3xl

Sample

text-4xl

Sample

text-5xl

Sample

text-6xl

Sample

text-7xl

Sample

text-8xl

Sample

Text Styles

text-style-strikethrough

~~text-style-strikethrough~~

text-style-italic

text-style-italic

text-style-muted

text-style-muted

text-style-allcaps

TEXT-STYLE-ALLCAPS

text-style-nowrap

text-style-nowrap

text-style-link

text-style-link

text-style-quote

> Sample text is being used as a placeholder.

Text Weights

text-weight-light

text-weight-light

text-weight-normal

text-weight-normal

text-weight-medium

text-weight-medium

text-weight-semibold

text-weight-medium

text-weight-bold

text-weight-medium

Text Alignments

text-align-left

text-align-left

text-align-center

text-align-center

text-align-right

text-align-right

Buttons

Button combo class system.

button

Button Text

button is-secondary

Button Secondary

button is-outline

Button Text

button is-icon

Button Text →

Colors

Manage recurring text and background colors.

Text Colors

text-color-primary
text-color-primary

text-color-secondary
text-color-secondary

text-color-alternate
text-color-alternate

Background Colors

bg-primary

bg-secondary

bg-tertiary

Max widths

Use the max-width CSS property to contain inner content to a maximum width.

max-width-full

max-width-full-tablet

max-width-full-mobile-portrait

max-width-full-mobile-landscape

max-width-xxlarge

max-width-xlarge

max-width-large

max-width-medium

max-width-small

max-width-xsmall

max-width-xxsmall

Paddings

Utility spacing system - padding classes. [padding-direction] + [padding-size].

Direction Classes

padding-bottom

padding-top

padding-vertical

padding-horizontal

padding-left

padding-right

Size Classes

padding-0

padding-tiny

padding-xxsmall

padding-xsmall

padding-small

padding-medium

padding-large

padding-xlarge

Margins

Utility spacing system - padding classes. [margin-direction] + [margin-size].

Direction Classes

margin-bottom

margin-top

margin-vertical

margin-horizontal

margin-left

margin-right

Size Classes

margin-0

margin-tiny

margin-xxsmall

margin-xsmall

margin-small

margin-medium

margin-large

margin-xlarge

Spacers

Unified spacer system for the project.

spacer-tiny

spacer-xxsmall

spacer-xsmall

spacer-small

spacer-medium

spacer-large

spacer-xlarge

spacer-xxlarge

spacer-huge

spacer-xhuge

Icons

Unify icons sizes. icon-height sets height of icons. icon-1x1 sets both height and width of icons.

icon-height-small

icon-height-medium

icon-height-large

icon-1x1-small

icon-1x1-base

icon-1x1-medium

icon-1x1-large

Images

Always use a wrap to contain the dimensions of the image.

img

img-parallax

Useful utility systems

Utility classes we like to use in most of our projects to build faster.

hide

This element is hidden

hide-tablet

hide-mobile-portrait

hide-mobile-landscape

overflow-visible

overflow-hidden

overflow-auto

overflow-scroll

pointer-events-auto

pointer-events-none

layer

spacing-clean

align-center

display-inlineflex

inherit-color

Webflow elements

Native Webflow elements with Client-First classes applied.

form_component

Example of a form component using Folders

Text Input

First Name

Text Area

Message

Select field

Select one...

Checkbox field

Checkbox

Radio button

Radio

Submit

text-rich-text

Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Sample text with a **link** is being used as a placeholder for real text that is normally present. Sample text helps you understand how real text may look on your website. Sample text is being used as a placeholder for real text. Sample text is being used as a placeholder for real text. Sample text is being used as a placeholder for real text.

- Sample text is being used as a placeholder for real text that is normally present.
- Sample text is being used as a placeholder for real text that is normally present.
- Sample text is being used as a placeholder for real text that is normally present.

1. Sample text is being used as a placeholder for real text that is normally present.
2. Sample text is being used as a placeholder for real text that is normally present.
3. Sample text is being used as a placeholder for real text that is normally present.

> Sample text is being used as a placeholder for real text that is normally present. Sample text helps you understand how real text may look on your website. Sample text is being used as a placeholder for real text that is normally present.

Navbar component