

RECORD OF REVISIONS:

Revision	Date	Description	Author
1.0	06/05/2025	Documentation – Admin Panel	Frederic Piette

Table of Contents

1. Overview.....	2
2. Purpose	2
3. Initial Setup.....	3
4. Configure Settings	4
5. Home Page	5
6. Account Creation	5
7. Account Termination.....	6
8. Email Credentials	8
9. Email Groups	9
10. Create Azure Mailbox	12
11. Member Groups	13
12. Group Ownership	14
13. Service Account Ownership	15
14. Compare User Groups	17
15. Move Object.....	18
16. OU Group Users	19
17. BWXT Logo	20
18. Revisions	21

1. OVERVIEW

The Admin Panel is an internally developed application created in Cambridge. Designed as a centralized platform, the Admin Panel houses PowerShell scripts that can be stored and modified

2. PURPOSE

The Admin Panel equips administrators with all the essential tools for Active Directory management. Previously, PowerShell administrators would manually create scripts and store them on a shared drive, leading to a proliferation of different versions in circulation. This fragmentation often resulted in inconsistencies, as different administrators implemented various modifications. With the introduction of the Admin Panel, all administrators now utilize the same versions of scripts, promoting uniformity and efficiency. The Admin Panel will facilitate ongoing updates, introducing new scripts and refining existing ones, ensuring that administrators have continuous access to the latest patches and features.

Instructions


3. INITIAL SETUP

3.1. Login to a PAW (ex: lmtutrdfcb20.bwxt.net)


3.2. Open “File Explorer”

3.3. Navigate to “[\\lmtlndsk03\Admin Panel](#)”

3.4. Double-click on “Admin Panel.application”




3.5. Click on “Install”



3.6. Once the application is installed, it will automatically launch the “Settings” window and create an icon on the desktop called “Admin Panel”

4. CONFIGURE SETTINGS

- 4.1. When you first launch the application, it will search for a settings.csv file
- 4.2. If the settings.csv file does not exist, it will automatically create one under
“C:\Users\%CURRENTUSER%\Desktop\Admin Panel Results\Settings\Settings.csv”
- 4.3. Default values will be populated, although they can all be modified with preferred paths
- 4.4. The only value that **NEEDS** to be changed is the Email address. By default, it is set to helpdesk@bwxt.com. A warning will be issued if this has not been modified before exiting
- 4.5. After settings have been modified, press “OK” to proceed
- 4.6. The next time the app launches, it will search for this file. If found, it will retain the settings from previous sessions



Settings - Admin Panel

Example (Local): C:\Users\jdoe\Desktop

Example (Remote): \\computername\c\$\Users\jdoe\Desktop

Example (OneDrive): \\computername\c\$\Users\jdoe\OneDrive - BWX Technologies Inc

WARNING: Do NOT include a backslash at the end of the file path

Account Termination:
C:\Users\admflp\Desktop\Admin Panel Results\1. Account Termination Results

Email Groups:
C:\Users\admflp\Desktop\Admin Panel Results\2. Email Groups Results

Member Groups:
C:\Users\admflp\Desktop\Admin Panel Results\3. Member Groups Results

Group Ownership:
C:\Users\admflp\Desktop\Admin Panel Results\4. Group Ownership Results

Service Account Ownership:
C:\Users\admflp\Desktop\Admin Panel Results\5. Service Account Ownership Results

Compare User Groups:
C:\Users\admflp\Desktop\Admin Panel Results\6. Compare User Groups Results

OU Group Users:
C:\Users\admflp\Desktop\Admin Panel Results\7. OU Group Users Results

Your User Account Email (ex: jdoe@bwxt.com):
flpiette@bwxt.com

Default User Password:
Welcome12345!!


OK Cancel Defaults Open Settings File

5. HOME PAGE

Below is a screenshot of the Home Page. This page hosts all the scripts needed for HelpDesk admins.

5.1. Under File, you may find “Settings” and “Exit”

5.2. Under Help, you may find “FAQ”, “Documentation” and “About”



6. ACCOUNT CREATION

Purpose: This PowerShell Script allows administrators to create new user accounts within Active Directory.

How to Use:

6.1. Fill in the necessary fields which are marked by a black asterisk and click the "Submit " button to finalize the creation. Some options open more boxes.

6.2. A popup will appear asking if the information supplied is correct

6.3. A scroll box will show you how much of the script has been run.

6.4. When the script has completed running, a confirmation message will appear indicating whether the user account has been successfully created.

Admin Panel - Account Creation

Account Creation

* First Name (Legal):

Preferred First Name:

Middle Initial (Legal):

* Last Name (Legal):

Phone Number:

* Title / Position:

* Department:

* Manager Username:

* Employee Username:

* Location / Site:

* System Type:

* Employee Type:

Default Password:

Email Credentials?

If Yes - Credentials/Password email will be sent to the manager


Create Account

7. ACCOUNT TERMINATION

Purpose: This PowerShell Script allows administrators to terminate accounts within Active Directory.

How to Use:

- 7.1. Fill in the necessary fields such as the Username, and only one of the following: Work Order / Service Request / Task, #
- 7.2. A popup will appear asking if the information supplied is correct
- 7.3. Upon completion a confirmation will notify that the account has been terminated successfully.



The screenshot shows a web browser window titled "Admin Panel - Account Termination". The form is titled "Account Termination" and contains the following fields:

- Username:
- Work Order #:
- Service Request #:
- Task #:

Below the fields is a red error message: "Enter a number in only one of the fields: WO/SR/TSK".


At the bottom of the form is a large green "SUBMIT" button.

8. EMAIL CREDENTIALS

Purpose: This PowerShell script automatically generates email with the user's information such as Username, Email and password, and sends the emails to the destined employee. (Typically, the manager)

How to Use:

- 8.1. Fill in the necessary fields such as the Username, Password (prefilled) and Sent To. CC is optional
- 8.2. A popup will appear asking if the information supplied is correct
- 8.3. A confirmation message will appear indicating that the credentials have been sent successfully at the end of the scroll box



8.4. Below is an example of the generated emails that are sent

User Credentials - Fred Test



helpdesk@bwxt.com
To: Piette, Frederic L

Good morning,

Here are the logon credentials for Fred Test:

Username: fredtest


Email: fredtest@bwxt.com

The temporary password will be sent in a separate email for security purposes. Please keep an eye out for the message

User



helpdesk@bwxt.com
To: Piette, Frederic L



Welcome12345!!


NOTE Please be aware that password requirements have changed. The minimum length for a BWXT password is now 14 characters (previously 12). Please comply with the new requirements when changing/updating passwords.

9. EMAIL GROUPS

Purpose: This PowerShell script generates a list of the full 'Member Of' groups for each copied user, organizes the information, and sends individual emails to the managers of these groups for approval.

How to Use:

9.1. Fill in the necessary fields such as the Username, Username to Copy, Start Date and Service Request



Admin Panel - Send User Groups

Email Groups


Username : (ex: jsmith)

Username to Copy : (ex: jsmith)

Start Date: (ex: 07/03/2025)

Service Request # : (ex: 123456)

9.2. A popup will appear asking if the information supplied is correct




Information Confirmation

Username: Piette, Frederic L
Copy From: Fred Test
Date: 06/05/2025
Service #: 105437

Is this information correct?

9.3. Once confirmed, the script will send emails to all group owners. The scroll box will list all emails that were sent and confirm when it finished



The screenshot shows a web application window titled "Admin Panel - Send User Groups". The window has a title bar with standard minimize, maximize, and close buttons. The main content area is titled "Email Groups" and contains several input fields with example values in parentheses:

- Username : (ex: jsmith)
- Username to Copy : (ex: jsmith)
- Start Date: (ex: 07/03/2025)
- Service Request # : (ex: 123456)

Below the input fields is a large scrollable text area containing the following text:

Emails are being generated... Please allow a few seconds to process...

Email sent to: flpiette@bwxt.com



All emails have been processed. You may now close the window or enter new usernames...

You may find the list of groups in the following location on the server: C:\Users\admflp\Desktop\Admin Panel Results\2. Email Groups Results\Mirror flpiette with fredtest - SR105437.csv

At the bottom of the window is a green button labeled "SUBMIT".

9.4. This is an example of what a manager would receive

User Group Approval - Piette, Frederic L - 105437



Good morning,

Employee Name:	Piette, Frederic L
Manager:	Revely, Curtis L
Job Title:	IT Support Analyst
Start Date:	06/05/2025 (mm/dd/yyyy)

Revely, Curtis L requested to mirror the account of **Fred Test**. Please reply with "Approved" or "Denied" for each group. If mixed, specify which groups are approved or denied.

Group	Description
TEST_BWXT_FredTest2	Testing group for Fred (2)
TEST_BWXT_CambridgeClientServices	Testing group for All Cambridge Client Service Staff
TEST_BWXT_CambridgeTest	Testing group for Cambridge Testing


*This is an automated message sent by the IT Helpdesk. Please note that all replies should be made back to the official sender, flpiette@bwxt.com. Please reply for any questions or concerns.

10. CREATE AZURE MAILBOX


Purpose: This PowerShell script

How to Use:


10.1. Fill in the Username field



10.2. A popup will appear asking if the information supplied is correct



10.3. The scroll box will indicate if the script has completed



Admin Panel - Create Azure Mailbox

Create Azure Mailbox

Username: (ex: jsmith)

WARNING: If the mailbox already exists On-Prem, please use the Migration tool in Azure

Verifying information... This may take a few seconds...

flpiette has the correct group assigned

Information is being compiled into PowerShell

Creating the mailbox. Please allow a few seconds...

Waiting for a response from PowerShell

The Azure mailbox for Piette, Frederic L (flpiette) has successfully been created!


SUBMIT

11. MEMBER GROUPS

Purpose: This PowerShell script displays a list of all the groups the user is a Member Of, and allows to export the output in Excel

How to Use:

11.1. Fill in the Username field



Admin Panel - Member Groups

Member Groups

Username: (ex: jsmith)

11.2. If the user is part an Active Directory group, the scroll box will populate with the information such as Group Name, Owner and Owner's Email

Admin Panel - Member Groups

Member Groups

Username: (ex: jsmith)

Group Name	Owner	Email
ACL_BCTFS01_IT_UserAcctForms	Shaffer, Adam V	avshaffer@bwxt.com
ACL_CA_UserGrp_CambridgeON	Bruni, Christopher F	cfbruni@bwxt.com
ACL_CambridgeInformation_General_QC_RW	Merklinger, Matt J	mjmerklinger@bwxt.com
ACL_CambridgeInformation_General_Transfer_RW	Merklinger, Matt J	mjmerklinger@bwxt.com
ACL_Dept_IT_Modify_secgg	Clark, Jeffrey C	jcclark@bwxt.com
ACL_LMT_Shared_NoGB-CMB_CA_Users_RW_secgg	Allingham, David	dallingham@bwxt.com
APP_Lansweeper_Users	Ozanich, Andrew P	apozanich@bwxt.com
APP_MBAM_AdvancedHelpdesk	Smouse, Mitchel J	mjsmouse@bwxt.com
bctfs01_group_IT_RW	Shaffer, Adam V	avshaffer@bwxt.com
BWXT_Azure_CA_Enterprise_Teams_Audio_Bridge_Dailout_enable	N/A	N/A
BWXT_Azure_Enterprise_0365_E5_License	N/A	N/A
bwxt_camb_dept_IT_sec1g	Volk, Walter	wpvolk@bwxt.com
bwxt_camb_dept_IT_TestApps_sec1g	Volk, Walter	wpvolk@bwxt.com
bwxt_camb_shared_IT-NECmig_secgg	N/A	N/A
bwxt_camb_shared_manufacturing_kiosk_secgg-RW	Piette, Frederic L	flpiette@bwxt.com
bwxt_camb_smsapp-EPDM_secgg	Fuerth, Alexander	afuerth@bwxt.com
bwxt_camb_smsapp_NS_Requisition_secgg	Kurien, Thomas	tkurien@bwxt.com
bwxt_camb_smsapp_PDMworkviewer_secgg	Volk, Walter	wpvolk@bwxt.com
BWXT_CellPhone_CA	pstimport	pstimport@bwxt.com
BWXT_Enterprise_Citrix_App_RDP_Access_secgg	N/A	N/A
BWXT_Enterprise_Citrix_Netscaler_RemoteUsers_secgg	N/A	N/A
BWXT_Enterprise_Citrix_Storefront_PROD_Users_secgg	N/A	N/A
BWXT_Enterprise_CUCM_UserSync_secgg	N/A	N/A
BWXT_Enterprise_CUCX_UserSync_secgg	N/A	N/A
BWXT_Enterprise_ForeScout_CA_USBUsersAllowed_secgg	N/A	N/A
BWXT_Enterprise_ForeScout_USBUsersAllowed_secgg	svc_spK2P_Service	k2Services@bwxt.com
BWXT_Enterprise_Intranet_AllUsers_secgg	svc_hcmtoad	svc_hcmtoad@bwxt.com
BWXT_Enterprise_IT_ALL	Clark, Jeffrey C	jcclark@bwxt.com
BWXT_Enterprise_M365_Migrated_Users	N/A	N/A
BWXT_Enterprise_OneDrive_allow	N/A	N/A
BWXT_OKV_Users	McLauchlan, Ian S	ismclauchlan@bwxt.com

SUBMIT
SAVE

11.3. There will be an option to Save the output, which includes the information above, and exports to an Excel document. The popup will show the location where it has been exported to. (The path can be modified in settings)


11.4. If the user does not have any groups assigned, the scroll box will populate with a message that the user has no groups

12. GROUP OWNERSHIP

Purpose: This PowerShell script displays a list of all the groups the user is an Owner of, and allows to export the output in Excel

How to Use:

12.1. Fill in the Username field




Admin Panel - Group Ownership

Group Ownership

Username: (ex: jsmith)

12.2. If the user is part an Active Directory group, the scroll box will populate with the information such as Group Name, Description and Owner



Admin Panel - Group Ownership

Group Ownership

Username: (ex: jsmith)

Group Name	Description	Owner
bwxt_camb_shared_manufacturing_kiosk_secgg-RO	DIR - R:\Manufacturing_Kiosk	Piette, Frederic L
bwxt_camb_shared_manufacturing_kiosk_secgg-RW	DIR - R:\Manufacturing_Kiosk	Piette, Frederic L
BWXT_OKV_FTP Public Users	Oakville Security Group	Piette, Frederic L
BWXT_OKV_Protected Users	Oakville Security Group	Piette, Frederic L
BWXT_OKV_Usage Report Users	Oakville Security Group	Piette, Frederic L
BWXT_OKV_User Roles	Oakville Security Group	Piette, Frederic L
BWXT_OKV_VisualERP_Local	Oakville Security Group	Piette, Frederic L
BWXT_OKV_VisualUsers_GPO_Deny	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Access Control Assistance Operators	Oakville Security Group	Piette, Frederic L
BWXT_PMI_ADsyncOperators	Oakville Security Group	Piette, Frederic L
BWXT_PMI_ADsyncPasswordSet	Oakville Security Group	Piette, Frederic L
BWXT_PMI_ADsyncPasswordSet	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Allowed RODC Password Replication Group	Oakville Security Group	Piette, Frederic L
BWXT_PMI_EPPM_RDP	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Event Log Readers	Oakville Security Group	Piette, Frederic L
BWXT_PMI_HelpServicesGroup	Oakville Security Group	Piette, Frederic L
BWXT_PMI_OWS_37188097_admin	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Performance Log Users	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Performance Monitor Users	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Power User Templates	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Pre-Windows 2000 Compatible Access	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Production Servers	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Production WorkStations	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Remote Operators	Oakville Security Group	Piette, Frederic L
BWXT_PMI_Remote Users	Oakville Security Group	Piette, Frederic L

SUBMIT **SAVE**


12.3. There will be an option to Save the output, which includes the information above, and exports to an Excel document. The popup will show the location where it has been exported to. (The path can be modified in settings)

13. SERVICE ACCOUNT OWNERSHIP

Purpose: This PowerShell script displays a list of all the Service Accounts the user is an Owner of, and allows to export the output in Excel

How to Use:

13.1. Fill in the Username field




Admin Panel - Service Account Ownership

Service Account Ownership

Username: (ex: jsmith)

13.2. If the user is part an Active Directory group, the scroll box will populate with the information such as Group Name, Owner and Owner's Email



Admin Panel - Service Account Ownership

Service Account Ownership

Username: (ex: jsmith)

Name	Owner	Description
cmb_shopkiosk	Piette, Frederic L	No Description

SUBMIT **SAVE**

13.3. There will be an option to Save the output, which includes the information above, and exports to an Excel document. The popup will show the location where it has been exported to. (The path can be modified in settings)

14. COMPARE USER GROUPS

Purpose: This PowerShell script displays a list of all the groups the user and the copied user is a Member Of and shows the groups that are unique to each user. Allows to export the output in Excel

How to Use:

14.1. Fill in the necessary fields such as the Username and Copy To

 Admin Panel - Compare User Groups

Compare User Groups

Username: (ex. jsmith)
Compare To: (ex. jsmith)

14.2. If the users are part an Active Directory group, the scroll box will populate with the groups that are unique to each user. Below the unique groups, it will also show all the users' groups.

 Admin Panel - Compare User Groups

Compare User Groups

Username: (ex. jsmith)
Compare To: (ex. jsmith)

Groups unique to flpiette

ACL_BCTFS01_IT_UserAcctForms
ACL_CA_UserGrip_CambridgeON
ACL_CambridgeInformation_General_QC_RW
ACL_CambridgeInformation_General_Transfer_RW
ACL_LMT_Shared_NoGB-CMB_CA_Users_RW_secgg
BWXT_Azure_CA_Enterprise_Teams_Audio_Bridge_Dailout_enable
bwxt_camb_dept_IT_secg
bwxt_camb_dept_IT_TestApps_secg
bwxt_camb_shared_IT-NECmig_secgg
bwxt_camb_shared_manufacturing_kiosk_secgg-RW
bwxt_camb_smsapp_EPDM_secgg
bwxt_camb_smsapp_NS_Requisition_secgg
bwxt_camb_smsapp_PDMworksViewer_secgg
BWXT_CellPhone_CA
BWXT_Enterprise_Citrix_Netscaler_RemoteUsers_secgg
BWXT_Enterprise_ForeScout_CA_USBUsersAllowed_secgg
BWXT_OKV_Users
DST_BWXT_Employees_ALL
DST_cv_cmb_email_reports
ITSM-Client-Cam
ITSM-HelpDesk-CA
ITSM-MobileTechs
TEST_BWXT_CambridgeIT
TEST_BWXT_FredTest
WS_InternetControl_InfoSec

All Groups

ACL_BCTFS01_IT_UserAcctForms
ACL_CA_UserGrip_CambridgeON
ACL_CambridgeInformation_General_QC_RW

Groups unique to bmbracken

ACL_BCTFS01_UserProfileBackups_RW
ACL_int_dept_it_secgg
ACL_int_shares_jccshareaccess_secgg
ACL_MTVFS01_PCMAINT_RW
ACL_nog_all_media_transfer_agent
ACL_nogbem_dept_it
BWXT_Azure_Enterprise_Teams_Audio_Bridge_Dailout_enable_secgg
BWXT_CellPhone_US
BWXT_Enterprise_Citrix_App_HelpDesk_Access_secgg
BWXT_Enterprise_Citrix_App_Jabber_Access_secgg
BWXT_Enterprise_Citrix_App_RDP_KanAlpHDAp01_secgg
BWXT_Enterprise_ForeScout_US_USBUsersAllowed_secgg
BWXT_Enterprise_Webex_FedRamp_UserSync_secgg
BWXT_Enterprise_Webex_UserSync_secgg
BWXT_FedRamp_Users
BWXT_IT_ALL
BWXT_User_OutlookEnableCachedMode
bwxt-hcm-ad-changes
bwxt-hcm-ad-failedupdates
bwxt-hcm-ad-new-hire
bwxt-hcm-ad-termination
DST_NOG_B_All
ITSM-HelpDesk
NOGB_ChangeControl
SFD_Admin_Users
SFDCitrixAccess
US_Mailboxes_ToMigrate
US-Benefits-Eligible-Emp
WS_InternetControl_StandardAccess

All Groups

SUBMIT

SAVE

14.3. There will be an option to Save the output, which includes the information above, and exports to an Excel document. The popup will show the location where it has been exported to. (The path can be modified in settings)

15. MOVE OBJECT

Purpose: This PowerShell script

How to Use:

- 15.1. Select an Object Type. Depending on the selected Object Type, the second box will accommodate whether a Computer Name or a Username should be filled out

The image shows two instances of the 'Move Object' form. The left form has 'User Account' selected in the 'Object Type' dropdown, 'flpiette' in the 'Username' text field, and 'CambridgeON' in the 'Location / Site' dropdown. The right form has 'Laptop' selected in the 'Object Type' dropdown, 'camlfpiette' in the 'Computer Name' text field, and 'CambridgeON' in the 'Location / Site' dropdown. Both forms feature a prominent green 'SUBMIT' button at the bottom.

- 15.2. Fill in all fields


- 15.3. A popup will appear asking if the information supplied is correct

The 'Information Confirmation' dialog box displays the following information:

Computer Name:	camlfpiette
Object Type:	Laptop
Location / Site:	CambridgeON

At the bottom of the dialog are two buttons: 'Yes' and 'No'.

15.4. A popup message will be shown at the end to indicate where the object has been moved to



16. OU GROUP USERS


Purpose: This PowerShell script

How to Use:

16.1. Fill in the AD Group field



16.2. If the AD Group has users assigned to it, it will display the results on the scroll box



Name	Username
Abbott, Thomas A	taabbott
Alhajj, Waled M	wmalhajj
Almond, D. Chris	dcalmond
Anastasio, Alexi	aanastasio
Anderson, Julianne	janderson
Anderson, Paul J	pjanderson
Arenas, Enrique J	ejarenas
Arora, Mrinal K	mkarora
Atwood, Joe D	jdatwood
Augustynovich, Karen B	kbaugustynov
Bailey, Greg S	gsbailey
Baker, Brandon G	bgbaker
Baker, Brent A	babaker
Ballard, Jordan R	jrballard
Barber, Teresa H	thbarber
Basham, Jeremy G	jgbasham
Basora, Amy C	acbasora
Baxter, Drew M	ambaxter
Bedell, Rebecca N	rnbedell
Bencar, Brent E	bebencar
Bender, Kurt A	kabender
Berkley, David L	dlberkley
Berrios, Melvin R	mrberrios
Blain, Andrew S	asblain
Bocock, Caleb M	cmbocock

16.3. There will be an option to SAVE the output, which includes the information above, and exports to an Excel document. The popup will show the location where it has been exported to. (The path can be modified in settings)

17. BWXT LOGO

Purpose: This logo is purely for aesthetic purposes. This also represents that it's an internally built application



18. REVISIONS

Rev 1.0 – Frederic L. Piette – 06/05/2025

- Initial Release

Rev 1.1 – Joseph C. Carson – 06/09/2025

- Grammatical Changes