```
import pymongo
client=pymongo.MongoClient("mongodb+srv://Sain:sainiscool@cluster0.uga
tn9a.mongodb.net/?retryWrites=true&w=majority")
db=client.test
db=client['mongodb']
collection = db["Student"]
```

Q1- Write a MongoDB query to find all students excluding _id and LastName Field

```
for i in db.Student.find({}, { "_id": 0, "LastName": 0 }):
    print(i)

{'RollNum': 43, 'FirstName': 'John', 'Age': 20, 'Department':
'Computer Science', 'Mark': 78}
{'RollNum': 67, 'FirstName': 'Alice', 'Age': 22, 'Department':
'Physics', 'Mark': 59}
{'RollNum': 23, 'FirstName': 'Bob', 'Age': 21, 'Department': 'Computer Science', 'Mark': 81}
{'RollNum': 18, 'FirstName': 'Eve', 'Age': 19, 'Department':
'Mathematics', 'Mark': 56}
{'RollNum': 84, 'FirstName': 'Mike', 'Age': 23, 'Department':
'Physics', 'Mark': 92}
```

Q2- Update the student's age with Rollnum 67 to 26 years.

```
db.Student.update_one({"RollNum": 67}, {"$set": {"Age": 26}})
db.Student.find_one({"RollNum": 67})

{'_id': ObjectId('6548ccbd13bcdb7d44650429'),
    'RollNum': 67,
    'FirstName': 'Alice',
    'LastName': 'Smith',
    'Age': 26,
    'Department': 'Physics',
    'Mark': 59}
```

Q3- Increase the Age of all students by 1

```
db.Student.update_many({}, {"$inc": {"Age": 1}})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548ccbd13bcdb7d44650428'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 78}
{'_id': ObjectId('6548ccbd13bcdb7d44650429'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
```

```
'Physics', 'Mark': 59}
{'_id': ObjectId('6548ccbd13bcdb7d4465042a'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 81}
{'_id': ObjectId('6548ccbd13bcdb7d4465042b'), 'RollNum': 18,
'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department':
'Mathematics', 'Mark': 56}
{'_id': ObjectId('6548ccbd13bcdb7d4465042c'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physics', 'Mark': 92}
```

Q4- Increment 5 Mark for all students in the "Computer Science" department.

```
db.Student.update many({"Department": "Computer Science"}, {"$inc":
{"Mark": 5}})
for i in db.Student.find():
    print(i)
{' id': ObjectId('6548ccbd13bcdb7d44650428'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548ccbd13bcdb7d44650429'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
'Physics', 'Mark': 59}
{' id': ObjectId('6548ccbd13bcdb7d4465042a'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{' id': ObjectId('6548ccbd13bcdb7d4465042b'), 'RollNum': 18,
'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department': 'Mathematics', 'Mark': 56}
{' id': ObjectId('6548ccbd13bcdb7d4465042c'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physics', 'Mark': 92}
```

Q5- Reduce 10 Marks for all students in the "Mathematics" department.

```
db.Student.update_many({"Department": "Mathematics"}, {"$inc":
    {"Mark": -10}})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548ccbd13bcdb7d44650428'), 'RollNum': 43,
    'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
    'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548ccbd13bcdb7d44650429'), 'RollNum': 67,
    'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
    'Physics', 'Mark': 59}
{'_id': ObjectId('6548ccbd13bcdb7d4465042a'), 'RollNum': 23,
    'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
```

```
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548ccbd13bcdb7d4465042b'), 'RollNum': 18,
'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department':
'Mathematics', 'Mark': 46}
{'_id': ObjectId('6548ccbd13bcdb7d4465042c'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physics', 'Mark': 92}
```

Q6- Update the Department name of all students in the "Physics" department to "Physical Science".

```
db.Student.update many({"Department": "Physics"}, {"$set":
{"Department": "Physical Science"}})
for i in db.Student.find():
    print(i)
{' id': ObjectId('6548ccbd13bcdb7d44650428'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{' id': ObjectId('6548ccbd13bcdb7d44650429'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
'Physical Science', 'Mark': 59}
{' id': ObjectId('6548ccbd13bcdb7d4465042a'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{' id': ObjectId('6548ccbd13bcdb7d4465042b'),                                'RollNum': 18,
'FirstName': 'Eve', 'LastName': 'Adams', 'Age': 20, 'Department':
'Mathematics', 'Mark': 46}
{' id': ObjectId('6548ccbd13bcdb7d4465042c'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physical Science', 'Mark': 92}
```

Q7- Calculate the average age of all students.

Q8- Calculate the average Mark of all students in the "Physical Science" department.

```
result = list(db.Student.aggregate(pipeline))
print(result)
[{'_id': 'null', 'averageMark': 75.5}]
```

Q9- Remove all the students of the "Mathematics" department.

```
db.Student.delete_many({"Department": "Mathematics"})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548ccbd13bcdb7d44650428'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548ccbd13bcdb7d44650429'), 'RollNum': 67,
'FirstName': 'Alice', 'LastName': 'Smith', 'Age': 27, 'Department':
'Physical Science', 'Mark': 59}
{'_id': ObjectId('6548ccbd13bcdb7d4465042a'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548ccbd13bcdb7d4465042c'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physical Science', 'Mark': 92}
```

Q10- Remove all the students whose mark is less than 60.

```
db.Student.delete_many({"Mark": {"$lt": 60}})
for i in db.Student.find():
    print(i)

{'_id': ObjectId('6548ccbd13bcdb7d44650428'), 'RollNum': 43,
'FirstName': 'John', 'LastName': 'Doe', 'Age': 21, 'Department':
'Computer Science', 'Mark': 83}
{'_id': ObjectId('6548ccbd13bcdb7d4465042a'), 'RollNum': 23,
'FirstName': 'Bob', 'LastName': 'Johnson', 'Age': 22, 'Department':
'Computer Science', 'Mark': 86}
{'_id': ObjectId('6548ccbd13bcdb7d4465042c'), 'RollNum': 84,
'FirstName': 'Mike', 'LastName': 'Brown', 'Age': 24, 'Department':
'Physical Science', 'Mark': 92}
```