

Road Accident Analysis of Addis Ababa Sub cities



*Data Visualization and Exploration
(DS6151)*

Final Project

2024 G.C

Teshager Admasu

Natnael Chala

Rediet Tenaw

Contents

Executive Summary	3
II. Introduction	3
III. Data Set Description	3
IV. Methodology	5
1. Data Collection:	5
2. Exploratory Data Analysis (EDA):	5
3. Data Preprocessing:	6
4. Visualization:	7
V. Results and Analysis	7
VI. Discussion	13
VII. Conclusion and Recommendations	13
VI. References	14

Figures

Figure 1: Number of Vehicles an Accident Severity	7
Figure 2: Accidents per hour	8
Figure 3: Accidents throughout the week	8
Figure 4: Accidents and Driver Sex	9
Figure 5: Accidents by Driver Age Group	9
Figure 6: Driving Experience vs Driver Age	10
Figure 7: Accident at Junction Points	10
Figure 8: Accident per Weather Condition	11
Figure 9: Accident Severity vs Collision Type	11
Figure 10: Accident Severity vs Accident Cause	12
Figure 11: Accidents per Lanes	12

Executive Summary

This report presents a comprehensive analysis of road traffic accidents in Addis Ababa using the "RTA Dataset Addis Ababa Subcity" dataset. The dataset comprises 12,316 accident records from 2017-2020, including a wide range of variables related to drivers, vehicles, road conditions, and accident circumstances¹. The primary goal of this research is to identify key factors contributing to accidents, understand the severity of accidents, and provide data-driven recommendations for improving road safety in Addis Ababa². The analysis includes data preprocessing, exploratory data analysis (EDA), feature engineering, and machine learning techniques for insights into the factors influencing accident severity. The key findings include identification of high-risk time periods, driver characteristics, and accident causes and the document concludes with actionable recommendations for the improvement of road safety in Addis Ababa³.

II. Introduction

Road accidents are a major concern globally, particularly in urban areas with high traffic volumes. Addis Ababa, as the capital city of Ethiopia, experiences a significant number of road accidents, leading to fatalities, injuries, and property damage. Understanding the underlying factors contributing to these accidents is essential for implementing effective safety measures. This analysis utilizes accident data to identify trends, risk factors, and potential interventions to reduce accident severity.

III. Data Set Description

The data set is collected from Addis Ababa Sub city police departments for Master's research work. The data set has been prepared from manual records of road traffic accident of the year **2017-20**. All the sensitive information has been excluded during data encoding and finally, it has **32** features and **12316** instances of the accident

Here is the definition of the features listed, based on their names and example values:

1. **time**: The time of the incident, recorded in HH:MM:SS format.
2. **day_of_week**: The day of the week on which the event occurred.
3. **driver_age**: The age group of the driver, categorized into ranges such as '18-30', '31-50', etc.
4. **driver_sex**: The gender of the driver ('Male', 'Female', or 'Unknown').

5. **educational_level**: The highest educational qualification of the driver.
6. **vehicle_driver_relation**: The relationship between the vehicle owner and the driver (e.g., 'Owner', 'Employee', 'Other').
7. **driving_experience**: The driver's experience level, categorized by years or specific conditions like 'No Licence'.
8. **vehicle_type**: The type of vehicle involved in the incident (e.g., 'Automobile', 'Taxi', 'Motorcycle').
9. **vehicle_owner**: The owner of the vehicle, such as 'Owner', 'Governmental', or 'Organization'.
10. **service_year**: The service duration of the vehicle, categorized by years.
11. **vehicle_defect**: Whether the vehicle had a defect at the time of the accident (e.g., 'No defect', '7', '5').
12. **accident_area**: The type of area where the accident occurred (e.g., 'Residential areas', 'Office areas').
13. **lanes**: The type of road lanes where the accident occurred (e.g., 'Undivided Two way', 'One way').
14. **road_allignment**: The road's alignment, describing its geometry (e.g., 'Tangent road with flat terrain').
15. **junction_type**: The type of road junction at the accident location (e.g., 'T Shape', 'Crossing').
16. **surface_type**: The type of road surface (e.g., 'Asphalt roads', 'Gravel roads').
17. **road_surface_conditions**: The condition of the road surface during the accident (e.g., 'Dry', 'Wet or damp').
18. **light_condition**: The lighting condition at the time of the accident (e.g., 'Daylight', 'Darkness - no lighting').
19. **weather_condition**: The weather condition at the time of the accident (e.g., 'Normal', 'Raining').
20. **collision_type**: The type of collision that occurred (e.g., 'Vehicle with vehicle collision', 'Collision with pedestrians').
21. **vehicles_involved**: The number of vehicles involved in the accident.

- 22. **casualties**: The number of individuals injured or killed in the accident.
- 23. **vehicle_movement**: The movement status of the vehicle at the time of the accident (e.g., 'Going straight', 'Parked').
- 24. **casualty_class**: The role of the casualty in the accident (e.g., 'Driver or rider', 'Pedestrian').
- 25. **casualty_sex**: The gender of the casualty.
- 26. **casualty_age**: The age or age group of the casualty.
- 27. **casualty_severity**: The severity of the casualty's injury ('1', '2', '3', or 'na').
- 28. **casualty_work**: The employment status or occupation of the casualty.
- 29. **casualty_fitness**: The fitness or health condition of the casualty (e.g., 'Normal', 'Deaf').
- 30. **pedestrian_movement**: The movement or behavior of the pedestrian at the time of the accident.
- 31. **accident_cause**: The primary cause of the accident (e.g., 'Overspeed', 'Drunk driving').
- 32. **accident_severity**: The severity of the accident's outcome ('Slight Injury', 'Serious Injury', 'Fatal injury').

IV. Methodology

This research is based on a detailed analysis of accident data from Addis Ababa. The methodology includes:

1. Data Collection:

A dataset containing records of road accidents in Addis Ababa 2017-2020 was used.

2. Exploratory Data Analysis (EDA):

EDA was performed using descriptive statistics, frequency counts, histograms, count plots and correlation matrices to gain insights into data distribution, patterns and relationships:

Descriptive Statistics: The `describe()` method was used to understand the central tendencies and spread of numerical features. The `describe(include=['O'])` method was used to understand categorical features.

Univariate Analysis: This analysis included frequency counts for each variable and the `value_counts()` method was used to determine the distribution of categories and to visualize them using count plots, histograms and density plots.

Bivariate Analysis: Cross-tabulations (`cross_tab_features`) were used to analyze relationships between categorical variables such as service year and accident severity.

Skewness Analysis: The `value_counts()` method was used to calculate the proportions of the target variable, and the coefficient of variation was calculated to understand the skewness of accident severity distribution.

Missing Value Analysis: A correlation matrix of missing values was generated to understand relationships between them.

Duplicated Value Analysis: The `duplicated().sum()` method was used to verify that there were no duplicate values in the dataset.

Unique Value Analysis: The `nunique()` method was used to determine the number of unique values in each column.

3. Data Preprocessing:

The data underwent several preprocessing steps to ensure quality and reliability:

Missing Value Handling: Missing values were identified using `isnull().sum()` and their percentages were calculated, leading to the use of an iterative imputer to fill the missing data. A correlation matrix was used to analyze the relationships between missing values, which may suggest if they are missing completely at random (MCAR), at random (MAR), or not at random (MNAR).

Inconsistency Resolution: Leading spaces were removed from the 'accident_area' column using `str.lstrip()` to ensure data consistency. Inconsistencies in 'accident_cause' were handled by replacing "Turnover" with "Overturning" and "Overspeed" with 'Driving at high speed'.

Data Type Conversion: Time feature was converted to datetime objects for feature extraction, and then dropped to be replaced with cyclical features for time.

Categorical Encoding: Ordinal features were encoded using `OrdinalEncoder`, and nominal features were encoded using mappings of original values to numerical representations.

Data Normalization: Numerical data was normalized using `MinMaxScaler` to scale between 0 and 1 to ensure consistent feature contributions to model performance.

4. Visualization:

Graphs and charts were used to highlight key trends and patterns in the data.

This report is part of a GitHub repository containing: [the dataset](#), [a notebook](#) and [an interactive tableau dashboard](#).

V. Results and Analysis

1. Accident Trends

- **Number of Vehicles:** As the number of vehicles involved in an accident increase, the fatality rate decreases. No fatalities were observed for accidents involving four or more vehicles.




Figure 1: Number of Vehicles an Accident Severity

- **Time of Day:** Most accidents occur during three critical periods:
 - **8:00 AM:** Start of work hours.
 - **1:00 PM:** Lunch hour.
 - **5:00 PM:** End of work hours.




Figure 2: Accidents per hour

- **Daylight:** A majority (71.4%) of accidents happen during daylight.
- **Day of the Week:** Fridays are the most accident-prone. The accident decreases from Friday to Thursday then Wednesday right up to Sunday in an orderly fashion




Figure 3: Accidents throughout the week

2. Demographics and Severity

- **Gender:** Male drivers are involved in more accidents, though the severity of accidents involving females is comparable.




Figure 4: Accidents and Driver Sex

- **Age:** Underage drivers have the highest percentage of serious accidents (20.5%). Drivers aged 31–50 have the lowest serious accident rate (13.2%) and fatalities (1.3%).




Figure 5: Accidents by Driver Age Group

- **Experience:** Accident frequency increases with driving experience up to 10 years and declines thereafter.




Figure 6: Driving Experience vs Driver Age

3. Road and Environmental Conditions

- **Junctions:** “No Junction” points have the highest fatality proportion (1.9%). Serious accidents are most common in “O Shape” and “No Junction” areas.




Figure 7: Accident at Junction Points

- **Weather:** Rain accounts for the highest fatality percentage (1.7%), despite 81.7% of accidents occurring in clear weather. Windy conditions lead to the highest serious injury rate (16.3%).




Figure 8: Accident per Weather Condition

4. Collision Types

- **Vehicle-to-Vehicle Collisions:** Represent 71.2% of all accidents.
- **Train Collisions:** Lead to the highest percentage of serious injuries (22.3%).
- **Pedestrian Collisions:** Account for the highest fatality percentage (2.5%).




Figure 9: Accident Severity vs Collision Type

5. Causes of Accidents

- **Over speeding:** While less frequent, it results in the highest proportion of serious accidents.
- **Improper Parking:** Causes the highest proportion of fatalities (4%).




Figure 10: Accident Severity vs Accident Cause

Changing Lanes: The most prominent cause, followed by no distancing and careless driving.




Figure 11: Accidents per Lanes

6. Feature Importance

- **Mutual Information Scores:** Features with MI scores below 0.01, such as “Casualty Sex,” were deemed insignificant and recommended for exclusion.
-

VI. Discussion

The analysis highlights significant patterns in road accidents in Addis Ababa. Key insights include the influence of driver behavior, time, and environmental conditions on accident severity. The findings suggest targeted interventions, such as:

- **Time-Based Measures:** Enhanced traffic management during peak hours.
 - **Driver Training:** Focused programs for underage and inexperienced drivers.
 - **Infrastructure Improvements:** Upgrades at high-risk junctions and better drainage systems for rainy conditions.
 - **Policy Interventions:** Stricter enforcement of speed limits and parking regulations.
-

VII. Conclusion and Recommendations

This analysis provides a data-driven foundation for improving road safety in Addis Ababa. Key recommendations include:

1. **Education Campaigns:** Targeting drivers about risks associated with overspeeding and improper parking.
2. **Improved Traffic Management:** Addressing peak-hour congestion and enhancing road infrastructure.
3. **Technology Integration:** Using AI and real-time monitoring to identify and address high-risk scenarios.
4. **Policy Reforms:** Strengthening laws on underage driving and enforcing penalties for violations.

By implementing these measures, Addis Ababa can reduce accident severity and enhance road safety for all users.

VI. References

Teshager21. Accident Analysis - Addis Ababa. GitHub. Accessed December 29, 2023.
https://github.com/Teshager21/accident-analysis-addis_ababa