



ACCELEROMETER BMA400 2-16G 12-LGA




| | | |
|--------------|----|--|
| Author | | |
| Date | | |
| Manufacturer | | |
| Page | | |
| Total pages | | |
| Size page | A3 | |
| Materials | | |

CONNECTORS




| | | |
|--------------|----|--|
| Author | | |
| Date | | |
| Manufacturer | | |
| Page | | |
| Total pages | | |
| Size page | A3 | |
| Materials | | |

FLASH - NOR 32Mb (4M x 8) SPI




| | | |
|--------------|----|--|
| Author | | |
| Date | | |
| Manufacturer | | |
| Page | | |
| Total pages | | |
| Size page | A3 | |
| Materials | | |

M66 GPRS MODULE




M66 CONTROL AND STATUS LED




| | |
|--------------|----|
| Author | |
| Date | |
| Manufacturer | |
| Page | |
| Total pages | |
| Size page | A3 |
| Materials | |


MCU



DECAP




DEBUG




| | | |
|--------------|----|--|
| Author | | |
| Date | | |
| Manufacturer | | |
| Page | | |
| Total pages | | |
| Size page | A3 | |
| Materials | | |

MCU+SENSORS POWER




+4V POWER SUPPLY BOOST




| | | |
|--------------|----|--|
| Author | | |
| Date | | |
| Manufacturer | | |
| Page | | |
| Total pages | | |
| Size page | A3 | |
| Materials | | |

SI7055 TEMP SENSOR $\pm 0.5^{\circ}\text{C}$, I²C line



| | | |
|--------------|----|--|
| Author | | |
| Date | | |
| Manufacturer | | |
| Page | | |
| Total pages | | |
| Size page | A3 | |
| Materials | | |



| | | |
|--------------|----|--|
| Author | | |
| Date | | |
| Manufacturer | | |
| Page | | |
| Total pages | | |
| Size page | A3 | |
| Materials | | |