```
SCRIPT SQL:
CREATE TABLE Ligue(
 IDLigue VARCHAR(50),
 Ligue VARCHAR(50),
 PRIMARY KEY(IDLigue)
);
CREATE TABLE TypeUser(
 IDTypeUser VARCHAR(50),
 libTypeUtilisateur VARCHAR(50),
 PRIMARY KEY(IDTypeUser)
);
CREATE TABLE FAQ(
 IDMessage VARCHAR(50),
 Reponse VARCHAR(50),
 Question VARCHAR(50),
 Date_reponse VARCHAR(50),
 Date_question VARCHAR(50),
 IDLigue VARCHAR(50) NOT NULL,
 PRIMARY KEY(IDMessage),
 FOREIGN KEY(IDLigue) REFERENCES Ligue(IDLigue)
);
CREATE TABLE Utilisateur(
 IDIdentifiant INT,
 Login Pseudo VARCHAR(50),
 Email VARCHAR(50),
 MotDePasse VARCHAR(50),
 IDLigue VARCHAR(50) NOT NULL,
 IDTypeUser VARCHAR(50) NOT NULL,
 IDMessage VARCHAR(50) NOT NULL,
 PRIMARY KEY(IDIdentifiant),
```

```
FOREIGN KEY(IDLigue) REFERENCES Ligue(IDLigue),
FOREIGN KEY(IDTypeUser) REFERENCES TypeUser(IDTypeUser),
FOREIGN KEY(IDMessage) REFERENCES FAQ(IDMessage)
);
```