```
1
     <!DOCTYPE html>
 2
     <html lang="en">
 3
     <head>
         <meta charset="utf-8">
 4
 5
         <title>CNIT133 Homework 3 Part II</title>
 6
         <meta name="description" content="This is homework 3 Part 2 to compute seller's</pre>
         Commissions for 4 items">
 7
         <link rel="stylesheet" type="text/css" href="hw3pt2style.css">
 8
         <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.0/jquery.min.js"</pre>
         ></script>
 9
         <script src=
         "https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate.min.js"></script>
         <script src=</pre>
         "https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-methods.min.js"
         ></script>
11
     </head>
12
13
     <body>
         <header class="header-background">
14
15
             <div class="header-container">
16
                 <a href="hw3.html" target=" self" class="header-text">CNIT 133 Homework 3 -
                 Functions</a>
17
                 <figure>
18
                      <a href="https://www.ccsf.edu/" target=" self">
19
                          <img src="ccsf ram.gif" alt="ccsf ram logo" width="139" class=</pre>
                          "right-image">
20
                      </a>
21
                  </figure>
22
             </div>
23
         </header>
2.4
25
         <div class="submenu-container">
26
             <nav>
27
                 <a href="hw3-description.html" target=" self" class="button-two">Description
                 </a>
28
                 <a href="hw3-part1.html" target=" self" class="button-two">Part I</a>
                 <a href="hw3-part2.html" target=" self" class="button-two">Part II</a>
29
30
                 <a href="hw3-extra-credit.html" target=" self" class="button-two">Extra
                 Credit</a>
31
             </nav>
32
         </div>
3.3
34
         <div class="hwk2box-box">
35
             <div>
36
                  <header class="title">Sales Commissions</header>
                 <div class="hwk2box">
37
                      <form id="inputForm">
38
39
40
                          <label for="sellerName">Seller's Name:</label>
                          <input type="text" id="sellerName" class="nameField" value=""</pre>
41
                          required>
42
                          <br>
43
                          <h4>&nbsp;&nbsp;For each item type the quantity sold by the seller
                            </h4>
44
45
                          <label for="item1">Item 1: </label>
46
                          <input type="number" class="left" id="item1" name="item1" data-item=</pre>
                          "1" min="0">
47
                          <label for="item2">Item 2: </label>
48
49
                          <input type="number" class="left" id="item2" name="item2" data-item=</pre>
                          "2" min="0">
50
                          <br>
51
                          <label for="item3">Item 3: </label>
                          <input type="number" class="left" id="item3" name="item3" data-item=</pre>
52
                          "3" min="0">
53
                          <br>
```

```
54
                  <label for="item4">Item 4: </label>
55
                  <input type="number" class="left" id="item4" name="item4" data-item=</pre>
                  "4" min="0"><br>
56
57
                  <div class="submit-reset">
58
                     <div class="button-container">
59
                                  &
                        nbsp; 
60
                        <input type="submit" class="buttonSubmit" value="SUBMIT">
                        <input type="reset" id="clearForm" class="buttonSubmit" value</pre>
61
                        ="CLEAR FORM">
                     </div>
62
63
                  </div>
               </form>
64
65
               <div class="output-box">
                  66
67
                     Item #
68
69
                       Price
                       Qty Sold
71
                       Total
72
                     73
                     74
                        1
75
                       $20.99
76
                       <input type="text" id="numSold1" class="numField"
                       readonly>
77
                        <input type="text" id="total1" class="right-table"</pre>
                        readonly>
                     78
79
                     80
                        2
                       $12.75
81
82
                       <input type="text" id="numSold2" class="numField"</pre>
                       readonly>
                       <input type="text" id="total2" class="right-table"
83
                       readonly>
                     84
85
                     86
                        3
87
                       $  9.95
88
                       <input type="text" id="numSold3" class="numField"
                       readonly>
89
                       <input type="text" id="total3" class="right-table"</pre>
                       readonly>
90
                     91
                     92
                       4
93
                       $35.89
94
                       <input type="text" id="numSold4" class="numField"
                        readonly>
95
                       <input type="text" id="total4" class="right-table"
                       readonly>
96
                     97
                  98
                  99
                     100
                                 &
                        nbsp;Total Amount Sold:
101
                       <input type="text" id="totalSold" class="right-table"
                       readonly>
                     102
103
                     104
                                  &
```

```
105
                                 <input type="text" id="totalEarn" class="right-table"
                                 readonly>
106
107
                         108
                     </div>
109
                 </div>
             </div>
110
111
         </div>
112
113
          <article class="solution-box">
114
              <header>
115
                  <h2>Homework 3 Part I Function solution</h2>
116
              </header>
117
              <div class="solution-frame">
                  <iframe src="hw3pt2.pdf"></iframe>
118
119
              </div>
120
              <br><br><br>>
121
         </article>
122
123
         <footer>
124
             <br>
125
             <figure>
126
                  <div class="footer-text-container">
127
                      <imq src="op.jpg" alt="self" width="80" class="rounded-image">
128
                     Teresita Anselm<br>
129
                         City College of San Francisco <br>
130
                         tanselm@mail.ccsf.edu<br>
131
                  </div>
132
              </figure>
133
              Copyright of Teresita Anselm © 2023
134
         </footer>
135
136
         <script>
137
              // jQuery validation code
138
              jQuery.validator.setDefaults({
139
                 debug: true,
                 success: "valid",
140
141
                 errorClass: "error-text" // Apply the "error-text" class to error messages
142
             });
143
144
             // Custom error message for the sellerName field
145
             var itemValidationMessages = {
146
                 "sellerName": "Please enter your name!"
147
             };
148
149
              // Create an array of item field names
150
             var itemFields = ["item1", "item2", "item3", "item4"];
151
152
             // Create an object to store validation rules for all item fields
153
             var itemValidationRules = {};
154
155
             // Validation rules and messages for each item field
156
              for (var i = 1; i \le 4; i++) {
157
                  var itemFieldName = "item" + i;
158
                 itemValidationRules[itemFieldName] = {
159
                     required: true,
160
                     number: true,
161
                     min: 0
162
                 };
163
                  itemValidationMessages[itemFieldName] = {
164
                     required: "Please enter a quantity for Item " + i + "!",
165
                     number: "Numbers only for Item " + i + "!",
166
                     min: "Positive number only for Item " + i + "!"
167
                  };
168
             }
169
```

```
170
              $("#inputForm").validate({
171
                  rules: itemValidationRules,
172
                  messages: itemValidationMessages,
173
                  submitHandler: function (form) {
174
                      // The form is valid, you can submit it here if needed.
175
                       // For now, let's update the item totals.
176
                      updateItemTotals();
177
                      sumCommission();
                      return false; // Prevent form submission
178
179
180
              });
181
182
              // Event listener for the "CLEAR FORM" button
              $('#clearForm').click(function () {
183
184
                  // Reset the form
185
                  $('#inputForm')[0].reset();
                  // Clear the calculated fields
186
187
                  $('.numField, .right-table').val('');
188
              });
189
190
              // Listen for changes in item1-4 fields
              $ (document).ready(function () {
191
192
                  for (var i = 1; i \le 4; i++) {
                      $('#item' + i).on('input', function () {
193
194
                           var itemId = $(this).data('item'); // Get the item number from
                           data-item attribute
195
                           var quantity = parseFloat($(this).val()); // Parse the input value
                           as a float
196
                           if (!isNaN(quantity) && quantity >= 0) {
197
                               // If the input is a valid positive number, update numSold1-4
                               with the valid quantity
                               $('#numSold' + itemId).val(quantity);
198
199
                           } else {
200
                               // If the input is not valid (negative or non-numeric), reset it
                               to 0 and clear numSold1-4
201
                               $ (this) .val('0');
202
                               $('#numSold' + itemId).val('');
203
204
                           updateItemTotals(); // Recalculate item totals
205
                      });
206
                  }
207
              });
208
209
              // Function to update item totals
210
              function updateItemTotals() {
211
                  let prices = [20.99, 12.75, 9.95, 35.89];
212
                  for (var i = 1; i \le 4; i++) {
                       var itemId = i; // No need to get the data-item attribute again
213
                       var quantity = parseFloat($('#item' + i).val());
214
215
                       if (!isNaN(quantity) && quantity >= 0) {
                           var total = (quantity * prices[i - 1]).toFixed(2);
216
                           $('#total' + i).val('$' + total);
217
218
                       } else {
219
                           $('#total' + i).val('');
220
                       }
221
                  }
222
              }
223
224
              // Calculate and update the commission
225
              function sumCommission() {
226
                  var totalSales = 0;
227
228
                  // Loop through total1 to total4 and calculate the total sales
229
                  for (var i = 1; i \le 4; i++) {
230
                       var total = parseFloat($('#total' + i).val().replace('$', '')) || 0;
231
                       totalSales += total;
232
                  }
```

```
233
234
                 // Calculate the commission (9% of totalSales + 200)
235
                 var commission = (0.09 * totalSales) + 200;
236
237
                 // Update the totalSold and commission for seller
238
                 $('#totalSold').val('$ ' + totalSales.toFixed(2)); // Add the "$" symbol
                 before the totalSales value
239
                 $('#totalEarn').val('$ ' + commission.toFixed(2)); // Display with 2 decimal
                 places
240
             }
         </script>
241
242
     </body>
243 </html>
244
```