



# SYSTEMS OF LINEAR EQUATIONS

Adam Klepáč

February 19, 2024

# CONTENTS

## Functions

Function Composition

Real Functions

# FUNCTIONS

# WHAT IS A FUNCTION?

Intuitively, a function is a **box** which receives data and gives some data back.



# WHAT IS A FUNCTION?

Intuitively, a function is a **box** which receives data and gives some data back.



# WHAT IS A FUNCTION?

Intuitively, a function is a **box** which receives data and gives some data back.



We'll call the data that a function receives, **inputs** and the data it gives back, **outputs**.

# WHAT IS A FUNCTION?

Intuitively, a function is a **box** which receives data and gives some data back.




We'll call the data that a **function receives**, **inputs** and the **data it gives back**, **outputs**. **Inputs** and **outputs** need not necessarily be just 'one object', they can be for example lists of numbers.

## FUNCTIONS – EXAMPLE

A function which returns the **average** of a given set of numbers receives the numbers and also their count as **input** and returns the **average** as **output**.

# FUNCTIONS – EXAMPLE

A function which returns the **average** of a given set of numbers receives the numbers and also their count as **input** and returns the **average** as **output**.



## FUNCTIONS – EXAMPLE

We can also consider ‘non-mathematical’ functions. Like a function which receives a type of meal and returns the ingredients.

## FUNCTIONS – EXAMPLE

We can also consider ‘non-mathematical’ functions. Like a function which receives a type of meal and returns the ingredients.




1

## FUNCTION COMPOSITION

# FUNCTION COMPOSITION

If we have **two functions**, we can **in certain cases** ‘compose’ them.



# FUNCTION COMPOSITION

If we have **two functions**, we can **in certain cases** ‘compose’ them.

**Composition** simply means that **one function follows the other** – in other words, the **output of the first function is the input of the second**.

# FUNCTION COMPOSITION

If we have **two functions**, we can **in certain cases** ‘compose’ them.

**Composition** simply means that **one function follows the other** – in other words, the **output** of the first function is the **input** of the second.

Of course, **composition** is only possible if the **output** of the first function is a valid **input** for the second.

# FUNCTION COMPOSITION

If we have **two functions**, we can **in certain cases** ‘compose’ them.


**Composition** simply means that **one function follows the other** – in other words, the **output** of the first function is the **input** of the second.

Of course, **composition** is only possible if the **output** of the first function is a valid **input** for the second.

For instance, you could hardly compose the **ingredients** function with the **average** function.


# FUNCTION COMPOSITION

Considering two functions



# FUNCTION COMPOSITION

Considering two functions




their composition can look like this



# FUNCTION COMPOSITION


Considering two functions



their composition can look like this




What would the output of this composition look like




# FUNCTION COMPOSITION

So, the **order of the composition matters!** Here are a few examples of compositions which make sense:




# FUNCTION COMPOSITION

So, the **order of the composition matters!** Here are a few examples of compositions which make sense:



# FUNCTION COMPOSITION

So, the **order of the composition matters!** Here are a few examples of compositions which make sense:



We can of course compose **as many functions** as we like. An example of this:



## FUNCTIONS – NOTATION

Drawing pictures like this would be cumbersome.



## FUNCTIONS – NOTATION

Drawing pictures like this would be cumbersome. Instead of



we simply write **function(input) = output**.

## FUNCTIONS – NOTATION

Drawing pictures like this would be cumbersome. Instead of




we simply write **function(input) = output**.

You're probably used to seeing function written like  $f(x) = y$ . The picture corresponding to this is



## FUNCTIONS – NOTATION


The symbol used for function composition is  $\circ$ . It is however a little confusing because it is written in order ‘from right to left’.



## FUNCTIONS – NOTATION

The symbol used for function composition is  $\circ$ . It is however a little confusing because it is written in order ‘from right to left’.

For example, if  $f$  and  $g$  are two functions, their composition  $f \circ g$  corresponds to this picture



that is, first  $g$ , then  $f$ .

2

## REAL FUNCTIONS



# REAL FUNCTION

A **real function** is simply a function whose **input** and **output** are both real numbers.



# REAL FUNCTION

A **real function** is simply a function whose **input** and **output** are both real numbers.

Examples of such functions are

- $f(x) = 0$ ,
- $g(x) = \tan^6(\log^{\sin(x^2+4)}(\frac{5x^3-2}{9x^7}))$ ,

where  $x \in \mathbb{R}$ .


# REAL FUNCTION

A **real function** is simply a function whose **input** and **output** are both real numbers.

Examples of such functions are


- $f(x) = 0$ ,
- $g(x) = \tan^6(\log^{\sin(x^2+4)}(\frac{5x^3-2}{9x^7}))$ ,

where  $x \in \mathbb{R}$ . Or, using pictures,



# OPERATIONS ON REAL FUNCTIONS

As both the **input** and the **output** of a real function is a real number, **we can always compose real functions.**



# OPERATIONS ON REAL FUNCTIONS

As both the **input** and the **output** of a real function is a real number, **we can always compose real functions.**

However, that **doesn't mean that the order doesn't matter!** Different order of composition gives different functions.

# OPERATIONS ON REAL FUNCTIONS

As both the **input** and the **output** of a real function is a real number, **we can always compose real functions.**

However, that **doesn't mean that the order doesn't matter!** Different order of composition gives different functions.

For example, take  $f(x) = 2x^2 + 7$  and  $g(x) = \frac{1}{1+x}$ . Then,

# OPERATIONS ON REAL FUNCTIONS

As both the **input** and the **output** of a real function is a real number, **we can always compose real functions.**

However, that **doesn't mean that the order doesn't matter!** Different order of composition gives different functions.

For example, take  $f(x) = 2x^2 + 7$  and  $g(x) = \frac{1}{1+x}$ . Then,

- $(f \circ g)(x) = 2 \left( \frac{1}{1+x} \right)^2 + 7$  and

# OPERATIONS ON REAL FUNCTIONS

As both the **input** and the **output** of a real function is a real number, **we can always compose real functions.**

However, that **doesn't mean that the order doesn't matter!** Different order of composition gives different functions.

For example, take  $f(x) = 2x^2 + 7$  and  $g(x) = \frac{1}{1+x}$ . Then,

- $(f \circ g)(x) = 2 \left( \frac{1}{1+x} \right)^2 + 7$  and
- $(g \circ f)(x) = \frac{1}{1+(2x^2+7)}$ .