



TESSERA

An autonomous agent for public-goods funding intelligence.

Evidence over narrative.

[BSC 56]

[opBNB 204]


[BSC TESTNET 97]

– first-class networks

github.com/TesseraBNB · tessera-bnb.vercel.app · backend runs on your machine

THE PROBLEM


Public-goods funding decides with narrative, not evidence.



Fraud and waste hide in the gap between story and data.

THE SOLUTION

A skeptical analyst that never sleeps — and shows its work.



REAL TOOL-CALLING AGENT

The model decides which tools to run; Tessera executes them in-process.



EVIDENCE - BOUND

Every figure traces to a tool call — nothing is invented.



LIVE TRACE


Watch the agent call tools over SSE, in real time.

HOLD / INVESTIGATE

whale dependency 0.46 · -70% under one-person-one-vote

Octant epoch 10 · 0xe2F7...4AD1

One question in. A traced verdict out.




tessera · agent trace



examples/agent-trace-epoch10.md

```
1 ▶ tool_call  get_project_history(0xe2F7...4AD1)
1 ▶ result      epoch 8 → 10 · donors 80 → 52 · 22.36 → 46.29 ETH
5 ▶ tool_call  simulate_mechanisms(epoch 10)
✓ ▶ text       "hold / investigate - -70% under one-person-one-vote"
```

A Go engine behind a Next.js lens.



Forensic instruments, not dashboards.



tools execute in-process · no endpoints · every call traced

The agent shows its work — in real time.

```
tessera · agent trace — live

▶ tool_call  get_project_history(0xe2F7...4AD1) 1
▶ result      epoch 8: 22.36 ETH · 80 donors → epoch 10: 46.29 ETH · 52 donors 1
▶ tool_call  rank_projects(epoch 10) 3
▶ result      #1 of 24 · composite score 100 3
▶ tool_call  get_trust_profile(epoch 10, 0xe2F7...4AD1) 4
▶ result      diversity 0.30 · whale 0.46 · jaccard 0.46 4
▶ tool_call  scan_chain(0xe2F7...4AD1) 6
▶ result      11 chains · active on 2 · 12 txs · EOA 6
▶ text        "verdict: hold / investigate" ■
```

0.30

DIVERSITY

0.46

WHALE


11

CHAINS

watch the reasoning happen — nothing arrives pre-written

What the evidence reveals.

TRUST GRAPH



#1 and #2 share 46% of their donors

epoch 10 · 24 projects · overlap ≥ 0.30 drawn

MECHANISM

standard QF

gini 0.396

#1 project -70%

equal weight · 1 person, 1 vote

gini 0.167

One person, one vote cuts the #1 project 70%

epoch 10 · 24 projects · 4 mechanisms simulated

EVIDENCE GAPS

✓

Octant

history · rank · trust graph

✓

On-chain

12 txs on 2 of 11 chains

✗

OSO

no record for this address

✗

RetroPGF

not found

gap

gap

Missing signals are named, never invented

OSO and RetroPGF had nothing for this address

The scanner's home network — and the verdict notary.



USDT 0x55d3...7955


USDC 0x8AC7...580d

FDUSD 0xc5f0...6409

18 decimals

native BNB + stablecoins via RPC

11 chains scanned per address · read-only



TesseraAttestations · 0x56e6...8427 · BSC testnet 97

verified

commit(keccak256(verdict)) — proves a verdict existed and was never altered · sample notarized at deploy, tx 0x25bc...ee2a

👁 read-only scanner — signs nothing

🛡 notary: immutable · no admin · no custody

Boring where it counts.






Provider resilience

 xkoro
 ----- qwencloud (fallback)
 automatic fallback · no single point

Self-healing sources


 retry · backoff · cache TTL

CI hygiene

 go vet  golangci-lint v2  tests  docker build
 on every push

 GET localhost:8080/api/health → 200

real endpoint, on the judge's machine

From analyst to ambient intelligence.

SHIPPED ✓

✓ BNB-first scanner

✓ verdict notary on BSC testnet

✓ live trace UI

✓ trust + mechanism tools

✓ MCP surface + PDF reports

NEXT ►

→ auto-notarize every verdict

→ USD-normalized balances

→ **scheduled epoch watch**

epoch watch: the agent runs itself when an epoch closes

LATER ■

verdict API for treasuries

multi-agent second opinions

funding-simulation playground

Tessera

Evidence over narrative.

Every verdict **cites** its source.

Every source **traces** to a call.

`github.com/TesseraBNB · tessera-bnb.vercel.app`