

Lithium Series

Model: LNBFAS32210




TESSON ENERGY is a trusted manufacturer of advanced lithium battery solutions, committed to delivering safe, efficient, and long-lasting energy storage products. We serve a wide range of sectors including electric mobility, solar power systems, home and industrial backup, and custom battery applications.




Lithium Battery Technical Specifications

Battery Specification	
Chemistry	LFP/NMC
Configurable Voltage Range(Volt)	12-48V (customizable*)
Configurable Capacity Range(Ah)	5-100Ah (customizable*)
Configuration(S)	4-16S (customizable*)
Usable Energy	95% Soc (customizable*)
Battery Warranty	3 or 5 Years* As Per Industry Norms
Electrical Characteristics	
Charging Mode	CC/CV
Standard Charging Current	0.5C
Max Continuous Discharge Current	1C
Max Pulse Discharge Current	3C @ 10sec
Operating Temperature(Charge)	0°C to 55°C
Operating Temperature(Discharge)	-20°C to 55°C
Storage Temperature	15°C to 30°C
Cycle Life	≥1000 Cycle @ (90% DOD)
BMS Specifications	
BMS Spe	cifications
BMS Special BMS Special BMS Rating	4-16S (Configurable*)
BMS Rating	4-16S (Configurable*)
BMS Rating Communication Interface	4-16S (Configurable*) CAN/RS485/UART/Bluetooth/Wi-Fi Overcharge Protection. Over-Discharge Protection. Overcurrent Protection (OCP). Short-Circuit Protection.
BMS Rating Communication Interface Protection	4-16S (Configurable*) CAN/RS485/UART/Bluetooth/Wi-Fi Overcharge Protection. Over-Discharge Protection. Overcurrent Protection (OCP). Short-Circuit Protection. Temperature Protection. Cycle Counting/ Load Detection/ Firmware Upgradability/ SOC-SOH Monitoring/ Self- Diagnosis & Fault Alarms/ Reverse Polarity
BMS Rating Communication Interface Protection Smart BMS Features Telematics(GPRS)	4-16S (Configurable*) CAN/RS485/UART/Bluetooth/Wi-Fi Overcharge Protection. Over-Discharge Protection. Overcurrent Protection (OCP). Short-Circuit Protection. Temperature Protection. Cycle Counting/ Load Detection/ Firmware Upgradability/ SOC-SOH Monitoring/ Self- Diagnosis & Fault Alarms/ Reverse Polarity Protection/ Thermal Management.
BMS Rating Communication Interface Protection Smart BMS Features Telematics(GPRS)	4-16S (Configurable*) CAN/RS485/UART/Bluetooth/Wi-Fi Overcharge Protection. Over-Discharge Protection. Overcurrent Protection (OCP). Short-Circuit Protection. Temperature Protection. Cycle Counting/ Load Detection/ Firmware Upgradability/ SOC-SOH Monitoring/ Self- Diagnosis & Fault Alarms/ Reverse Polarity Protection/ Thermal Management. (Optional)
BMS Rating Communication Interface Protection Smart BMS Features Telematics(GPRS) Encl	4-16S (Configurable*) CAN/RS485/UART/Bluetooth/Wi-Fi Overcharge Protection. Over-Discharge Protection. Overcurrent Protection (OCP). Short-Circuit Protection. Temperature Protection. Cycle Counting/ Load Detection/ Firmware Upgradability/ SOC-SOH Monitoring/ Self- Diagnosis & Fault Alarms/ Reverse Polarity Protection/ Thermal Management. (Optional)
BMS Rating Communication Interface Protection Smart BMS Features Telematics(GPRS) Encl Dimension(L*W*H)mm	4-16S (Configurable*) CAN/RS485/UART/Bluetooth/Wi-Fi Overcharge Protection. Over-Discharge Protection. Overcurrent Protection (OCP). Short-Circuit Protection. Temperature Protection. Cycle Counting/ Load Detection/ Firmware Upgradability/ SOC-SOH Monitoring/ Self- Diagnosis & Fault Alarms/ Reverse Polarity Protection/ Thermal Management. (Optional) Osure customizable*






Li batteries have high energy density, support quick charging, and can deliver high power, allowing for compact designs that save space and weight.



CID (Current Interrupt Device) permanently disconnects on overpressure.



High thermal stability and resistance to thermal runaway.



Our battery is the most economical and high-quality option on the market, providing outstanding value for money.



Li batteries have a low internal resistance, making them suitable for applications that require high efficiency.



Built-in Smart Battery Management System (BMS) to ensure the safe, efficient, and long-lasting operation of a battery packs.



Our innovative pack design, rigorous testing, analysis, and characterization, as well as cutting-edge BMS technology, provide the highest level of safety.



Tesson Energy uses a highly controlled and cutting-edge technology to make high-performance lithium battery packs. Each step is intended to promote safety, dependability, and long cycle life.



