



INSTITUTE FOR DEFENSE ANALYSES

skprJMP: A Monte Carlo Power Evaluation Add-in For JMP

John T. Haman, Project Leader

Tyler T. Morgan-Wall

December 2023

This publication has not been
approved by the sponsor for
distribution and release.
Reproduction or use of this material is
not authorized without prior
permission from the responsible
IDA Division Director.

IDA Document 3001123

INSTITUTE FOR DEFENSE ANALYSES
730 East Glebe Road
Alexandria, Virginia 22305



The Institute for Defense Analyses is a nonprofit corporation that operates three Federally Funded Research and Development Centers. Its mission is to answer the most challenging U.S. security and science policy questions with objective analysis, leveraging extraordinary scientific, technical, and analytic expertise.

About This Publication

This work was conducted by the Institute for Defense Analyses (IDA) under contract HQ0034-19-D-0001, Task 229990, "Methods Develop," for the Office of the Director, Operational Test and Evaluation. The views, opinions, and findings should not be construed as representing the official position of either the Department of Defense or the sponsoring organization.

Acknowledgments

The IDA Technical Review Committee was chaired by Dr. V. Bram Lillard and consisted of Dr. Breeana G. Anderson, Dr. George M. Khoury, Dr. Jason P. Sheldon, and Dr. Heather M. Wojton from the Operational Evaluation Division.

For more information:

Dr. John T. Haman, Project Leader
jhaman@ida.org • 703-845-2132

Dr. V. Bram Lillard, Director, Operational Evaluation Division
vlillard@ida.org • (703) 845-2230

Copyright Notice

© 2024 Institute for Defense Analyses
730 East Glebe Road, Alexandria, Virginia 22305 • (703) 845-2000

This material may be reproduced by or for the U.S. Government pursuant to the copyright license under the clause at DFARS 252.227-7013 [Feb. 2014].

INSTITUTE FOR DEFENSE ANALYSES

IDA Document NS D-«Doc_No»

**skprJMP: A Monte Carlo Power Evaluation Add-in
For JMP**

John T. Haman, Project Leader

Tyler T. Morgan-Wall

Executive Summary

Design of Experiments (DoE) provides a solid analytical basis for test planning because it includes tools to characterize the design space, maximizes the value of each run or mission, and links the planning of a test to the data analysis that follows the test. Importantly, DoE allows testers to characterize and minimize risk for a test by calculating statistical power for a particular design and analysis method, providing decision makers with a quantitative assessment of the likelihood of an experiment discovering an effect if one exists. Because of all these benefits, the Government favors test designs that use DoE. However, logistic regression—an important and widely used data analysis method—is not supported in the most common power calculation software packages used in the Department of Defense. The attached code aims to address this issue.

skprJMP¹ is a software add-in for the JMP statistical software application that provides organizations using JMP with highly accurate Monte Carlo-based power calculation tools. As part of IDA's efforts to drive innovation by improving the capabilities, methods, and approaches used in our own work and in the test community, IDA released the R package skpr² for DoE in 2017. The skpr package provides a unified set of tools for the generation and evaluation of experimental designs. The skpr package's capabilities include performing exact power calculations using Monte Carlo methods, generating optimal designs, and providing a code-based interface to support a reproducible DoE workflow. Since skpr was released, the tool has supported developmental and operational test planning across dozens of programs, and has become a core piece of analytical test infrastructure for many organizations. Most importantly, this tool allows analysts to calculate exact power estimates for test designs with non-linear responses, which in practice are common, such as designs based on logistic regression, a capability which none of the commercial statistical software suites (JMP, Minitab, StatEase) currently provide. However, some organizations have been unable to use skpr due to strict information technology constraints that disallow the installation of the R programming language, and thus have been unable to generate accurate power estimates for designs with non-linear responses. The skprJMP add-in implements a subset of the capabilities provided by skpr entirely within JMP, allowing these organizations to calculate power for these designs within the constraints of their computing environment.

The skprJMP software provides a point-and-click graphical user interface (see Figure 1) written in the JMP scripting language (JSL) to generate and evaluate experimental designs when

¹ <http://testscience.org/skprjmp/>

² See <https://cran.r-project.org/web/packages/skpr/index.html> for code and reference manual.

the response is a probability. This software has been provided as a free, open-source JMP add-in, so the underlying JSL code that performs the power calculations can be viewed (and audited) by an organization before using it.




Figure 1. skprJMP's graphical user interface.

skprJMP provides the following features:

1. **Design Import and Generation:** skprJMP allows analysts to import an existing design from their filesystem or local JMP session as well as use JMP's custom design interface to generate a design directly within the add-in. This interface supports any kind of tabular data format that the JMP software can import.
2. **Model Specification:** skprJMP provides a JMP-style interface for specifying and building a model, allowing users to specify interactions and add and remove model terms easily.
3. **Monte Carlo Power Calculation:** the software automates the complex process of performing a Monte Carlo power analysis to get accurate, state-of-the-art power estimates, with the precision controlled by the user-controllable number of simulations. The power output also uses the user-specified power threshold to label which terms do and do not have adequate power for a given design, as well as informing the users if they need to increase the number of simulations due to the power falling within the Monte Carlo error (see Figure 2 for an image of the power output pane).

4. **Reproducibility:** the user can specify a random seed to ensure that they (or other organizations) can reproduce the results of any single power analysis at a future date, given the same input design.
5. **Effect Size Calculation:** skprJMP automates the calculation of binomial effect sizes using a user-friendly probability range as the input.
6. **Firth Correction Support:** Logistic regression can be degraded from a type of degeneracy called “separation,” where the model fails to converge for certain arrangements of data. skprJMP provides an option to analyze the simulations using a Firth correction, which fixes this issue.
7. **Built-in Tooltips and Help:** skprJMP provides helpful tooltips for all input fields, providing context and suggestions to help analysts follow IDA-developed best practices when evaluating their designs, as well as guidance for interpreting results.

Effect Power				Parameter Power			
Term	Power	±	>=0.80	Term	Power	±	>=0.80
X1	1.000	0.018	✓	Intercept	0.220	0.080	X
X2	0.990	0.026	✓	X1	1.000	0.018	✓
X3	0.990	0.026	✓	X2	1.000	0.018	✓
X1*X2	1.000	0.018	✓	X3[L1]	0.690	0.089	X
X1*X3	0.970	0.037	✓	X3[L2]	1.000	0.018	✓
X2*X3	0.910	0.057	✓	X1*(X2+0.01563)	1.000	0.018	✓
X1*X2*X3	0.960	0.041	✓	X1*X3[L1]	0.730	0.086	?
				X1*X3[L2]	0.970	0.037	✓
				(X2+0.01563)*X3[L1]	0.580	0.095	X
				(X2+0.01563)*X3[L2]	0.920	0.054	✓
				X1*(X2+0.01563)*X3[L1]	0.580	0.095	X
				X1*(X2+0.01563)*X3[L2]	0.940	0.048	✓

⚠ Any terms marked with a "?" require more simulations to determine if they are above the 95% Monte Carlo error threshold (Wilson interval).

Figure 2. Monte Carlo power analysis output of skprJMP.

For a description of the Monte Carlo algorithm skprJMP uses to compute power for logistic regression, see IDA Document NS D-8992, “skpr: R Package for Generation and Evaluation of Experimental Designs” and the associated Journal of Statistical Software paper “Optimal Design Generation and Power Evaluation in R: The skpr Package.”

The skprJMP add-in is available for download at <https://testscience.org/skprjmp/>.

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
<p>The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.</p> <p>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>						
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE			3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)	