安装指南 /Installation Guide

For 1/144 MSZ-010[YuA Ver.]

特殊说明/Special Description


打印前，您应当确保耗材1不存在过度挤出。

我强烈建议首先打印盘1中的测试零件，检查打印机状态并体验手感是否满意。

Before printing, you should ensure that there is no excessive extrusion of filament 1.I strongly recommend printing the test part in Plate 1 first to check the status of the printer and see if you're satisfied with the feel.

对于腿部零件，打印以后沿红线切断表面连接；挑出红圈内的支撑。

Leg parts:After printing, cut the surface connection along the red line; pick out the supports within the red circle.




如何寻找零件?
你会在Bambu Studio-对象一栏看到形如
[Step2]objcode.STL 的命名,
其中的**2**便是它在说明书中首次出现的步骤

How to find the parts?
You will see names like **[Step2]objcode.STL**
in the "Objects" section of Bambu Studio.
The "**2**" in it represents the step
where the part first appears in the instruction manual.


1

旋转关节至裙甲下垂


Rotate the joint until the skirt hangs down.




2




3



4




5




x2

6



x2


7



x2

8


安装后旋转关节
至两臂下垂
After installation,
rotate the joint until
arms hang down.




x2

9

旋转关节至两腿下垂
rotate the joint until
legs hang down.




10




x2

11




x2

12




x2


13



14 x2




15 x2



16


安装后旋转关节
至图示位置

After installation,
rotate the joint to the position
shown in the illustration.



Fin

完成组装
Assemble them together



250530 25Q2 无何有簌 Re@YuukiAMAMI P-B/