

Performance Test Report



Date	Mar 3, 2023, 7:01:45 AM
Project	PrismHR_Main
Scenario	OB_QR_001_C5241577
Comment	This is the Quarterly Scenario for OB, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241577 OB MR_202302 C5241574 Test 3
Notes	

Report generated by **NeoLoad 9.0**



Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	3
Hot spots.....	4
Errors.....	4
Alerts.....	4
General statistics.....	4
Transaction statistics.....	4
Execution context.....	6
Scenario	5
Servers.....	7
Populations.....	8
User Paths.....	9
Transactions.....	10
Pages.....	13
Media Contents.....	18
Push messages.....	12
Monitors.....	19
Main graphs.....	21
Average page response time.....	21
Average request response time.....	22
Average response time (Transactions).....	23
Requests per second.....	24
Errors.....	25
Throughput.....	26
Response time against load.....	27
Distribution of Transaction Durations.....	28

Summary


Results summary

Name	07:01 - 3 Mar 2023	Project	PrismHR_Main
Description	This is the Quarterly Scenario for OB, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241577 OB MR_202302 C5241574 Test 3	Scenario	OB_QR_001_C5241577
Status	✓ Passed	Load Policy	• The population OB is ramp up from 10 users adding 10 users every 30.0 seconds, to a maximum of 250 users.
Start date	Mar 3, 2023, 7:01:45 AM	Stop Policy	• Population OB: undefined.
End date	Mar 3, 2023, 7:16:42 AM	Filters	None
Duration	00:14:57	Debug	Disabled
Termination reason	Execution policy		
LG Hosts	10.149.80.138:7100		

Statistics Summary

Total pages	24366	—	Average pages/s	27.1	—
Total requests	114756	—	Average requests/s	127.8	—
Total users launched	250	—	Average Request response time	0.218 s	—
Total iterations completed	786	—	Average Page response time	0.993 s	—
Total throughput	3,904 MB	—	Average throughput	34.78 Mb/s	—
Total request errors	0	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA ☀ = Passed ☁ = Warning ⚡ = Failed



Hot spots

Top 5 errors

No errors on pages

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
OB_Standard_C4484603	OB_Submit	/wave1/apis/obbe/rest2/qaphr998...DIT/getLocalizedForm	3.73
OB_Standard_C4484603	OB_I-9 Review	/wave1/apis/obbe/rest2/qaphr998...APPROVAL.POLICY/ null	3.16
OB_Standard_C4484603	OB_Direct Deposit Submit	/wave1/apis/obbe/rest2/qaphr998...EHIRE.WRITE.ACH/ null	2.84
OB_Standard_C4484603	OB_Emergency Contacts	/wave1/apis/obbe/rest2/qaphr998...ETAILS/ SAVE_WORKFLOW	2.32
OB_Standard_C4484603	OB_Disability	/wave1/apis/obbe/rest2/qaphr998...ETAILS/ SAVE_WORKFLOW	1.95

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
OB_Standard_C4484603	OB_Submit	/wave1/apis/obbe/rest2/qaphr998...DIT/getLocalizedForm	12.7
OB_Standard_C4484603	OB_I-9 Review	/wave1/apis/obbe/rest2/qaphr998...APPROVAL.POLICY/ null	10.89
OB_Standard_C4484603	OB_Direct Deposit Submit	/wave1/apis/obbe/rest2/qaphr998...EHIRE.WRITE.ACH/ null	10.67
OB_Standard_C4484603	OB_Emergency Contacts	/wave1/apis/obbe/rest2/qaphr998...ETAILS/ SAVE_WORKFLOW	10.5
OB_Standard_C4484603	OB_Disability	/wave1/apis/obbe/rest2/qaphr998...ETAILS/ SAVE_WORKFLOW	9.1

Errors

Request errors

No errors

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
32.6	96.8	147.7	250	0	0	-
All pages						
0	0.993	12.7	24,366	0	0	-
All requests						
0	0.218	7.52	114,756	0	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0	1.28	12.7	18,864	0	0	0.523	4.66	6.82	1.62	1.09	-

Scenario

Summary

Name	07:01 - 3 Mar 2023	Project	PrismHR_Main
Description	This is the Quarterly Scenario for OB, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241577 OB MR_202302 C5241574 Test 3	Scenario	OB_QR_001_C5241577
Status	✓ Passed	Load Policy	• The population OB is ramp up from 10 users adding 10 users every 30.0 seconds, to a maximum of 250 users.
Start date	Mar 3, 2023, 7:01:45 AM	Stop Policy	• Population OB: undefined.
End date	Mar 3, 2023, 7:16:42 AM	Filters	None
Duration	00:14:57	Debug	Disabled
Termination reason	Execution policy		
LG Hosts	10.149.80.138:7100		

Populations

OB

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth ↑	Latency ↑	Packet loss % ↑	Bandwidth ↓	Latency ↓	Packet loss % ↓	Browser	Handle cookies	Connecti	Handle cache
OB_Standard_C4484f	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
OB_Standard_C4484f	This OB User Path is for the TestRail User Path Case https://fwdavison.testrail.com/index.php?/cases/view/4484603	Stop and start a new Virtual User	Go to the next iteration	From pages	15%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	07:01 - 3 Mar 2023	Project	PrismHR_Main
Description	This is the Quarterly Scenario for OB, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241577 OB MR_202302 C5241574 Test 3	Scenario	OB_QR_001_C5241577
Status	✓ Passed	Load Policy	• The population OB is ramp up from 10 users adding 10 users every 30.0 seconds, to a maximum of 250 users.
Start date	Mar 3, 2023, 7:01:45 AM	Stop Policy	• Population OB: undefined.
End date	Mar 3, 2023, 7:16:42 AM	Filters	None
Duration	00:14:57	Debug	Disabled
Termination reason	Execution policy		
LG Hosts	10.149.80.138:7100		

NeoLoad version 9.0.1;build=20220923-87
Graphs granularity Standard

Application proxy

Name	Description
Test	Automatically detect settings

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Payroll_Calculation1	Complete	
Payroll_Finalize	Complete	



User Paths settings

OB_Standard_C4484603	
Error policy:	Go to the next iteration
Assertion policy:	Stop and start a new Virtual User
Thinktime policy:	defined in pages (with random delay of +/- 15%)
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
js-agent.newrelic.com	443	Yes	Yes
qaphr998two-ep.prismhr.com	443	No	No


Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
OB	114756 (100%)	127.8	0.993s (0%)	0% (- %)
Global	114756 (100%)	127.8	0.993s	0%




















User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 OB_Standard_C4484603						
32.6	96.8	147.7	250	0	0	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

OB_Standard_C4484603

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 OB_Standard_C4484603											
32.6	96.8	147.7	250	0	0	-	-	-	-	-	-
 Init											
0	0	0	250	0	0	-	-	-	-	-	-
 Actions											
6.4	30.8	61.4	786	0	0	-	-	-	-	-	-
 START											
0	0	0	786	0	0	0	0	0	0	0	-
 OB_Landing											
0.227	0.506	3.26	786	0	0	0.361	1.31	2.22	0.393	0.456	-
 OB_Login											
0.739	3.06	9.99	786	0	0	2.83	6.45	8.64	1.94	2.92	-
 OB_Get Started											
0.068	0.592	3.49	786	0	0	0.138	2.14	3.14	0.742	0.499	-
 OB_I-9 Next											
0.017	0.251	3.05	786	0	0	0.047	1.09	2.05	0.475	0.18	-
 OB_I-9 Preparer Certification											
0.105	0.895	5.24	786	0	0	0.279	3.08	4.15	0.981	0.782	-
 OB_I-9 Immigration Status											
0.07	0.92	5.54	786	0	0	0.256	3.13	4.27	1.04	0.804	-
 OB_I-9 Supporting Documents											
0.089	0.957	6	786	0	0	0.341	3.15	4.48	1.05	0.84	-
 OB_I-9 Employee information											
0.207	1.61	7.21	786	0	0	1.3	4.25	5.56	1.34	1.49	-
 OB_I-9 Review											
1.22	3.16	10.89	786	0	0	2.65	6.57	8.51	1.76	3.01	-
 OB_Personal Information											
0.127	1.24	6.39	786	0	0	1.18	3.66	4.84	1.19	1.12	-
 OB_Resident Address											
0.097	0.967	5.57	786	0	0	0.458	3.14	4.17	0.986	0.865	-
 OB_Mailing Address											
0.05	0.607	4.48	786	0	0	0.13	2.14	3.18	0.787	0.51	-
 OB_Emergency Contacts											
0.318	2.32	10.5	786	0	0	1.79	5.64	7.45	1.79	2.18	-
 OB_Direct Deposit											
0.049	0.627	4.12	786	0	0	0.127	2.12	3.15	0.776	0.536	-
 OB_Direct Deposit Add Account											
0.075	0.989	5.18	786	0	0	0.816	3.05	4.29	1.01	0.885	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 OB_Direct Deposit Submit											
0.341	2.84	10.67	786	0	0	2.53	6.53	8.27	1.98	2.71	-
📁 OB_Disability											
0.207	1.95	9.1	786	0	0	1.58	4.82	7.03	1.59	1.81	-
📁 OB_Race/ Ethnicity											
0.127	1.61	8.69	786	0	0	1.26	4.24	5.74	1.41	1.48	-
📁 OB_Veteran Status											
0.138	1.6	7.59	786	0	0	1.24	4.28	5.98	1.39	1.47	-
📁 OB_Onboarding Summary											
0.009	0.304	3.45	786	0	0	0.042	1.16	2.35	0.558	0.219	-
📁 OB_Submit											
0.416	3.73	12.7	786	0	0	3.63	7.74	9.96	2.32	3.59	-
📁 OB_Logout											
0.001	0.057	1.19	786	0	0	0.026	0.154	1.03	0.16	0.028	-
📁 FINISH											
0	0	0	786	0	0	0	0	0	0	0	-
📁 End											
0	0	0	250	0	0	-	-	-	-	-	-

Push messages

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

OB_Standard_C4484603









Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						












Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

OB_Standard_C4484603

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 OB_Standard_C4484603						
32.6	96.8	147.7	250	0	0	-
 Actions						
6.4	30.8	61.4	786	0	0	-
 OB_Landing						
0.227	0.506	3.26	786	0	0	-
 /						
0.159	0.263	1.3	786	0	0	-
 /wave1/apis/ep/peos						
0.013	0.107	1.18	786	0	0	-
 /wave1/apis/ep/logout						
0.034	0.135	2.61	786	0	0	-
 OB_Login						
0.739	3.06	9.99	786	0	0	-
 /wave1/apis/ep/login						
0.089	0.579	4.92	786	0	0	-
 /phr/ess/qaphr998two/sso/prehirelogin						
0.301	0.876	4.83	786	0	0	-
 /wave1/apis/ep/peos						
0.278	1.6	8.41	786	0	0	-
 OB_Get Started						
0.068	0.592	3.49	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...9.ENGINE/GET_DETAILS						
0.068	0.592	3.49	786	0	0	-
 OB_I-9 Next						
0.017	0.251	3.05	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ILS/GET_I9_SECTION1						
0.017	0.251	3.05	786	0	0	-
 OB_I-9 Preparer Certification						
0.105	0.895	5.24	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ILS/SAVE_I9_SECTION1						
0.105	0.895	5.24	786	0	0	-
 OB_I-9 Immigration Status						
0.07	0.92	5.54	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ILS/SAVE_I9_SECTION1						
0.07	0.92	5.54	786	0	0	-
 OB_I-9 Supporting Documents						
0.089	0.957	6	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ILS/SAVE_I9_SECTION1						
0.031	0.299	3.76	786	0	0	-


































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_I9_SECTION1_1						
0.054	0.658	5.04	786	0	0	-
 OB_I-9 Employee information						
0.207	1.61	7.21	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW						
0.207	1.61	7.21	786	0	0	-
 OB_I-9 Review						
1.22	3.16	10.89	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...APPROVAL.POLICY/null						
1.22	3.16	10.89	786	0	0	-
 OB_Personal Information						
0.127	1.24	6.39	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_EMPLOYEE_INFO						
0.127	1.24	6.39	786	0	0	-
 OB_Resident Address						
0.097	0.967	5.57	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_EMPLOYEE_INFO						
0.097	0.967	5.57	786	0	0	-
 OB_Mailing Address						
0.05	0.607	4.48	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_EMPLOYEE_INFO						
0.05	0.607	4.48	786	0	0	-
 OB_Emergency Contacts						
0.318	2.32	10.5	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW						
0.318	2.32	10.5	786	0	0	-
 OB_Direct Deposit						
0.049	0.627	4.12	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW						
0.049	0.627	4.12	786	0	0	-
 OB_Direct Deposit Add Account						
0.075	0.989	5.18	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...DIT/getLocalizedForm						
0.028	0.404	3.15	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...AD.ROUTING.INFO/null						
0.016	0.274	4.01	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...T/getLocalizedForm_1						
0.016	0.309	3.17	786	0	0	-
 OB_Direct Deposit Submit						
0.341	2.84	10.67	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...EHIRE.WRITE.ACH/null						
0.341	2.84	10.67	786	0	0	-
 OB_Disability						
0.207	1.95	9.1	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW						
0.207	1.95	9.1	786	0	0	-
 OB_Race/ Ethnicity						
0.127	1.61	8.69	786	0	0	-























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW						
0.051	0.7	7.41	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...IRE.RS.NOTIFY/NOTIFY						
0.053	0.906	4.21	786	0	0	-
 OB_Veteran Status						
0.138	1.6	7.59	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW						
0.138	1.6	7.59	786	0	0	-
 OB_Onboarding Summary						
0.009	0.304	3.45	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...DIT/getLocalizedForm						
0.009	0.304	3.45	786	0	0	-
 OB_Submit						
0.416	3.73	12.7	786	0	0	-
 /wave1/apis/obbe/rest2/qaphr99...DIT/getLocalizedForm						
0.416	3.73	12.7	786	0	0	-
 OB_Logout						
0.001	0.057	1.19	786	0	0	-
 /wave1/apis/ep/logout						
0	0.018	1.01	786	0	0	-
 /						
0.001	0.038	1.17	786	0	0	-

Shared Containers

SLA	Value	Severity
Empty list		

OB_Standard_C4484603

SLA	Value	Severity
 OB_Standard_C4484603		
 Actions		
 OB_Landing		
 /		
 /wave1/apis/ep/peos		
 /wave1/apis/ep/logout		
 OB_Login		
 /wave1/apis/ep/login		
 /phr/ess/qaphr998two/sso/prehirelogin		
 /wave1/apis/ep/peos		
 OB_Get Started		
 /wave1/apis/obbe/rest2/qaphr99...9.ENGINE/GET_DETAILS		
 OB_I-9 Next		
 /wave1/apis/obbe/rest2/qaphr99...AILS/GET_I9_SECTION1		
 OB_I-9 Preparer Certification		
 /wave1/apis/obbe/rest2/qaphr99...ILS/SAVE_I9_SECTION1		
 OB_I-9 Immigration Status		
 /wave1/apis/obbe/rest2/qaphr99...ILS/SAVE_I9_SECTION1		
 OB_I-9 Supporting Documents		
 /wave1/apis/obbe/rest2/qaphr99...ILS/SAVE_I9_SECTION1		
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_I9_SECTION1_1		
 OB_I-9 Employee information		
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW		
 OB_I-9 Review		
 /wave1/apis/obbe/rest2/qaphr99...APPROVAL.POLICY/null		
 OB_Personal Information		
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_EMPLOYEE_INFO		
 OB_Resident Address		
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_EMPLOYEE_INFO		
 OB_Mailing Address		
 /wave1/apis/obbe/rest2/qaphr99...S/SAVE_EMPLOYEE_INFO		
 OB_Emergency Contacts		
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW		

SLA	Value	Severity
 OB_Direct Deposit		
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW		
 OB_Direct Deposit Add Account		
 /wave1/apis/obbe/rest2/qaphr99...DIT/getLocalizedForm		
 /wave1/apis/obbe/rest2/qaphr99...AD.ROUTING.INFO/null		
 /wave1/apis/obbe/rest2/qaphr99...T/getLocalizedForm_1		
 OB_Direct Deposit Submit		
 /wave1/apis/obbe/rest2/qaphr99...EHIRE.WRITE.ACH/null		
 OB_Disability		
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW		
 OB_Race/ Ethnicity		
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW		
 /wave1/apis/obbe/rest2/qaphr99...IRE.RS.NOTIFY/NOTIFY		
 OB_Veteran Status		
 /wave1/apis/obbe/rest2/qaphr99...ETAILS/SAVE_WORKFLOW		
 OB_Onboarding Summary		
 /wave1/apis/obbe/rest2/qaphr99...DIT/getLocalizedForm		
 OB_Submit		
 /wave1/apis/obbe/rest2/qaphr99...DIT/getLocalizedForm		
 OB_Logout		
 /wave1/apis/ep/logout		
 /		

OB_Standard_C4484603

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	129.8	250	130	129.8	72.4
Controller/Throughput					
0	34.8	185.8	26.6	31.7	34.1
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
27	29.8	54	29	29.4	2.83
Controller/JVM Memory Used					
16	21.5	28	21	21.5	3.19
Controller/OS Memory Used					
40	40	40	40	40	0
Controller/Thread Count					
535	559	564	559	558.8	1.54
Controller/Connected					
1	1	1	1	1	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	130.2	1,435	106.6	120.4	91.3
Controller/Network/Segments retransmitted/sec.					
0	0.059	52.9	0	0	1.77
Controller/Network/eth11 (vmxnet3 Ethernet Adapter)/Megabits received/sec.					
0.003	0.032	0.097	0.03	0.031	0.015
Controller/Network/eth11 (vmxnet3 Ethernet Adapter)/Megabits sent/sec.					
0.051	0.782	2.3	0.814	0.781	0.39
Controller/Network/eth13 (vmxnet3 Ethernet Adapter #2)/Megabits received/sec.					
0	0	0	0	0	-
Controller/Network/eth13 (vmxnet3 Ethernet Adapter #2)/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	129.8	250	130	129.8	72.4
Controller/Default zone/OB/User Load					
2	130	250	130	129.9	72.3
Controller/Default zone/OB/OB_Standard_C4484603/User Load					
2	130	250	130	129.9	72.3


LG 10.149.80.138:7100

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 10.149.80.138:7100/CPU Load					
0	18.9	96	20	18.8	8.35
LG 10.149.80.138:7100/JVM Memory Used					
0	6.2	19	5	5.97	3.09

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 10.149.80.138:7100/OS Memory Used					
35	39	42	39	39.1	1.78
LG 10.149.80.138:7100/Throughput					
0	34.8	185.8	26.6	31.7	34.1
LG 10.149.80.138:7100/User Load					
0	129.8	250	130	129.8	72.4
LG 10.149.80.138:7100/Thread Count					
0	217.8	358	210.5	216.6	80.4
LG 10.149.80.138:7100/Http client/Thread Pool used					
0	0.113	0.205	0.1	0.109	0.028
LG 10.149.80.138:7100/Http client/Task Pool used					
0	0.001	0.083	0	0	0.005
LG 10.149.80.138:7100/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 10.149.80.138:7100/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 10.149.80.138:7100/Controller Connection/Ping Duration (ms)					
37	52.4	65	53	52.5	6.33
LG 10.149.80.138:7100/Network/Segments sent/sec.					
0	1,989	65,953	0	1,470	3,950
LG 10.149.80.138:7100/Network/Segments retransmitted/sec.					
0	0.968	868.7	0	0	29
LG 10.149.80.138:7100/Network/eth5 (vmxnet3 Ethernet Ada...gabits received/sec.					
0	0	0	0	0	-
LG 10.149.80.138:7100/Network/eth5 (vmxnet3 Ethernet Ada...)/Megabits sent/sec.					
0	0	0	0	0	-
LG 10.149.80.138:7100/Network/eth4 (vmxnet3 Ethernet Ada...gabits received/sec.					
0	36.4	193	27.6	33.2	35.6
LG 10.149.80.138:7100/Network/eth4 (vmxnet3 Ethernet Adapter)/Megabits sent/sec.					
0	2.77	7.01	2.9	2.75	1.59


Average page response time



Min	Average	Max
0.004	0.993	2.47

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.003	0.218	0.623

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.005	1.283	3.061	1.422	1.278	0.658

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
2	127.8	296.8

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0	0

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	34.51	92.11

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.004	1.066	2.319

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.