

Performance Test Report



| | |
|----------|--|
| Date | Feb 28, 2023, 12:30:53 AM |
| Project | PrismHR_Main |
| Scenario | EP_C5241575 |
| Comment | This is the Quarterly Scenario for EP, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241575 EP_C5241575_MR_202301- rollback to image |
| Notes | |

| | |
|--|----|
| Table of Contents..... | 2 |
| Summary..... | 3 |
| Results summary..... | 3 |
| Statistics Summary..... | 3 |
| Hot spots..... | 4 |
| Errors..... | 4 |
| Alerts..... | 4 |
| General statistics..... | 4 |
| Transaction statistics..... | 4 |
| Execution context..... | 6 |
| Scenario | 5 |
| Servers..... | 7 |
| Populations..... | 8 |
| User Paths..... | 9 |
| Transactions..... | 10 |
| Pages..... | 12 |
| Media Contents..... | 15 |
| Push messages..... | 11 |
| Monitors..... | 16 |
| Main graphs..... | 18 |
| Average page response time..... | 18 |
| Average request response time..... | 19 |
| Average response time (Transactions)..... | 20 |
| Requests per second..... | 21 |
| Errors..... | 22 |
| Throughput..... | 23 |
| Response time against load..... | 24 |
| Distribution of Transaction Durations..... | 25 |

Summary

Results summary

| | | | |
|---------------------------|---|--------------------|---|
| Name | 00:28 - 28 Feb 2023 | Project | PrismHR_Main |
| Description | This is the Quarterly Scenario for EP, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241575 EP_C5241575_MR_202301-rollback to image | Scenario | EP_C5241575 |
| Status | ✓ Passed | Load Policy | • The population EP is ramp up from 10 users adding 10 users every 30.0 seconds, to a maximum of 250 users. |
| Start date | Feb 28, 2023, 12:30:53 AM | Stop Policy | • Population EP: undefined. |
| End date | Feb 28, 2023, 12:43:48 AM | Filters | None |
| Duration | 00:12:54 | Debug | Disabled |
| Termination reason | Execution policy | | |
| LG Hosts | 10.149.80.138:7100 | | |

Statistics Summary


| | | | | | |
|-----------------------------------|----------|---|--------------------------------------|------------|---|
| Total pages | 24938 | — | Average pages/s | 32.2 | — |
| Total requests | 136536 | — | Average requests/s | 176.2 | — |
| Total users launched | 250 | — | Average Request response time | 0.325 s | — |
| Total iterations completed | 2533 | — | Average Page response time | 1.72 s | — |
| Total throughput | 5,151 MB | — | Average throughput | 53.18 Mb/s | — |
| Total request errors | 1632 | — | Error rate | 1.2 % | — |
| Total action errors | 0 | — | Alerts total duration | 0 % | — |

— = No SLA

☀ = Passed

☁ = Warning

⚡ = Failed



Hot spots

Top 5 errors

| User Path | Parent | Page | Count |
|----------------------|--------------|-------------------------------------|-------|
| EP_Standard_C4484572 | EP_Login | /resources/1/a6100e7bce | 909 |
| EP_Standard_C4484572 | EP_Login | /resources/1/a6100e7bce_2 | 277 |
| EP_Standard_C4484572 | EP_Login | /wave1/apis/ep/payroll/history/2023 | 170 |
| EP_Standard_C4484572 | EP_Login | /wave1/apis/ep/clients/544/events | 133 |
| EP_Standard_C4484572 | EP_Dashboard | /wave1/apis/ep/clients/544/events | 111 |

Top 5 alerts

| |
|-----------|
| No alerts |
|-----------|

First critical alerts

| |
|-----------|
| No alerts |
|-----------|

Top 5 average response time (Pages)

| User Path | Parent | Page | Duration |
|----------------------|--------------|-------------------------------------|----------|
| EP_Standard_C4484572 | EP_Dashboard | /wave1/apis/ep/clients/544/events | 7.62 |
| EP_Standard_C4484572 | EP_Login | /wave1/apis/ep/payroll/history/2023 | 4.12 |
| EP_Standard_C4484572 | EP_Login | /resources/1/a6100e7bce_2 | 4.04 |
| EP_Standard_C4484572 | EP_Login | /resources/1/a6100e7bce | 3.5 |
| EP_Standard_C4484572 | EP_Login | /wave1/apis/ep/clients/544/events | 3.28 |

Top 5 maximum response time (Pages)

| User Path | Parent | Page | Duration |
|----------------------|--------------|-------------------------------------|----------|
| EP_Standard_C4484572 | EP_Dashboard | /wave1/apis/ep/clients/544/events | 19.3 |
| EP_Standard_C4484572 | EP_Login | /wave1/apis/ep/payroll/history/2023 | 16.7 |
| EP_Standard_C4484572 | EP_Login | /resources/1/a6100e7bce_2 | 16.2 |
| EP_Standard_C4484572 | EP_Login | /resources/1/a6100e7bce | 12.6 |
| EP_Standard_C4484572 | EP_Login | /wave1/apis/ep/clients/544/events | 10.68 |

Errors

Request errors

| Error Type | Count | Description |
|------------|-------|-----------------------|
| 500 | 1,632 | Internal Server Error |
| Total | 1,632 | Total error count. |

Action errors

| |
|-----------|
| No errors |
|-----------|

Alerts

| |
|-----------|
| No alerts |
|-----------|

General statistics

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|----------------|-------|-------|---------|-------|----------|-------------|
| All User Paths | | | | | | |
| 11.2 | 171.3 | 278 | 250 | 250 | 100 | - |
| All pages | | | | | | |
| 0 | 1.72 | 19.3 | 24,938 | 1,606 | 6.4 | - |
| All requests | | | | | | |
| 0 | 0.325 | 10.45 | 136,536 | 1,632 | 1.2 | - |

Transaction statistics

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|------------------|------|-----|--------|-------|----------|---------|---------|---------|---------|---------|-------------|
| All Transactions | | | | | | | | | | | |
| 0 | 2.92 | 38 | 14,649 | 1,606 | 11 | 1.04 | 15.7 | 22.3 | 5.09 | 2.14 | - |

Scenario

Summary

| | | | |
|---------------------------|---|--------------------|---|
| Name | 00:28 - 28 Feb 2023 | Project | PrismHR_Main |
| Description | This is the Quarterly Scenario for EP, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241575 EP_C5241575_MR_202301-rollback to image | Scenario | EP_C5241575 |
| Status | ✓ Passed | Load Policy | • The population EP is ramp up from 10 users adding 10 users every 30.0 seconds, to a maximum of 250 users. |
| Start date | Feb 28, 2023, 12:30:53 AM | Stop Policy | • Population EP: undefined. |
| End date | Feb 28, 2023, 12:43:48 AM | Filters | None |
| Duration | 00:12:54 | Debug | Disabled |
| Termination reason | Execution policy | | |
| LG Hosts | 10.149.80.138:7100 | | |

Populations

EP

| User Path | Percentage | WAN Emulation | Signal strength | Bandwidth ↑ | Latency ↑ | Packet loss % ↑ | Bandwidth ↓ | Latency ↓ | Packet loss % ↓ | Browser | Handle cookies | Connecti | Handle cache |
|-------------------|------------|---------------|-----------------|-------------|-----------|-----------------|-------------|-----------|-----------------|--------------|----------------|----------|--------------|
| EP_Standard_C4484 | 100.0% | Unlimited | | Unlimited | 0ms | 0% | Unlimited | 0ms | 0% | Recorded one | Yes | 6 | New user |

User Paths

| Name | Description | On failed assertion | On error | Think time | Thinktime range |
|--------------------|--|-----------------------------------|--------------------------|------------|-----------------|
| EP_Standard_C44845 | This EP User Path is for the TestRail User Path Case https://fwdavison.testrail.com/index.php?/cases/view/4484572 | Stop and start a new Virtual User | Go to the next iteration | From pages | 15% |

Rendezvous

| Enabled | Name | Policy | Value | Timeout |
|------------|------|--------|-------|---------|
| Empty list | | | | |

Execution context

| | | | |
|---------------------------|---|--------------------|---|
| Name | 00:28 - 28 Feb 2023 | Project | PrismHR_Main |
| Description | This is the Quarterly Scenario for EP, TestRail Case https://fwdavison.testrail.com/index.php?/cases/view/5241575 EP_C5241575_MR_202301-rollback to image | Scenario | EP_C5241575 |
| Status | ✓ Passed | Load Policy | • The population EP is ramp up from 10 users adding 10 users every 30.0 seconds, to a maximum of 250 users. |
| Start date | Feb 28, 2023, 12:30:53 AM | Stop Policy | • Population EP: undefined. |
| End date | Feb 28, 2023, 12:43:48 AM | Filters | None |
| Duration | 00:12:54 | Debug | Disabled |
| Termination reason | Execution policy | | |
| LG Hosts | 10.149.80.138:7100 | | |

NeoLoad version 9.0.1;build=20220923-87
Graphs granularity Standard

Application proxy

| Name | Description |
|------|-------------------------------|
| Test | Automatically detect settings |

Zone application proxies

| Zone | Name | Description |
|------------|------|-------------|
| Empty list | | |

Constant variables

| Name | Value | Description |
|----------------------|----------|-------------|
| Payroll_Calculation1 | Complete | |
| Payroll_Finalize | Complete | |



User Paths settings

| | |
|-----------------------------|---|
| EP_Standard_C4484572 | |
| Error policy: | Go to the next iteration |
| Assertion policy: | Stop and start a new Virtual User |
| Thinktime policy: | defined in pages (with random delay of +/- 15%) |
| Pacing: | No pacing |

Servers

| Host | Port | HTTP/2 ready | HTTP/2 used |
|----------------------------|------|--------------|-------------|
| js-agent.newrelic.com | 443 | Yes | Yes |
| qaphr998two-ep.prismhr.com | 443 | No | No |
| bam.nr-data.net | 443 | No | No |


Graphs



Statistics

| Population | Total requests | Average requests/s | Avg. Page res. time | Error rate |
|------------|----------------|--------------------|---------------------|------------|
| EP | 136536 (100%) | 176.2 | 1.72s (0%) | 1.2% (0%) |
| Global | 136536 (100%) | 176.2 | 1.72s | 1.2% |















User Paths

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|--|-------|-----|-------|-----|----------|-------------|
|  EP_Standard_C4484572 | | | | | | |
| 11.2 | 171.3 | 278 | 250 | 250 | 100 | - |

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|------------|-----|-----|-------|-----|----------|---------|---------|---------|---------|---------|-------------|
| Empty list | | | | | | | | | | | |

EP_Standard_C4484572

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---|-------|------|-------|-------|----------|---------|---------|---------|---------|---------|-------------|
|  EP_Standard_C4484572 | | | | | | | | | | | |
| 11.2 | 171.3 | 278 | 250 | 250 | 100 | - | - | - | - | - | - |
|  Init | | | | | | | | | | | |
| 0 | 0 | 0 | 250 | 0 | 0 | - | - | - | - | - | - |
|  Actions | | | | | | | | | | | |
| 0.389 | 16.9 | 52.5 | 2,533 | 1,606 | 63.4 | - | - | - | - | - | - |
|  START | | | | | | | | | | | |
| 0 | 0 | 0 | 2,533 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - |
|  EP_Landing | | | | | | | | | | | |
| 0.244 | 1.5 | 5.65 | 2,533 | 0 | 0 | 1.36 | 3.5 | 4.49 | 1.06 | 1.43 | - |
|  EP_Login | | | | | | | | | | | |
| 0.058 | 9.81 | 38 | 2,533 | 1,489 | 58.8 | 8.59 | 22.9 | 26.6 | 7.83 | 9.49 | - |
|  EP_Employment Summary | | | | | | | | | | | |
| 0.312 | 2.94 | 9.46 | 1,044 | 6 | 0.6 | 2.62 | 6.48 | 7.65 | 1.89 | 2.85 | - |
|  EP_Personal Info | | | | | | | | | | | |
| 0.177 | 1.53 | 5.64 | 1,038 | 0 | 0 | 1.31 | 3.43 | 4.42 | 1.16 | 1.45 | - |
|  EP_Contact Info | | | | | | | | | | | |
| 0.109 | 0.645 | 3.14 | 1,038 | 0 | 0 | 0.182 | 2.04 | 2.15 | 0.604 | 0.59 | - |
|  EP_Address | | | | | | | | | | | |
| 0.101 | 0.646 | 3.1 | 1,038 | 0 | 0 | 0.203 | 2.02 | 2.16 | 0.59 | 0.587 | - |
|  EP_Dashboard | | | | | | | | | | | |
| 0.094 | 7.67 | 19.3 | 1,038 | 111 | 10.7 | 8.08 | 14.1 | 16.3 | 4.06 | 7.61 | - |
|  EP_Logout | | | | | | | | | | | |
| 0.034 | 0.188 | 2.04 | 927 | 0 | 0 | 0.067 | 1.07 | 1.15 | 0.339 | 0.14 | - |
|  FINISH | | | | | | | | | | | |
| 0 | 0 | 0 | 927 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - |
|  End | | | | | | | | | | | |
| 0 | 0 | 0 | 250 | 0 | 0 | - | - | - | - | - | - |

Push messages

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

EP_Standard_C4484572







| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

EP_Standard_C4484572

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|-------|-------|-------|-------|----------|-------------|
|  EP_Standard_C4484572 | | | | | | |
| 11.2 | 171.3 | 278 | 250 | 250 | 100 | - |
|  Actions | | | | | | |
| 0.389 | 16.9 | 52.5 | 2,533 | 1,606 | 63.4 | - |
|  EP_Landing | | | | | | |
| 0.244 | 1.5 | 5.65 | 2,533 | 0 | 0 | - |
|  / | | | | | | |
| 0.164 | 0.578 | 3.2 | 2,533 | 0 | 0 | - |
|  /wave1/apis/ep/peos | | | | | | |
| 0.013 | 0.439 | 2.23 | 2,533 | 0 | 0 | - |
|  /wave1/apis/ep/logout | | | | | | |
| 0.037 | 0.472 | 3.15 | 2,533 | 0 | 0 | - |
|  /nr-spa-1216.min.js | | | | | | |
| 0.009 | 0.014 | 0.16 | 2,533 | 0 | 0 | - |
|  EP_Login | | | | | | |
| 0.058 | 9.81 | 38 | 2,533 | 1,489 | 58.8 | - |
|  /resources/1/a6100e7bce | | | | | | |
| 0.058 | 3.5 | 12.6 | 2,533 | 909 | 35.9 | - |
|  /resources/1/a6100e7bce_2 | | | | | | |
| 0.159 | 4.04 | 16.2 | 1,624 | 277 | 17.1 | - |
|  /wave1/apis/ep/clients/544/events | | | | | | |
| 0.043 | 3.28 | 10.68 | 1,347 | 133 | 9.9 | - |
|  /wave1/apis/ep/payroll/history/2023 | | | | | | |
| 0.067 | 4.12 | 16.7 | 1,214 | 170 | 14 | - |
|  EP_Employment Summary | | | | | | |
| 0.312 | 2.94 | 9.46 | 1,044 | 6 | 0.6 | - |
|  /0.2677a6c6b8b9bc55.js | | | | | | |
| 0.312 | 2.94 | 9.46 | 1,044 | 6 | 0.6 | - |
|  EP_Personal Info | | | | | | |
| 0.177 | 1.53 | 5.64 | 1,038 | 0 | 0 | - |
|  /8661.fde1a8ffce2ab6f0.js | | | | | | |
| 0.177 | 1.53 | 5.64 | 1,038 | 0 | 0 | - |
|  EP_Contact Info | | | | | | |
| 0.109 | 0.645 | 3.14 | 1,038 | 0 | 0 | - |
|  /resources/1/a6100e7bce | | | | | | |
| 0.109 | 0.645 | 3.14 | 1,038 | 0 | 0 | - |
|  EP_Address | | | | | | |
| 0.101 | 0.646 | 3.1 | 1,038 | 0 | 0 | - |
|  /2347.fa20859b137f5d38.js | | | | | | |
| 0.101 | 0.646 | 3.1 | 1,038 | 0 | 0 | - |

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|-------|------|-------|-----|----------|-------------|
|  EP_Dashboard | | | | | | |
| 0.094 | 7.67 | 19.3 | 1,038 | 111 | 10.7 | - |
|  /wave1/apis/ep/session | | | | | | |
| 0 | 0.051 | 1.08 | 1,038 | 0 | 0 | - |
|  /wave1/apis/ep/clients/544/events | | | | | | |
| 0.078 | 7.62 | 19.3 | 1,038 | 111 | 10.7 | - |
|  EP_Logout | | | | | | |
| 0.034 | 0.188 | 2.04 | 927 | 0 | 0 | - |
|  /wave1/apis/ep/logout | | | | | | |
| 0 | 0.05 | 1.07 | 927 | 0 | 0 | - |
|  /wave1/apis/ep/logout_1 | | | | | | |
| 0.028 | 0.138 | 2.03 | 927 | 0 | 0 | - |

Shared Containers

| SLA | Value | Severity |
|------------|-------|----------|
| Empty list | | |

EP_Standard_C4484572

| SLA | Value | Severity |
|---|-------|----------|
|  EP_Standard_C4484572 | | |
|  Actions | | |
|  EP_Landing | | |
|  / | | |
|  /wave1/apis/ep/peos | | |
|  /wave1/apis/ep/logout | | |
|  /nr-spa-1216.min.js | | |
|  EP_Login | | |
|  /resources/1/a6100e7bce | | |
|  /resources/1/a6100e7bce_2 | | |
|  /wave1/apis/ep/clients/544/events | | |
|  /wave1/apis/ep/payroll/history/2023 | | |
|  EP_Employment Summary | | |
|  /0.2677a6c6b8b9bc55.js | | |
|  EP_Personal Info | | |
|  /8661.fde1a8ffce2ab6f0.js | | |
|  EP_Contact Info | | |
|  /resources/1/a6100e7bce | | |
|  EP_Address | | |
|  /2347.fa20859b137f5d38.js | | |
|  EP_Dashboard | | |
|  /wave1/apis/ep/session | | |
|  /wave1/apis/ep/clients/544/events | | |
|  EP_Logout | | |
|  /wave1/apis/ep/logout | | |
|  /wave1/apis/ep/logout_1 | | |

EP_Standard_C4484572

| Count | Errors | Bitrate | Played Time | Lag Duration | Lag Ratio | Fill Buffer Duration |
|------------|--------|---------|-------------|--------------|-----------|----------------------|
| Empty list | | | | | | |

Controller

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|--------|-------|---------|---------|
| Controller/User Load | | | | | |
| 0 | 128 | 250 | 130 | 127.8 | 73.1 |
| Controller/Throughput | | | | | |
| 0 | 53.2 | 291.2 | 36 | 45.9 | 58.7 |
| Controller/Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Critical Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Warning Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/CPU Load | | | | | |
| 1 | 8.18 | 45 | 5 | 7.29 | 6.9 |
| Controller/JVM Memory Used | | | | | |
| 14 | 18.6 | 24 | 18 | 18.6 | 3.06 |
| Controller/OS Memory Used | | | | | |
| 53 | 53 | 54 | 53 | 53 | 0.101 |
| Controller/Thread Count | | | | | |
| 540 | 562.4 | 568 | 562 | 562.1 | 1.72 |
| Controller/Connected | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| Controller/Total Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/Total Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/Network/Segments sent/sec. | | | | | |
| 0 | 943.4 | 83,064 | 137.7 | 275.3 | 5,876 |
| Controller/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/Network/eth11 (vmxnet3 Ethernet Adapter)/Megabits received/sec. | | | | | |
| 0 | 0.037 | 0.134 | 0.037 | 0.036 | 0.019 |
| Controller/Network/eth11 (vmxnet3 Ethernet Adapter)/Megabits sent/sec. | | | | | |
| 0 | 0.921 | 3.62 | 0.952 | 0.902 | 0.577 |
| Controller/Network/eth13 (vmxnet3 Ethernet Adapter #2)/Megabits received/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Network/eth13 (vmxnet3 Ethernet Adapter #2)/Megabits sent/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Default zone/User Load | | | | | |
| 0 | 128 | 250 | 130 | 127.8 | 73.1 |
| Controller/Default zone/EP/User Load | | | | | |
| 4 | 128.2 | 250 | 130 | 128 | 73 |
| Controller/Default zone/EP/EP_Standard_C4484572/User Load | | | | | |
| 4 | 128.2 | 250 | 130 | 128 | 73 |


LG 10.149.80.138:7100

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-----|-----|---------|---------|
| LG 10.149.80.138:7100/CPU Load | | | | | |
| 0 | 23.7 | 90 | 24 | 23.6 | 9.8 |
| LG 10.149.80.138:7100/JVM Memory Used | | | | | |
| 0 | 10.81 | 39 | 9 | 10.21 | 6.49 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|--------|------|---------|---------|
| LG 10.149.80.138:7100/OS Memory Used | | | | | |
| 46 | 54.3 | 65 | 55 | 54.1 | 4.33 |
| LG 10.149.80.138:7100/Throughput | | | | | |
| 0 | 53.2 | 291.2 | 36 | 45.9 | 58.7 |
| LG 10.149.80.138:7100/User Load | | | | | |
| 0 | 128 | 250 | 130 | 127.8 | 73.1 |
| LG 10.149.80.138:7100/Thread Count | | | | | |
| 0 | 229.1 | 381 | 230 | 228.1 | 90.4 |
| LG 10.149.80.138:7100/Http client/Thread Pool used | | | | | |
| 0 | 0.112 | 0.195 | 0.1 | 0.109 | 0.026 |
| LG 10.149.80.138:7100/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| LG 10.149.80.138:7100/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 10.149.80.138:7100/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 10.149.80.138:7100/Controller Connection/Ping Duration (ms) | | | | | |
| 2 | 48.1 | 63 | 52 | 49.8 | 15.3 |
| LG 10.149.80.138:7100/Network/Segments sent/sec. | | | | | |
| 0 | 2,674 | 27,180 | 0 | 2,058 | 4,413 |
| LG 10.149.80.138:7100/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 10.149.80.138:7100/Network/eth5 (vmxnet3 Ethernet Ada...gabits received/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 10.149.80.138:7100/Network/eth5 (vmxnet3 Ethernet Ada...)/Megabits sent/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 10.149.80.138:7100/Network/eth4 (vmxnet3 Ethernet Ada...gabits received/sec. | | | | | |
| 0 | 56 | 305.9 | 37.6 | 48.3 | 61.8 |
| LG 10.149.80.138:7100/Network/eth4 (vmxnet3 Ethernet Adapter)/Megabits sent/sec. | | | | | |
| 0 | 2.12 | 8.31 | 1.75 | 1.95 | 1.73 |


Average page response time



| Min | Average | Max |
|-------|---------|-------|
| 0.069 | 1.717 | 5.278 |

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



| Min | Average | Max |
|------|---------|-------|
| 0.03 | 0.325 | 0.686 |

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



| Min | Average | Max | Median | Avg-90% | Std. Dev. |
|-------|---------|--------|--------|---------|-----------|
| 0.092 | 2.923 | 22.674 | 2.962 | 2.922 | 1.301 |

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



| Min | Average | Max |
|-----|---------|-------|
| 3.8 | 176.2 | 543.6 |

Notes: Displays the number of requests per second.


Errors



| Min | Average | Max |
|-----|---------|-----|
| 0 | 10.5 | 111 |

Notes: Displays the number of errors per sampling interval.


Throughput



| Min | Average | Max |
|-----|---------|--------|
| 0 | 52.84 | 239.89 |

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



| Min | Average | Max |
|------|---------|-------|
| 0.27 | 2.335 | 6.249 |

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.