



# *Working flow of OS-Testlink*

-- by  
Usha Kannappan



File Edit View Favorites Tools Help



Address [http://localhost/testlink\\_17rc3/install/index.php](http://localhost/testlink_17rc3/install/index.php)

Go Links >

**TestLink 1.7.0 RC 3** Installation

**TestLink Setup**

New installation → **Click here to install the testlink and the database for the testlink**

Upgrade installation

Migration from 1.6.2 to 1.7.0

TestLink 1.7.0 RC 3 Installer - Microsoft Internet Explorer provided by ITC INFOTECH LTD

File Edit View Favorites Tools Help

Back    Search  Favorites

Address: http://localhost/testlink\_17c3/install/newInstallStart\_TL.php?installationType=new  Go  Links

**TestLink 1.7.0 RC 3** Installation - new

**Important Notice**  
Testlink can not be installed (using this installer) on a database/schema used by another application, because part of the installation process consist on dropping all tables present on the database/schema, if you use an existing database/schema, WITHOUT ASKING YOU.

**Testlink Setup**

Testlink Setup will carry out a number of checks to see if everything's ready to start the setup.

Checking PHP version: **OK!** ( 5.0.0 [minimum version] <= 5.2.4 [your version] )

**Warning! You are using a M\$ Operating System, be careful with authentication problems between PHP 4 and the new MySQL 4.1.x passwords**  
[Read this MySQL - A.2.3. Client does not support authentication protocol](#)

Checking if Register Globals = OFF: **OK!**  
Checking PHP DB extensions **OK!**  
Checking if sessions are properly configured: **OK!**  
Checking if .../gui/templates\_c directory exists: **OK!**  
Checking if .../gui/templates\_c directory is writable: **OK!**

**Database Configuration**

**Database Configuration**

Database Type:  Database host:

**Give the DB-Server and the host name(either localhost or ipaddress of the system)**

Please enter the name of the database you want to use for TestLink.

Your attention please  
The database name can contain any character that is allowed in a directory name, except '/', '\', or '.'

If you haven't created a database yet, the installer will attempt to do so for you, but this may fail depending on the MySQL setup your host uses.

Database name:

**Give meaningful database name like- OStestlink(Open-source testlink)**

Database User with administrative rights.

This user requires permission to create databases on the Database Server.  
This value is used only for these installation procedures, and is not saved.

Database login:   
Database password:


Database User for Normal Testlink use.

This user will have permission only to work on Testlink database.  
All connections to the Database Server during normal operation will be done with this user.

TestLink DB login:   
TestLink DB password:

**Provide -username and password for testlink**

After installation You will have the following login for TestLink Administrator.  
login name: admin  
password : admin



**TestLink 1.7.0 RC 3** Installation - new

Usage of this software is subject to the GPL license. To help you understand what the GPL licence is and how it affects your ability to use the software, we have provided the following summary:

**The GNU General Public License is a Free Software license.**

Like any Free Software license, it grants to you the four following freedoms:

- The freedom to run the program for any purpose.
- The freedom to study how the program works and adapt it to your needs.
- The freedom to redistribute copies so you can help your neighbor.
- The freedom to improve the program and release your improvements to the public, so that the whole community benefits.

You may exercise the freedoms specified here provided that you comply with the express conditions of this license. The principal conditions are:

- You must conspicuously and appropriately publish on each copy distributed an appropriate copyright notice and disclaimer of warranty and keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of the GNU General Public License along with the Program. Any translation of the GNU General Public License must be accompanied by the GNU General Public License.
- If you modify your copy or copies of the program or any portion of it, or develop a program based upon it, you may distribute the resulting work provided you do so under the GNU General Public License. Any translation of the GNU General Public License must be accompanied by the GNU General Public License.
- If you copy or distribute the program, you must accompany it with the complete corresponding machine-readable source code or with a written offer, valid for at least three years, to furnish the complete corresponding machine-readable source code.
- Any of these conditions can be waived if you get permission from the copyright holder.
- Your fair use and other rights are in no way affected by the above.

The above is a summary of the GNU General Public License. By proceeding, you are agreeing to the GNU General Public Licence, not the above. The above is simply a summary of the GNU General Public Licence, and its accuracy is not guaranteed. It is strongly recommended you read the [GNU General Public License](#) in full before proceeding, which can also be found in the LICENCE file distributed with TestLink.

I agree to the terms set out in this license.

**Proceed**

Click here and Agree





File Edit View Favorites Tools Help

Address [http://localhost/testlink\\_17rc3/install/installNewDB.php](http://localhost/testlink_17rc3/install/installNewDB.php)

Go Links

TestLink 1.7.0 RC 3 Installation - new

TestLink setup will now attempt to setup the database:

Creating connection to Database Server: **OK!**


Checking MySQL version: **OK! (5.0.22 >= 4.1.0)**

Database OStestlink does not exist.  
Will attempt to create:  
Creating database `OStestlink` : **OK!**  
Creating TestLink DB user 'admin' : **OK! ( ok - new user)**  
Processing:sql/mysql/testlink\_create\_tables.sql

Importing StartUp data **OK!**  
Writing configuration file: **OK!**

Installation was successful! You can now log into the [TestLink](#) (using login name:admin / password:admin - Please Click Me!).

**Now you are ready to use the testlink application**



TESTLINK 1.7.0 RC 3

Please log in ...

Login Name

Password

New User?

Lost Password?


TestLink project [Home](#)

TestLink is licensed under the [GNU GPL](#)

Use the username & password given  
in the setup page to login

- Install directory should be removed!
- You should change the default password for the 'admin' account!

New Test Project

Name	<input type="text" value="SampleProject"/> 
Related Notes	  <p>First time when the administrator login to the Testlink, he/she has to view "project creation" page. The first step in any Testcase management tool is to create the project.</p>
Enable Requirements functionality	<input type="button" value="No"/> 
 <b>Enter the project name and the description about the project</b>	



Test Project Management -

[Create](#) [Edit / Delete](#)

Test Project Sample Project was successfully created

New Test Project

Name

Related Notes

Font  Size

Project has been created successfully , now click the "Home" page.

Enable Requirements functionality

No

Create

- Install directory should be removed!
- You should change the default password for the 'admin' account!

**Test Specification**

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

**Keywords**

- [Keyword Management](#)
- [Assign Keywords](#)

**Test Project Management**

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

**User Administration**

- [User Management](#)
- [Role Management](#)

**Custom fields**

- [Custom field management](#)
- [Assign custom fields](#)

Now we will explore the Test Project Management

Click here

**Test Plan Management**

- [Test Plan Management](#)

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

Test Project Management - Sample Project

Create Edit / Delete

Edit Test Project Sample Project

Name: Sample Project

Related Notes:

Font Size T

dfsdfsd

In this page, admin can edit the testproject name and the description about it

Enable Requirements functionality: No

Update Inactivate Delete

Delete button will delete the project and also the testcase present in the project from the database

Admin can inactive the project , so that the project won't visible to the user(tester, lead,...) but the project and testcases details will be available in the Database

After editing the name and the details about the project, admin has to click the "update" button so that the modification will be updated in the database



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

#### Test Plan Management

- [Test Plan Management](#)

Click here to assign the roles





## User Administration - Assign roles

[New User](#) [View Users](#) [New role](#) [View roles](#) [Assign Test Project roles](#) [Assign test plan roles](#)Assign Test Project user roles - Test Project [Sample Project](#) [Change](#) → 1

User	Role
admin <span style="border: 1px solid red; padding: 2px;">2</span>	<span style="border: 1px solid blue; padding: 2px;">&lt;inherited&gt;</span> admin leader senior tester tester guest test designer <span style="border: 1px solid blue; padding: 2px;">&lt;no rights&gt;</span> <span style="border: 1px solid blue; padding: 2px;">&lt;inherited&gt;</span>

[Update](#)

→ 3

1. Choose the project.  
2. List of user will be available in the page.  
3. Define their role for the chosen project.

- Install directory should be removed!
- You should change the default password for the 'admin' account!

**Test Specification**

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

**Keywords**

- [Keyword Management](#)
- [Assign Keywords](#)

**Test Project Management**

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

**User Administration**

- [User Management](#)
- [Role Management](#)

**Custom fields**

- [Custom field management](#)
- [Assign custom fields](#)

**Test Plan Management**

- [Test Plan Management](#)

Now we will move on to the User Administration block

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Test Link Home | Specification | User Administration | Personal | Test Case ID: | Logout

User Administration - Account Settings

New User View Users New role View roles Assign Test Project roles Assign test plan roles

User details

Login	
First Name	
Last Name	
Password	
Email	
Role	guest
Locale	English (UK)
Active	<input type="checkbox"/>

Now admin can start adding the user and define their roles for the project

Guest is the default role

Add Cancel

- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

Click here to manage the role

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)



TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

User Administration - Available roles

New User View Users New role **View roles** Assign Test Project roles Assign test plan roles

Role	Notes	Delete?
<no rights>	N/A	
admin	N/A	
leader	N/A	
senior tester	N/A	
tester	N/A	
guest	N/A	
test designer	N/A	

There are 6 roles available in Testlink.  
admin can able to add/modify/delete the rights of the roles



## User Administration - Define role

[New User](#) [View Users](#) [New role](#) [View roles](#) [Assign Test Project roles](#) [Assign test plan roles](#)

## Role name

admin

## Rights

## Test Plan rights

- Test Plan execute
- Build create/edit
- Test Plan metrics
- Test Plan planning
- Role assignment

## Test Case management rights

- Test Case view (read only access)
- Test Case create/edit
- Test Plan create/edit

This is the page talking about the admin rights.  
Admin is having the rights to access all the  
links available in the testlink

## Test Project rights

- Test Project management

## Keyword rights

- Keyword view (read only access)
- Keyword management

## Requirement rights

- Requirement view (read only access)
- Requirement management

## User rights

- User management
- Role management
- Role assignment

## Custom field rights

- Custom field view (read only access)
- Custom field management

## Role description

Font  Size



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [ ] Edit Test Case(s)
- [ ] Search Test Case(s)
- [ ] Print Test Cases

#### Keywords

- [ ] Keyword Management
- [ ] Assign Keywords

#### Test Project Management

- [ ] Create new Test Project
- [ ] Edit / Delete Test Project
- [ ] Assign user roles

#### User Administration

- [ ] User Management
- [ ] Role Management

#### Custom fields

- [ ] Custom field management
- [ ] Assign custom fields

Now we will explore the Custom fields

#### Test Plan Management

- [ ] Test Plan Management

Click here for adding custom field

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

Custom fields

Name Email

Label

Type email

Display on test specification Yes

Enable on test specification Yes

Display on test execution Yes

Enable on test execution Yes

Available for Test Case

Add Cancel

Admin can add new custom field relevant to the project for ex: I want to add email as one of the field should be available in Testcase page. The screenshot of it is displayed here.

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: [ ] | Logout

Custom fields

Custom field was successfully added!

Name	Email
Label	Email
Type	email
Display on test specification	Yes
Enable on test specification	Yes
Display on test execution	Yes
Enable on test execution	Yes
Available for	Test Case

Add Cancel

## Assign custom fields &gt;&gt; Test Project : Sample Project

## Available custom fields

<input checked="" type="checkbox"/>	Name	Label
<input type="checkbox"/>	Email	Email

Assign

Tick the checkbox and click the assign button. Now the email field has been ready(activated) to display in the testcase page.



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

Click here to Assign custom field



#### Test Plan Management

- [Test Plan Management](#)

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

Assign custom fields >> Test Project : Sample Project

Assigned custom fields

Name	Label	Display order	Active
<input checked="" type="checkbox"/> Name			
<input type="checkbox"/> Email	Email	1	<input checked="" type="checkbox"/>

Unassign Update active status Save display order

Here we can either assign the custom field or unassign the custom field (Assign-active, Unassign-Inactive). If the field is assigned then the user can able to see the field in the testlink page.

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

• Install directory should be removed!  
• You should change the default password for the 'admin' account!

**Test Specification**

Now we will explore the Test Specification

Click here to create/edit/delete testcases

**Test Plan Management**

Test Plan Management

**Keywords**

Keyword Management  
Assign Keywords

**Test Project Management**

Create new Test Project  
Edit / Delete Test Project  
Assign user roles

**User Administration**

User Management  
Role Management

**Custom fields**

Custom field management  
Assign custom fields

## Navigator - Test Specification

Update tree

Acts like a refresh button



Sample Project (0)

The project tree with the testcase no. displayed in the bracket. Still now we didn't add any testcases that's the reason the no. is zero.

## Test Case Edit and Archive

## Purpose:

The Test Specification is a place where a user can view and edit all of the existing Test project, test suite, and Test case information. A user can look at a different versions of test cases.

## Get Started:

1. Select Test project name in navigation pane
2. Create a new test suites, and test cases. (You can change test project, selectable in top right corner).
3. Navigate via the tree view on the left side and edit data.
4. Assign your created Test Specification to Test Plan when Test cases are ready.

TestLink offers organize test cases into N levels of test suites. You can describe a content of test suites. This information could be printed together with test cases.

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

**Navigator - Test Specification**

Update tree

Sample Project (0)

Step1: click the project and RHS will get update by the buttons and the project related information.

**Test Project : Sample Project**

New Test Suite Reorder children Import Test Suite Export All Test Suites

**Test Project Name**

Sample Project

**Notes**

dfsdfsdfsd

**Attached files:**

Upload... Upload new file

If you are having testcases in OpenSource Testlink format, browse for the file(excel, xml) and upload into the testlink.



## Navigator - Test Specification

Update tree

Sample Project (0)

After uploading the file, click the uploadtree ,the project will update with the testcase details.

## Test Project : Sample Project

New Test Suite

Reorder children

Import Test Suite

Export All Test Suites

## Test Project Name

Sample Project


## Notes

dfsdfsdfsd

## Attached files:

Browse and upload the file.





TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project

Home | Specification | User Administration | Personal | Test Case ID:  | Logout

## Navigator - Test Specification

Sample Project (0)

If the users doesn't have their testcase in file, they can directly use the testlink application and start writing testcases manually.

## Test Project : Sample Project

## Test Project Name

Sample Project

## Notes

dfsdfsdfsd

## Attached files:

Click here to create testcases manually

[File](#) [Edit](#) [View](#) [History](#) [Bookmarks](#) [Tools](#) [Help](#)[\(Back\)](#) [\(Forward\)](#) [\(Stop\)](#) [\(Home\)](#) [http://localhost/testlink\\_17rc3/index.php](http://localhost/testlink_17rc3/index.php)[\(Star\)](#) [\(Bookmark\)](#) [\(Search\)](#) Google[\(New Tab\)](#) [\(New Window\)](#) [\(New Blank\)](#) [Most Visited](#) [Getting Started](#) [Latest Headlines](#) [Customize Links](#) [Free Hotmail](#) [Windows Marketplace](#) [Windows Media](#) [Windows](#)

# Test Link

 TestLink 1.7.0 RC 3 : admin Role :: [ admin ][Test Project](#) [Sample Project](#) [Ok](#)[Home](#) | [Specification](#) | [User Administration](#) | [Personal](#) | [Test Case ID:](#)  | [Logout](#)

## Navigator - Test Specification

[Update tree](#)

Sample Project (0)

## Test Project : Sample Project

## Create Test Suite

## Test Suite Name

TestSuite1

[Create Test Suite](#)

## Details

  
Font  Size 

Sample Testsuite

In testlink, the hierarchy is as follows:  
1. Project(root)  
2. Next level is Test suite  
3. You can have sub test suite  
4. Testcases is present in Test suite

Now we have to create testsuite for the "SampleProject"

## Keywords

## Available Keywords

## Assigned Keywords

--	--



File Edit View History Bookmarks Tools Help



http://localhost/testlink\_17rc3/index.php



TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID:  | Logout

## Navigator - Test Specification

Update tree



[0]



Testsuite has been created successfully.  
But the information is not yet updated  
in the tree. In order to get the  
information to be update, we have to  
click the update tree.

## Test Project : Sample Project

## Create Test Suite

Test Suite created

## Test Suite Name

Create Test Suite

## Details

  
Font  Size  

## Keywords

## Available Keywords

## Assigned Keywords





http://localhost/testlink\_17rc3/index.php



Google



TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project

Link

Home | Specification | User Administration | Personal | Test Case ID:  | Logout

## Navigator - Test Specification

## Navigation Filter &amp; Settings

Test Suite



Update tree after every operation



Update tree

- Sample Project (0)
- TestSuite1 (0)

## Test Project : Sample Project

## Create Test Suite

Test Suite created

## Test Suite Name

Create Test Suite

## Details

Font

Size

T

Now the testsuite details has been added in the testproject.  
If the user wants to create sub testsuite he/she can proceed like the previous step.

## Keywords

## Available Keywords



## Assigned Keywords

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

**Navigator - Test Specification**

Navigation Filter & Settings

Test Suite

Update tree after every operation  Update tree

Sample Project (0)

TestSuite1 (0)  

**Test Suite : TestSuite1**

Edit Delete Move/Copy Reorder children Export Test Suite

New Test Suite Import Test Suite

Create Test Case(s) Import Test Case(s) Export Test Case(s)

**Test Suite: TestSuite1**

Details

Sample Testsuite Click here to write testcase

Keywords:

Attached files:

Upload... Upload new file

Click the Testsuite name, RHS window gets update with the testcase related button.

Click here to write testcase

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Test Link Home | Specification | User Administration | Personal | Test Case ID: | Logout

**Navigator - Test Specification**

**Navigation Filter & Settings**

Test Suite

Update tree after every operation

Sample Project (0)  
TestSuite1 (0)

Now start writing the testcase in the relevant textbox.

**Test Suite : TestSuite1**

**Create Test Case**

**Test Case Title**

Testcase1

**Summary**

fdfdfdfdfdfdfsd

**Steps**

Step1: dfdfdfdfdfdfsd

Step2: sdfdfdfdfdfdfdfsd

**Expected Results**

Go to the Page2

## Navigator - Test Specification

## Navigation Filter &amp; Settings

Test Suite



Update tree after every operation

 Update tree Sample Project (0)  
 TestSuite1 (0)

## Test Suite : TestSuite1

## Create Test Case

Test Case Testcase1 was successfully created

## Test Case Title

 Create

## Summary

  
Font  Size  T 

The testcase has been created  
successfully. Follow the same procedure  
to add as many testcases for the testsuite

## Steps

  
Font  Size  T 

## Expected Results

  
Font  Size  T

[File](#) [Edit](#) [View](#) [History](#) [Bookmarks](#) [Tools](#) [Help](#)

http://localhost/testlink\_17rc3/index.php



TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok


[Home](#) | [Specification](#) | [User Administration](#) | [Personal](#) | Test Case ID:  | [Logout](#)

## Navigator - Test Specification

## Navigation Filter &amp; Settings

Test Suite

Update tree after every operation



Update tree

 Sample Project (1) TestSuite1 (1) 9: Testcase1

Click the update tree, so the testcase tree will get update with the latest information

## Test Case Testcase1

[Edit](#) [Delete](#) [Move / Copy](#)[Deactivate this version](#)[Create a new version](#)[Export](#)

User can edit/delete or move/copy the testcase to another testsuite/project.

## ID 9 :: Test Case Testcase1

## Version 1

## Summary

dfdfdfdfdfdfsd

## Steps

## Expected Results

Step1: dfdsdfs

Go to the Page2

Step2: sdfdfdfdfdfdfsd

## Email:

## Keywords:

Created on 01/08/2008 10:35:52 by admin

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

• Install directory should be removed!  
• You should change the default password for the 'admin' account!

**Test Specification**

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

**Keywords**

- [Keyword Management](#)
- [Assign Keywords](#)

**Test Project Management**

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

**User Administration**

- [User Management](#)
- [Role Management](#)

**Custom fields**

- [Custom field management](#)
- [Assign custom fields](#)

**Test Plan Management**

- [Test Plan Management](#)

Click here to search testcase(s)



## Search

## Search Test Cases

Test Case ID	<input type="text"/>
Version	<input type="text"/>
Title	<input type="text"/>
Summary	<input type="text"/>
Steps	<input type="text"/>
Expected Results	<input type="text"/>
Keyword	Not applied <input type="button" value="▼"/>

## Test Case Search Page

## Purpose:

Navigation according to keywords and/or searched strings. The search is not case sensitive. Result include just test cases from actual Test Project (*a difference against version 1.0.4*)

## To search:

1. Write searched string to an appropriate box. Left blank unused fields in form.
2. Choose required keyword or left value 'Not applied'.
3. Click the Search button.
4. All fulfilled test cases are shown. You can modify test cases via 'Title' link.

User can search testcase(s) based on the

1. Testcase ID
2. Testcase version
3. Title
4. Summary
5. Steps
6. Expected Results
7. Keyword

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

Test Link TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

**Search**

**Search Test Cases**

Test Case ID:

Version:

Title:

Summary:

Steps:

Expected Results:

Keyword: Not applied

The searched details will be listed out in the RHS

**Test Case Testcase1**

Edit Delete Move / Copy

Deactivate this version Create a new version

Export

**ID 9 :: Test Case Testcase1**

**Version 1**

**Summary**  
dfdfdfdfdfdfsd

**Steps**

Step1: dfdsdfs  
Step2: sdfdfdfdfdfdfsd

**Expected Results**

Go to the Page2

**Email:**

**Keywords:**

Created on 01/08/2008 10:35:52 by admin

Attached files:

- Install directory should be removed!
- You should change the default password for the 'admin' account!

### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

### User Administration

- [User Management](#)
- [Role Management](#)

### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

### Test Plan Management

- [Test Plan Management](#)

Click here to get the testcase document



TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID: | Logout

Print

**Navigator - Print Test Specification**

**Print Options**

Show Document Header

Show Test Case Body

Show Test Case Summary

Show Table of Contents

Show Test Case Author

Show Pass/Fail and Notes

Show as MS Word

Sample Project

Testlink Development Team [configure using TL\_DOC\_COMPANY]

Test Link

Test Specification

Test Project: Sample Project

dfsdfsd

Author: admin

Printed by TestLink on 01/08/2008

copyright - Testlink Development Team [configure using TL\_DOC\_COPYRIGHT]  
this document is not confidential [configure using TL\_DOC\_CONFIDENT]

Table Of Contents

Choose the details which you want to display in the document.

Now choose the format which you want your document(html, web, email, pdf,...)

Choose the project, the information will be display in the RHS

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google ABP

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

**Navigator - Print Test Specification**

**Print Options ?**

Show Document Header	<input checked="" type="checkbox"/>
Show Test Case Body	<input checked="" type="checkbox"/>
Show Test Case Summary	<input checked="" type="checkbox"/>
Show Table of Contents	<input checked="" type="checkbox"/>
Show Test Case Author	<input checked="" type="checkbox"/>
Show Pass/Fail and Notes	<input checked="" type="checkbox"/>
Show as	MS Word

+ Sample Project (3)

Choose the options which you want to be present in your document.

Choose the format as MSWord

Click the project name, the download window will open. Choose the location to save the document

**Print Test Specification**

**Purpose:**  
This functionality allows the user to print Test Cases by either their Test Suites or for a whole Test Project / TestPlan.

**Get Started:**

1. Click on a Component, Category, or Test cases to see all of the corresponding test cases below it.  
*For example: Clicking on a category will only show that categories test cases.*
2. The 'Print option' table in navigation pane allows to define a range and format of printed data. See [help](#) for more information.
3. Use your browsers print functionality to actually print the test cases.  
*Note: Make sure to only print the right frame.*

**Opening testplan.doc**

You have chosen to open  
**testplan.doc**  
which is a: Microsoft Word Document  
from: http://localhost

What should Firefox do with this file?

Open with OpenOffice.org 2.4 (default)  
 Save File  
 Do this automatically for files like this from now on.

OK Cancel



- Install directory should be removed!
- You should change the default password for the 'admin' account!

### Test Specification

- Edit Test Case(s)
- Search Test Case(s)
- Print Test Cases

### Keywords

- Keyword Management
- Assign Keywords

Now , we will explore the keywords block

click here to create/edit/delete keyword

### Test Project Management

- Create new Test Project
- Edit / Delete Test Project
- Assign user roles

### User Administration

- User Management
- Role Management

### Custom fields

- Custom field management
- Assign custom fields

### Test Plan Management

- Test Plan Management

[File](#) [Edit](#) [View](#) [History](#) [Bookmarks](#) [Tools](#) [Help](#)[Back](#) [Forward](#) [Stop](#) [Home](#) [http://localhost/testlink\\_17rc3/index.php](http://localhost/testlink_17rc3/index.php)[Most Visited](#) [Getting Started](#) [Latest Headlines](#) [Customize Links](#) [Free Hotmail](#) [Windows Marketplace](#) [Windows Media](#) [Windows](#)

## TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

[Test Project](#) [Sample Project](#) [Ok](#)[Home](#) | [Specification](#) | [User Administration](#) | [Personal](#) | [Test Case ID:](#) | [Logout](#)

### Keywords

#### Keyword Management

Keyword	<input type="text"/>
---------	----------------------

Notes	<input type="text"/>
-------	----------------------

Create keyword. The keyword is used for searching a particular set of testcases/testsuite.

[Create keyword](#)[Import](#)



## Keywords

Keyword Management

Assign to Test Cases

Keyword was successfully added!

Keyword

Notes

Now the keyword has been created successfully.

Create keyword

Keyword

keyword1

Notes

dfsdfsdfs

Delete?



Import

Export

CSV

1. The keyword created will be listed out in the lower panel of create/keyword.
2. If the keyword is not useful , user can delete the keyword.
3. User can import/export keyword in CSV/XML format



## TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project ▾ Ok

[Home](#) | [Specification](#) | [User Administration](#) | [Personal](#) | Test Case ID:  | [Logout](#)

## Keywords

[Keyword Management](#) [Assign to Test Cases](#)

Keyword	<input type="text"/>
Notes	<input type="text"/>

[Create keyword](#)

Keyword	Notes	Delete?
keyword1	dfsdfsdfs	
keyword2	dfdfsfdsd	
keyword3	sdsdfsdfsd	
keyword4	sdfsdfsdfsd	

[Import](#) [Export](#) [CSV ▾](#)

User can create as many keyword in this page, then  
he/she has to assign it to the project/testsuite/testcase(s)



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- Edit Test Case(s)
- Search Test Case(s)
- Print Test Cases

#### Keywords

- Keyword Management
- Assign Keywords

#### Test Project Management

- Create new Test Project
- Edit / Delete Test Project
- Assign user roles

#### User Administration

- User Management
- Role Management

#### Custom fields

- Custom field management
- Assign custom fields

Click here to assign keyword to the project/testcase(s)

#### Test Plan

- Testplan

OK

Test Plan role [admin]

#### Test Execution

- Execute Tests
- Print Test Plan
- Test reports and Metrics

#### Test Plan contents

- Add Test Case(s)
- Remove Test Case(s)
- Show Test Cases newest versions
- Assign Test Case execution

#### Test Plan Management

- Test Plan Management
- Assign user roles
- Build Management
- Milestone Management

File Edit View History Bookmarks Tools Help



http://localhost/testlink\_17rc3/index.php



Most Visited



Getting Started



Latest Headlines



Customize Links



Free Hotmail



Windows Marketplace



Windows Media



Windows



TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project

Ok

Link

Home | Specification | User Administration | Personal | Test Case ID: [ ] | Logout

## Navigator - Test Specification

## Navigation Filter &amp; Settings

Test Suite



Update tree after every operation



Update tree

Sample Project (3)

TestSuite1 (3)

9: Testcase1

11: Testcase2

13: Test case3

Click the Testsuite/testcase , the RHS will show you the available keyword.

Test Case : Testcase1

## Keywords

Assign to Test Cases

## Available Keywords

keyword1  
keyword2  
keyword3  
keyword4

## Assigned Keywords



Assign

**Navigator - Test Specification**

**Navigation Filter & Settings**

Test Suite

Update tree after every operation

Sample Project (3)  
  TestSuite1 (3)  
    9: Testcase1  
    11: Testcase2  
    13: Testcase3

**Test Case : Testcase1**

**Keywords**

**Keyword Management** **Assign to Test Cases**

Test Case was successfully updated!

**Available Keywords**

keyword2  
keyword3  
keyword4

**Assigned Keywords**

keyword1

Choose single/bunch of keyword , click the shift-arrow or Greater than symbol, the keyword will be imported to the assigned keyword location. Then click the Assign button. Now the keyword has been assigned to the Testsuite/testcase(s)

Note : Moving from available to assigned keyword

>>--- for bunch of keyword , > ----- single keyword

Moving from assigned to available keyword

<<----for bunch of keyword , < ----- single keyword

- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- Edit Test Case(s)
- Search Test Case(s)
- Print Test Cases

#### Keywords

- Keyword Management
- Assign Keywords

#### Test Project Management

- Create new Test Project
- Edit / Delete Test Project
- Assign user roles

#### User Administration

- User Management
- Role Management

#### Custom fields


- Custom field management
- Assign custom fields

Now we explored all the LHS links.  
LHS links are for maintaining the testcases. If we want to execute the testcases we have to start using the RHS- Test Plan Management.

#### Test Plan Management

- Test Plan Management

Click here to create TestPlan



TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | User Administration | Personal | Test Case ID:  | Logout

Test Plan Management

There are no Test Plans defined! Create one to allow test execution functionality

Create

Click here to create Testplan



## Test Plan Management

Create a new Test plan for Test Project Sample Project

Name	Testplan
Description	<p>Sample Testplan</p> <p>Enter the testplan name and the description about the Testplan</p>
Create from existing Test Plan?	No

Test plan should be clearly defined task(s) with a timeframe and a content. It could contain a testing activity for a new version of product (include hot fixes) or also just simple change request for one customer.

Description field serves for links to Project plan and related documentation, List of features to be tested, risks, etc.

You can create a new Test Plan from an existing one. The next items are copied: Builds, Test Cases, Priorities, Milestones and user roles.

A Test plan could be deactivated; i.e. no editing and no results change is allowed. Such Test Plan is visible only via 'Reporting' and this page.



Link

Home | Specification | User Administration | Personal | Test Case ID:  | Logout

## Test Plan Management

## List of existing Test Plans

Name	Description	Active	Delete
Testplan	Sample Testplan		

Create

1. Testplan has been created successfully.
2. By default testplan is in active state , if the admin wants to make it as inactive , he can do.
3. Admin is having the rights to delete the testplan.

Status-Active/  
InactiveTo delete  
the testplan

## Test Plan Management

## List of existing Test Plans

Name	Description	Active	Delete
Testplan	Sample Testplan		

Create

Click here , the page will move to the edit testplan page.



## Test Plan Management

## Edit the Test plan for Test Project Sample Project

Name	<input type="text" value="Testplan"/>
Description	<p>Sample Testplan</p> <p>Now user can edit the testplan and click the update button, the information will be update in the database</p>
Active	<input checked="" type="checkbox"/>

Test plan should be clearly defined task(s) with a timeframe and a content. It could contain a testing activity for a new version of product (include hot fixes) or also just simple change request for one customer.

Description field serves for links to Project plan and related documentation, List of features to be tested, risks, etc.

You can create a new Test Plan from an existing one. The next items are copied: Builds, Test Cases, Priorities, Milestones and user roles.

A Test plan could be deactivated; i.e. no editing and no results change is allowed. Such Test Plan is visible only via 'Reporting' and this page.



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- Edit Test Case(s)
- Search Test Case(s)
- Print Test Cases

#### Keywords

- Keyword Management
- Assign Keywords

#### Test Project Management

- Create new Test Project
- Edit / Delete Test Project
- Assign user roles

#### User Administration

- User Management
- Role Management

#### Custom fields

- Custom field management
- Assign custom fields

#### Test Plan

Testplan

OK

#### Test Execution

- Execute Tests
- Print Test Plan
- Test reports and Metrics

#### Test Plan contents

- Add Test Case(s)
- Remove Test Case(s)
- Show Test Cases newest versions
- Assign Test Case execution

#### Test Plan Management

- Test Plan Management
- Assign user roles
- Build Management
- Milestone Management

After creating the testplan, the admin/user can able to see the RHS links.

Now we will explore the Testplan management tab.

Click the Assign user roles



TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google ABP

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

User Administration - Assign roles

New User View Users New role View roles Assign Test Project roles **Assign test plan roles**

Assign test plan roles to users - Test Plan Testplan Change Step 1

User Role

admin Step 2: Step 3:

Update

Role dropdown menu:

- <inherited>
- admin
- leader
- senior tester
- tester
- guest
- test designer
- <no rights>
- <inherited>

Now admin can see the list of users available in testlink.  
Choose the Testplan name in the listbox  
Assign the role to the user. Depending upon the role, user can able to view the links available in testlink



## TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID:  | Logout

## User Administration - Assign roles

[New User](#) [View Users](#) [New role](#) [View roles](#) [Assign Test Project roles](#) [Assign test plan roles](#)

User Roles updated

Assign test plan roles to users - Test Plan [Testplan](#) [Change](#)

User	Role
admin	admin

[Update](#)

Now the user has been assigned the rights to access  
the testplan



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- Edit Test Case(s)
- Search Test Case(s)
- Print Test Cases

#### Keywords

- Keyword Management
- Assign Keywords

#### Test Project Management

- Create new Test Project
- Edit / Delete Test Project
- Assign user roles

#### User Administration

- User Management
- Role Management

#### Custom fields

- Custom field management
- Assign custom fields

#### Test Plan

- Testplan
- 

#### Test Execution

- Execute Tests
- Print Test Plan
- Test reports and Metrics

#### Test Plan contents

- Add Test Case(s)
- Remove Test Case(s)
- Show Test Cases newest versions
- Assign Test Case execution

#### Test Plan Management

- Test Plan Management
- Assign user roles
- Build Management
- Milestone Management

The next step is to create build for the created Testplan





TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project

Ok

[Home](#) | [Specification](#) | [Execute](#) | [Results](#) | [User Administration](#) | [Personal](#) | Test Case ID:  | [Logout](#)

## Build management - Test Plan : Testplan

### List of existing builds

No builds are defined within this Test Plan!

[Create](#)

Click here to create build for the Testplan



## Build management - Test Plan : Testplan

Create a new Build

Title

Build1-testplan

Description

sdfsdfsdfsd

Give the meaningful name for the Build and the  
description about the build

Active



Open



Notes: Each build is related to the active Test Plan. Description should include: list of delivered packages, approvals, status,etc.

Create

## Build management - Test Plan : Testplan

List of existing builds

Title	Description	Active	Open	Delete?
Build1-testplan	sdfsdfsdfsd			

[Create](#)

Build has been created successfully.

  
Activate/Deactivate  
the Build  
You can  
open/close  
the build  
click here to  
delete the Build

http://localhost/testlink\_17rc3/index.php

Star G Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Test Link Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

## Build management - Test Plan : Testplan

## List of existing builds

Title	Description	Active	Open	Delete?
Build1-testplan	sdfsdfsdfsd			

[Create](#)

Click here, it will move to the edit page of Build.

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

Build management - Test Plan : Testplan

Update Build - Build1-testplan

Title: Build1-testplan

Description: sdfsfdsdfsd

If the user wants to edit the build, they can do it in this page then click edit button to update the changes

Active:

Open:

Notes: Each build is related to the active Test Plan. Description should include: list of delivered packages, approvals, status,etc.

Update



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

#### Test Plan

- [Testplan](#)
- [OK](#)

#### Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)

#### Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

#### Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)

Click here to enter the details of milestone



TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Test Link Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

### Milestones for Test Plan Testplan

New Milestone

Milestones must be created at today's date or greater

Name:

Target Date:

% A Priority:

% B priority:

% C priority:

Enter the name for the milestone and the deadline date to finish the task

Create

### Existing Milestones

There are no Milestones for this Test Plan!



## Milestones for Test Plan Testplan

Milestone was successfully added!

## New Milestone

Milestones must be created at today's date or greater

Name:	<input type="text"/>
Target Date:	01 <input type="button" value="▼"/> 08 <input type="button" value="▼"/> 2008 <input type="button" value="▼"/>
% A Priority:	<input type="text"/>
% B priority:	<input type="text"/>
% C priority:	<input type="text"/>

Milestone was successfully created and the existing list of milestones are available in the bottom of the page. Admin is having the rights to delete the non-relevant milestone from the page.

Click here for editing the milestone information

## Existing Milestones

Name	Target Date	% A Priority	% B priority	% C priority	Delete?
MilestoneForBuild1	05/08/2008	35	35	30	



## Milestones for Test Plan Testplan

## New Milestone

Milestones must be created at today's date or greater

Name:	<input type="text" value="MilestoneForBuild1"/>
Target Date:	<input type="text" value="05"/> <input type="text" value="08"/> <input type="text" value="2008"/>
% A Priority:	<input type="text" value="35"/>
% B priority:	<input type="text" value="35"/>
% C priority:	<input type="text" value="30"/>

Here user can edit the information of milestone.

[Edit](#)

## Existing Milestones

Step 1: click here, immediately user can see the information for editing in the "new milestone tab" (above)

Name	Target Date	% A Priority	% B priority	% C priority	Delete?
MilestoneForBuild1	05/08/2008	35	35	30	



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

User has already created the testcases in the project but in order to execute he/she has to create Testplan, build and milestone, then they have to import the created testcases to the Testplan. After importing the testcases to the testplan, the testcases are ready for execution

Click here to add the testcases to the Testplan

#### Test Plan

- [Testplan](#)
- [OK](#)

#### Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)

#### Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

#### Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

**Navigator**

Navigation Filter & Settings ?

Keyword

Update menu → Click the update menu

Sample Project (3)  
  TestSuite1 (3)

Add Test case to Test Plan

Purpose:  
Allows user (with lead level permissions) to add test cases into a Test plan.

To add Test cases:

1. Click on a test suite to see all of its test suites and all of its test cases.
2. When you are done click the 'Add Test Cases' button to import the test cases. Note: Is not possible to add the same test case multiple times.
3. You can also use filter according to Keywords.

The project and the corresponding testcase details is displayed in tree structure

Step1: Choose the Test project

## Navigator

## Navigation Filter &amp; Settings ?

Keyword

Update menu

Sample Project (3)

TestSuite1 (3)

Click the testsuite, the corresponding testcases of testsuite will be displayed in the RHS panel

## Test Plan : Testplan

## Add Test Cases to Test Plan

## TestSuite1

<input checked="" type="checkbox"/>	ID	Test Case	Version
<input type="checkbox"/>	9	Testcase1	1
<input type="checkbox"/>	11	Testcase2	1
<input type="checkbox"/>	13	Testcase3	1

Choose the testcases based on the versions and click the "Add selected" button.

Add selected



## Navigation Filter &amp; Settings ?

Keyword



Sample Project (3)

TestSuite1 (3)

## Test Plan : Testplan

## Add/Remove Test Cases to/from Test Plan


## TestSuite1

<input checked="" type="checkbox"/>	ID	Test Case	Version	<input checked="" type="checkbox"/> Remove
	9	Testcase1	<input type="button" value="1"/>	<input type="checkbox"/>
	11	Testcase2	<input type="button" value="1"/>	<input type="checkbox"/>
	13	Testcase3	<input type="button" value="1"/>	<input type="checkbox"/>



Now the updated testcases got the yellow color and the user can see "Remove" checkbox.

If the user wants to remove the testcases from the testplan they can do by choosing the remove checkbox then click "Add/remove selected" button. The information will be update in Database





- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

#### Test Plan

- [Testplan](#)
- [OK](#)

#### Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)


#### Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

#### Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)

Click here to remove the  
testcases from the testplan



## Navigator Test Plan Testplan

## Navigation Filter &amp; Settings ?

Keyword

## Sample Project / Testplan (3)

## TestSuite1 (3)

9: Testcase1

11: Testcase2

13: Testcase3

## Remove Test case from Test Plan

## Purpose:

Allows user to remove Test cases from Test Plan.

Old Test Case results will be REMOVED.

## Getting Started

1. Click on a Test suite to show all its test cases or a single Test Case
2. Set checkbox.
3. Submit the page.

A red rectangular box with a black border surrounds the text below. A red arrow points from the top edge of this box towards the 'TestSuite1' section in the left sidebar.

Choose testsuite/testcases, the RHS panel will immediately give the testcase(s)

## Navigator Test Plan Testplan

## Navigation Filter &amp; Settings ?

Keyword

- Sample Project / Testplan (3)
  - TestSuite1 (3)
    - 9: Testcase1
    - 11: Testcase2
    - 13: Testcase3

## Test Plan : Testplan

Remove tc from test plan

## TestSuite1

ID	Test Case	Version	Remove
9	Testcase1	1	<input type="checkbox"/>
11	Testcase2	1	<input type="checkbox"/>
13	Testcase3	1	<input type="checkbox"/>

Choose the testcase which you want to remove from the testplan then click the "remove selected tcs"



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- Edit Test Case(s)
- Search Test Case(s)
- Print Test Cases

#### Keywords

- Keyword Management
- Assign Keywords

#### Test Project Management

- Create new Test Project
- Edit / Delete Test Project
- Assign user roles

#### User Administration

- User Management
- Role Management

#### Custom fields

- Custom field management
- Assign custom fields

Click here to edit the testcase(s)

#### Test Plan

- Testplan
- OK

#### Test Execution

- Execute Tests
- Print Test Plan
- Test reports and Metrics

#### Test Plan contents

- Add Test Case(s)
- Remove Test Case(s)
- Show Test Cases newest versions
- Assign Test Case execution

#### Test Plan Management


- Test Plan Management
- Assign user roles
- Build Management
- Milestone Management



## Navigator - Test Specification

## Navigation Filter &amp; Settings

Test Suite



Update tree after every operation



Update tree

Sample Project (3)

TestSuite1 (3)

9: Testcase1

11: Testcase2

13: Testcase3

Test Case was successfully updated!

Test Case Testcase1

Edit the testcase and click the "Create a new version" button the testcase will get incremented by 1

ID 9 :: Test Case Testcase1

Version 2

Summary

dfdfdfdfdfdfsd

Steps

Expected Results

Step1: dfdsdfs

Go to the Page2

Step2: sdfdfdfdfdfdfsd

Email:

Keywords: keyword1

Created on 01/08/2008 10:50:02 by admin



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

In previous slides, we edited the testcases but the latest version of testcases is not available in the testplan. If we wants to know the latest version of testcases, click the show testcases newest versionlink

Click here to show the latest version  
of testcase(s) for the chosen testplan



#### Test Plan

- [Testplan](#)
- [OK](#)

#### Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)

#### Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

#### Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

Test Plan : Testplan

Newest versions of linked Test Cases ?

ID	Test Case	Linked version	Newest available active version
9	Testcase1	1	2

The page will give the latest version of testcases available for the chosen project

```
graph TD; A[1] --> B["The page will give the latest version of testcases available for the chosen project"]; C[2] --> D[BottomRight]
```

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google ABP

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Link Home | Specification | Execute | Results | User Administration | Personal | Help

Test Plan : Testplan

Newest versions of linked Test Case: ?

ID	Test Case	Linked version
9	Testcase1	1

Help icon is present in most of the pages, if you click the help icon, it will open the details in new window

TestLink Instructions - Mozilla Firefox

http://localhost/testlink\_17rc3/lib/general/show\_help.php?help=newest

Newest versions of linked Test Cases

The whole set of Test Cases linked to Test Plan is analyzed, and a list of Test Cases which have a newest version is displayed.

Test Project Sample Project Ok



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- Edit Test Case(s)
- Search Test Case(s)
- Print Test Cases

#### Keywords

- Keyword Management
- Assign Keywords

#### Test Project Management

- Create new Test Project
- Edit / Delete Test Project
- Assign user roles

#### User Administration

- User Management
- Role Management

#### Custom fields

- Custom field management
- Assign custom fields

#### Test Plan

- Testplan
- OK

#### Test Execution

- Execute Tests
- Print Test Plan
- Test reports and Metrics

#### Test Plan contents


- Add Test Case(s)
- Remove Test Case(s)
- Show Test Cases newest versions
- Assign Test Case execution

#### Test Plan Management

- Test Plan Management
- Assign user roles
- Build Management
- Milestone Management

Click here to assign the tester to execute the testcase(s)





## Navigator Test Plan Testplan

## Navigation Filter &amp; Settings

Keyword

Update menu

Sample Project / Testplan (3)

TestSuite1 (3)

9: Testcase1

11: Testcase2

13: Testcase3

## Assigning Test Case execution tasks for test plan Testplan

## TestSuite1

Bulk user assignment

Do

 ID Test Case admin

- 9 Testcase1
- 11 Testcase2
- 13 Testcase3

Version

User

1

1

1

Choose the testcases and assign the user to execute the testcases.

Note: you can assign all the testcases to a single user also. For that you have to choose the Bulk user assignment listbox.

Update selected Test Case(s)

- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

#### Test Plan

- [Testplan](#)
- [OK](#)

#### Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)

#### Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

#### Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)

Start here for executing the testcase(s)



## Test Plan Testplan

## Navigation Filter &amp; Settings ?

Filter: Test Case ID

Keyword

Result

Build

Assigned to

Apply filter

## Sample Project / Testplan (3)

- 9: Testcase1
      - 11: Testcase2
      - 13: Testcase3

Step 1: Choose the testcases based on TC-id, keyword, result, build and assigned to and click the "apply filter".

Step 2: choose the Testsuite

Step3 : immediately the RHS panel will start displaying the testcases for execution

## Test Case Execution

## Purpose:

Allows user to execute Test cases. User can assign Test result to Test Case for Build. See [help](#) for more information about filter and settings.

## Get started:

1. User must have defined a Build for the Test Plan.
2. Select a Build from the drop down box and the Update button in the navigation pane.
3. Click on a test suite to see all of its test suites and all of its test cases.
4. Fill out the test case result and any applicable notes or bugs.



TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customise Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ] Test Project Sample Project Ok

Link Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

Test Plan Testplan

Navigation Filter & Settings

Filter: Test Case ID:

Keyword:

Result: All

Build: Build1-testplan

Assigned to:

Apply filter

Sample Project / Testplan (3)

Testsuite1 (3)

9: Testcase1

11: Testcase2

13: Testcase3

Test Results on Build Build1-testplan

Test plan notes

Build's description

Bulk TC status management

Print Show complete execution history

Testsuite TestSuite1

Test Case ID 9 :: Version: 1

Testcase1

Last execution for this build

Summary

fdfdfdfdfdfdf

Steps Expected Results

Step1: dfdsdfs

Step2: sdfdfdfdfdfdf Go to the Page2

Email:

Email:

NOTES / DESCRIPTION

RESULT

Passed Failed Blocked

Save execution

Enter the result of the testcase(s)

Testsuite TestSuite1

Test Case ID 11 :: Version: 1

Testcase2

Last execution for this build

Summary

sdfsd

Steps Expected Results

dfdfdfdfdfdf

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Google

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: [ ] | Logout

Test Plan Testplan

Navigation Filter & Settings ?

Filter: Test Case ID: [ ]

Keyword: [ ]

Result: All [ ]

Build: Build1-testplan [ ]

Assigned to: [ ]

Apply filter

Sample Project / Testplan (3)

- TestSuite1 (3)
  - 9: Testcase1
  - 11: Testcase2
  - 13: Testcase3

Test Results on Build Build1-testplan

Test plan notes

Build's description

Bulk TC status management

Print Show complete execution history

Testsuite TestSuite1

Test Case ID 9 :: Version: 1  
Testcase1

Last execution for this build

Date	Tested by	Status	Notes	attachments
01/08/2008 10:53:34	admin	Passed		[ ]

After entering the result , according to the result, the status will get the color:

Pass- green  
Fail- red  
Not run- black

Summary

fdfdfdsfsdfsdfsd

Steps Expected Results

Step1: dfsdfsdf

Step2: sdfdfdsfsdfsdfsd

Go to the Page2

Email: [ ]

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows Media Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Test Link Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: | Logout

**Test Plan Testplan**

**Navigation Filter & Settings**

Filter: Test Case ID:

Keyword:

Result: All

Build: Build1-testplan

Assigned to:

Apply filter

**Sample Project / Testplan (3)**

TestSuite1 (3)

9: Testcase1

11: Testcase2

13: Testcase3

The status of failed testcases becomes RED

**Testsuite TestSuite1**

Test Case ID 11 :: Version: 1

Testcase2

Last execution for this build

Date	Tested by	Status	Notes	attachments
01/08/2008 10:53:55	admin	Failed		
Email: <input type="text"/> attachments				

**Summary**

sdfsdf

**Steps**

sdfsdfs

**Expected Results**

sdfsdfsd

Email:

Email:

**NOTES / DESCRIPTION**

**RESULT**



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

#### Test Plan

##### Testplan

OK

Click here to print the testplan in  
document /html format



#### Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)

#### Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

#### Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)



## Navigator - Print Test Plan

## Print Options ?

- Show Document Header
- Show Test Case Body
- Show Test Case Summary
- Show Table of Contents
- Show Test Case Author
- Show Pass/Fail and Notes
- Show as

→ step 1

→ step 2

→ Step 3

## Print Test Specification

## Purpose:

This functionality allows the user to print Test Cases by either their test suites or for a whole Test Project/Test Plan.

## Get Started:

1. Click on a Test Suite, or Test cases to see all of the corresponding test cases below it.
2. The 'Print option' table in navigation pane allows to define a range and format of printed data. See [help](#) for more information.
3. Use your browsers print functionality to actually print the test cases.  
*Note: Make sure to only print the right frame.*

1. Choose the options which you want to be present in document from the option box.
2. Choose the format word/html
3. Click the Testplan/Testsuite
4. RHS window will show the HTML format, if it is word immediately download window will open and ask the user to save the file



C

X



http://localhost/testlink\_17rc3/index.php



Google



TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Link

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID:  | Logout

## Navigator - Print Test Plan

Print Options ?

Show Document Header

Show Test Case Body

Show Test Case Summary

Show Table of Contents

Show Test Case Author

Show Pass/Fail and Notes

Show as

Sample Project / Testplan (3)  
  TestSuite1 (3)

## Sample Project

Testlink Development Team [configure using TL\_DOC\_COMPANY]



Print

Click here to print

Testplan details in HTML  
format

## Test Specification - Sample Project

Test Project: Sample Project

dfsdfsdfsd

Author: admin

Printed by TestLink on 01/08/2008

copyright- Testlink Development Team [configure using TL\_DOC\_COPYRIGHT]

this document is not confidential [configure using TL\_DOC\_CONFIDENT]



- Install directory should be removed!
- You should change the default password for the 'admin' account!

#### Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

#### Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

#### Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

#### User Administration

- [User Management](#)
- [Role Management](#)

#### Custom fields

- [Custom field management](#)
- [Assign custom fields](#)

#### Test Plan

- [Testplan](#)
- [OK](#)

#### Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)

#### Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

#### Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)

Now after executing the testcases,  
anyone wants to get the report and / metrics of  
the testplan. click here to get the data



TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

http://localhost/testlink\_17rc3/index.php

Most Visited Getting Started Latest Headlines Customize Links Free Hotmail Windows Marketplace Windows

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Test Link Home | Specification | Execute | Results | User Administration | Personal | Test Case ID: [ ] | Logout

**Navigator - Results**

Print

General Test Plan Metrics  
Overall Build Status  
Query Metrics  
Failed Test Cases  
Blocked Test Cases  
Not run Test Cases  
Test Report  
Charts

Active Build

Build1-testplan

Report Format

normal

All these are report links

Choose the Active build and the format which you wants the data to be displayed.

## Results / Test Reports and Metrics Overview

### controls

#### 1. Active Build

The only report which is effected by the "Active Build" control is the "Metrics of Active Build" report.

#### 2. Report format

All test reports (except charts) can be generated in 3 ways :

- 1.normal - report is displayed in web page
- 2.MS Excel - report exported to Microsoft Excel
- 3.HTML Email - report is emailed to user's email address

### reports

There are currently 10 separate reports to choose from, their purpose and function are explained below.

#### 1) Metrics of Active Build

This report shows the detailed results for a particular build defined by the "Active Build" control. It only takes into account executions performed on the selected build. The following tables are displayed:

##### Results by top level Test Suites

Lists the results of each top level suite. Total cases, passed, failed, blocked, not run, and percent completed are listed. A "completed" test case is one that has been marked pass, fail, or block. Results for top level suites include all children suites.

##### Results by Test Suite

Lists metrics for all suites in test plan, not just top level suites.

##### Results By Keyword

Lists all keywords that are assigned to cases in the current test plan, and the results associated with them.

#### 2) General Test Plan Metrics

This page shows you only the most current status of a test plan by test suite, owner, and keyword. The most "current status" is determined by the most recent build test cases were executed on. For instance, if a test case was executed over multiple builds, only the latest result is taken into account.



## Navigator - Results

Print

General Test Plan Metrics

Overall Build Status

Query Metrics

Failed Test Cases

Blocked Test Cases

Not run Test Cases

Test Report

Charts

Active Build

Build1-testplan

Report Format

normal

## General Test Plan Metrics

Test Project : Sample ProjectTest Plan : Testplan

## Results by top level Test Suites

## General TestPlan Metrics

Test Suite	Total	Passed	Failed	Blocked	Not run	Completed [%]
TestSuite1	3	1	1	0	1	66.67

## Results by Tester

Tester	Total	Passed	Failed	Blocked	Not run	Completed [%]
unassigned	3	1	1	0	1	66.67

## Results by Keyword

Keyword	Total	Passed	Failed	Blocked	Not run	Completed [%]
keyword1	1	1	0	0	0	100.00

Generated by TestLink on 01/08/2008 10:55:34



## Navigator - Results

## General Test Plan Metrics

[Overall Build Status](#)

Click here to get the  
overall build status

## Overall Build Status

Test Project : [Sample Project](#)Test Plan : [Testplan](#)

## Overall Build Status Report

Build	TC Total	Passed	[%]	Failed	[%]	Blocked	[%]	Not Run	[%]
Build1-testplan	3	1	33.33	1	33.33	0	0.00	1	33.33

Generated by TestLink on 01/08/2008 10:56:03

## Test Report

## Charts

## Active Build

[Build1-testplan](#) 

## Report Format

[normal](#)



## Navigator - Results

## General Test Plan Metrics

Overall Build Status

[Query Metrics](#)

Failed Test Cases

Blocked Test Cases

Not run Test Cases

Test Report

Charts

Active Build

Report Format

Test Project : Sample ProjectTest Plan : Testplan

## Query Metrics

## Select Build(s)

Build1-testplan

TestSuite1

## Select Keyword

keyword1

## Select Owner

admin

search for string in notes

executed by

admin

## Show Executions of Status

Passed  
Failed  
Blocked  
Not Run

## Display Suite Summaries

true  
false

Click the Submit query button

## Display Query Parameters

true  
false

## Display Totals

true  
false

Submit Query

TestLink 1.7.0 RC 3 - Mozilla Firefox

File Edit View History Bookmarks Tools Help

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID:  | Logout

**Navigator - Results**

General Test Plan Metrics

Overall Build Status

Query Metrics

Failed Test Cases

Blocked Test Cases

Not run Test Cases

Test Report

Charts

Active Build

Build1-testplan

Report Format

normal

**Query Metrics Report**

Test Project : Sample Project

Test Plan : Testplan

**Continuation of Query Metrics**

ID	Build	Tester	Time	Status	Notes	Bugs
9: Testcase1	Build1-testplan	admin	01/08/2008 10:53:34	passed		
11: Testcase2	Build1-testplan	admin	01/08/2008 10:53:55	failed		
13: Testcase3				Not Run		

**Based on the user query, the report is displayed in the new screen**

## Navigator - Results

Print

## General Test Plan Metrics

Overall Build Status

Query Metrics

Failed Test Cases

Blocked Test Cases

Not run Test Cases

Test Report

Charts

Active Build

Build1-testplan

Report Format

normal

## Failed Test Cases

Test Project : Sample Project

## Failed Testcases

Test Plan : Testplan

Test Suite	Title	Build	Run by	Date	Notes	Bugs
TestSuite1	11: Testcase2	Build1-testplan	admin	01/08/2008 10:53:55		

*There are only last test results listed. i.e. Test Case is not shown if test result for later build has another status (except not run).*

Generated by TestLink on 01/08/2008 10:57:29

Click here to view the failed testcases

Similarly we will be getting the reports for Blocked and not run testcases



C

X



http://localhost/testlink\_17rc3/index.php



Google



TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project Sample Project Ok

Home | Specification | Execute | Results | User Administration | Personal | Test Case ID:  | Logout

## Navigator - Results

Print

## General Test Plan Metrics

Overall Build Status

Query Metrics

Failed Test Cases

Blocked Test Cases

Not run Test Cases

Test Report

Charts

Active Build

Build1-testplan

Report Format

normal


## Test Report: Results of Test Cases for all Builds

Test Project : Sample Project**Test Report**Test Plan : Testplan

Test Suite name	Test Title	Build1-testplan
TestSuite1	9:Testcase1	Passed
TestSuite1	11:Testcase2	Failed
TestSuite1	13:Testcase3	Not Run


Generated by TestLink on 01/08/2008 10:57:40

**Click here to get the  
Test report**





File Edit View Favorites Tools Help

Address [http://localhost/testlink\\_17rc3/index.php](http://localhost/testlink_17rc3/index.php)

Go Links

# Test Link

TestLink 1.7.0 RC 3 : admin Role :: [ admin ]

Test Project SampleProject Ok

[Home](#) | [Specification](#) | [Execute](#) | [Results](#) | [User Administration](#) | [Personal](#) | Test Case ID:  | [Logout](#)

- Install directory should be removed!
- You should change the default password for the 'admin' account!

## Test Specification

- [Edit Test Case\(s\)](#)
- [Search Test Case\(s\)](#)
- [Print Test Cases](#)

## Keywords

- [Keyword Management](#)
- [Assign Keywords](#)

## Test Project Management

- [Create new Test Project](#)
- [Edit / Delete Test Project](#)
- [Assign user roles](#)

## User Administration

- [User Management](#)
- [Role Management](#)

## Custom fields

- [Custom field management](#)
- [Assign custom fields](#)



Click here to change the personal information



## Test Execution

- [Execute Tests](#)
- [Print Test Plan](#)
- [Test reports and Metrics](#)

## Test Plan contents

- [Add Test Case\(s\)](#)
- [Remove Test Case\(s\)](#)
- [Show Test Cases newest versions](#)
- [Assign Test Case execution](#)

## Test Plan Management

- [Test Plan Management](#)
- [Assign user roles](#)
- [Build Management](#)
- [Milestone Management](#)



## Account Settings

## Personal

Login	admin
First Name	Testlink
Last Name	Administrator
Email	usha.kannappan@gmail.com
Locale	English (UK) <input type="button" value="▼"/>

Edit his/her personal information in this page

## Change your password

Old Password	<input type="text"/>
New Password	<input type="text"/>
Confirm New Password	<input type="text"/>

The End

