
COMFYUI CUSTOM NODE PACK · FIELD GUIDE

MB Nodes.

How every node in the pack works, what each control does, and what it looks like on the canvas.



CATEGORY — MBNodes

NODES — 45+

FRONTEND — 45 JS extensions

Nov 2026

00 — OVERVIEW

One pack, seven working areas.

Every node lives under the **MBNodes** category and keeps the stock ComfyUI look, tinted by a single accent colour (pink by default). Most nodes ship a custom JavaScript face: dialogs, button grids, live previews and graph tools that the stock widget set can't express.

01 Prompts & text p.3–4

Prompt (tag library), Prompt Pad, System Prompt, Prompt Expander, Text, Combine Text, Prompt Combiner, Random Line, Show Text, Get Lines, Load Prompts From File.

02 Image input p.5

Load Image, Load Image Mini, Load Images from Folder, Load Image Crop, clipboard paste.

03 Image processing p.6

Crop Image, Pad Image, Rotate Image, Film Grain, Image To SVG, Compress Image.

04 Output & media p.7

Save Image (with compare slider), SaveMP4, Load Video, Preview Audio, Preview Anything.

05 Generation p.8

Resolution, Upscale Latent, Sampler, Load Models Combo, LoRA Stack, Slider.

06 Graph flow p.9

Route 66, WiFi Send/Receive, Branch Runner, Control Panel, Replace Nodes, MB sidebar.

07 Character & style p.10

Krea2 Styles, Wildcard Select, Civitai Info, wardrobe/saree/heels/bodycon randomizers, Accessories, Body Type, Style Modifier, Poses.

08 Settings & theme p.10

Accent colours, 11 palettes, 17 link render modes, notify-on-finish, restart button, node defaults.

45+
nodes, all V3-schema where new

1,506
bundled Krea2 styles in 16 categories

17
custom link routing modes

Reading the mockups

IMAGE · LATENT · STRING · INT/FLOAT · MODEL · CLIP · VAE · MASK · AUDIO · ANY · active / accent

Prompt (MB): a tag library inside the graph.

Save any prompt as a named tag, then write `@name` anywhere to reuse it. Tags expand recursively at run time; `@name:1.2` becomes `(prompt:1.2)`.




Fig 3.1 — node face, refs highlighted in accent

How expansion works

- Tags expand first, recursively, so a tag can contain other tags.
- With `dynamic_prompts` on, each `{a|b|c}` picks one option — nested braces and `{|shiny}` optional words included — so choices stored inside tags work too.
- `seed` drives the picks (fixed by default; randomize for a new pick each run). Braces without `|` are left untouched.
- Output is tidied: doubled spaces, empty comma slots and trailing commas removed.

Editing tools

- **Save Tag** asks for a name; on collision it shows old vs new side by side before overwriting.
- **Insert Tag** or typing `@` opens a searchable picker at the cursor.
- **Manage Tags**: resizable dialog with search (names + text, highlighted), prefix groups (`style_…`), sorting, rename/delete with Undo, and diff-only saves so concurrent edits survive. Keys: ↑↓, Del, Ctrl+N, Ctrl+S.
- Unknown refs render red and are counted in the title bar.

Prompt Pad

Scratchpad that saves and loads `.txt` files from `SavedPrompts/`. A connected `text_in` overrides the output.

System Prompt

Same idea for LLM system prompts: its own library, an **Add folder…** picker for outside libraries, `.txt` / `.md` loading.

Prompt Expander

Expands a short prompt through a local Ollama model (`127.0.0.1:11434`). Eight presets incl. a *System prompt creator*, Save/Delete Preset, Pick Model, `max_tokens`, `keep_alive` 0 to free VRAM.

Small text tools that remove glue nodes.

Joiners, splitters and previews. Several grow their own sockets as you wire them, so there are no fixed numbered inputs to manage.




Fig 4.1 — one output per line, count in title




Fig 4.2 — auto-growing parts, live result preview

Get Lines ≤32 outputs

Grows one output per line. In *Auto* the count follows the feeding text widget as you type, or the real count after a run. Connected outputs are never removed. Right-click → **Lines** to pin a fixed count.

Prompt Combiner

Joins parts in order between prefix and suffix. `tidy` cleans each part into a sentence; weighted `(x:1.2)` parts are left alone.

Combine Text ≤32 inputs

Joins any number of text inputs with a chosen delimiter; slots auto-grow.

Text

Plain multiline box with `{a|b|c}` dynamic prompts on by default.

Random Line Select

Splits text into lines and outputs one chosen by seed, wrapping to the line count.

Show Text

Live read-only preview, passes the text through. Runs standalone.

Load Prompts From File

Upload .txt, choose a separator (blank line, newline, `---`, `<>`) and every prompt goes out as a list, so downstream runs once per prompt in one queue. `start` / `limit` pick a range; `count` is output.

Four ways to get pixels into a graph.

From a single paste to a whole folder, each loader carries its own resize logic so you rarely need a separate scale node.



Fig 5.1 — drag to draw, wheel zooms, Alt-drag pans



Fig 5.2 — click / shift-click thumbnails to select

Load Image Crop

Crop directly on the node preview: drag to draw, drag inside to move, corners to resize, double-click to clear. No crop = full image. `aspect` locks to presets; `max_megapixels` scales the result (0 keeps crop size), then both sides snap to `resolution_steps` using `upscale_method`.

Load Image

Pick or upload, preview, optional megapixel-target resize. 📋 **Paste from clipboard** saves the last copied image into `input/` and selects it.

Load Images from Folder

Loads every image, or only clicked tiles. `list` keeps sizes and runs downstream once per image; `crop`, `pad` (with `pad_color`) and `stretch` normalise to the largest image as one batch.

Load Image Mini

Compact custom face: toolbar (upload/paste/⚙), arrow + thumbnail picker, preview and input/output size cards. The full resize engine — max MP, longest side, scale, fit, crop to fill, match ratio, snap, resample, accent — sits behind the gear. Outputs image + image_info.

Frame, pad, grain, trace, compress.

Editing nodes with dialog-grade controls. The Pad Image dialog uses a tabbed sidebar; crops are stored as fractions so they survive upstream resolution changes.




Fig 6.1 — drag any edge or corner outward, or type per-side values

Pad Image

Pads for outpainting and outputs `outpaint_mask` (feathered). Modes: manual dialog, target size, aspect ratio with anchor. Fill with colour, replicate, reflect or blurred edges; transparent padding; `seam_blend`.

Crop Image

Same crop dialog as Load Image Crop — box, aspect presets, divisible-by — on an `image` input. Falls back to a cached preview before the first run.

Rotate Image

90 / 180 / 270 as radio-style toggles; `clockwise` flips direction.

Film Grain

Presets: Fine 35mm, Portra 400, Tri-X 400, 16mm, Super 8, or Custom sliders (intensity, size, colour, luminance response). Per-frame grain, seeded.

Image To SVG

vtracer vectorising with Accurate, Poster, Logo, B&W or Custom presets. Outputs SVG strings plus a re-rendered image to compare; optional save. Needs `vtracer`, `resvg-py`.

Compress Image

jpg / webp / png by quality, target KB (quality steps down until it fits), max dimension or lossless webp. Mask → alpha; jpg flattens on white.

04 — OUTPUT & MEDIA

See it, compare it, then write it.

Output nodes that re-encode live, show file sizes, and give a before/after slider without leaving the node.




Fig 7.1 — hover moves the compare slider

Save Image

- png / jpg / webp / avif to the output folder or any typed path; images pass through.
- `preset` : lossless, visually_lossless, balanced, small — or `custom` quality widgets.
- Changing format or preset re-encodes the last run live; a badge shows size and saving vs png.
- Node keeps the image's proportions as you resize; new shapes snap the node.
- `preview` mode skips writing; a cached copy survives restarts.
- `compare_image` adds a before/after slider; click steps through a batch.

SaveMP4

h264 mp4 from an image batch with optional muxed audio. Encode preset, `trim_to_audio` , `preview_only` , and a clean in-node player.

Load Video

Outputs frames, audio, fps, seconds, VIDEO and info. `start_frame` , `frame_cap` and `force_fps` — only the selected stretch is decoded, audio trimmed to match.



Preview Audio

Plays incoming audio with its own volume (output untouched); optionally saves mp3 / opus / wav / flac.

Preview Anything ANY

Image, mask, audio and video get real previews; everything else shows its text repr. Passes the value through and runs standalone.

05 — GENERATION

Size, models, LoRAs, sampling.

The core of a txt2img graph, reduced to fewer, smarter nodes.




Fig 8.1 — • marks sizes near 1 MP




Fig 8.2 — red outline = file not on disk

Resolution

Aspect dropdown, preset buttons (multiples of 64, up to 4 MP), orientation buttons that mirror the ratio, batch stepper and a to-scale preview. Outputs width, height, empty latent, batch size.

Upscale Latent

Multiplier button grid (editable via right-click → MB Settings) or **Custom…**; method as a button row. Readout shows input → output latent and pixel size.

Slider

One slider whose output adopts the type, step and range of the input it connects to. ⚙ Slider Settings for min/max/step.

LoRA Stack

Any number of LoRAs on MODEL (and CLIP if connected). Drag to reorder, pill toggles, strength scrub with fill bar. ⓘ lists trigger words from sidecars, the safetensors header, or civitai by SHA256 (cached); tick to output them.

Load Models Combo


Diffusion model + CLIP + VAE in one node. Grouped menus: ★ favourites, 🕒 last 5, Search all…, subfolders. **Presets** save the whole set; missing files outlined red.


Sampler

KSampler with live preview and an optional hires second pass: `upscale_by`, `denoise_2`, `steps_2`, `seed_2`. Outputs `latent` and `latent_pass1`.

Tidy wires, partial runs, one control desk.

Frontend-first tools for large workflows. WiFi nodes resolve at queue time, so the server only ever sees plain links.





WiFi Send / Receive

Up to 20 named lanes under a `channel`. Receivers pick any channel in the workflow, including subgraphs, and mirror types, colours and names live. Same-channel nodes share a title colour; right-click → Go to sender/receiver. Duplicate channels or "no signal" block the queue with a clear message.

Route 66

Multi-lane reroute (≤20). Lanes appear as you wire, sockets take the type colour, double-click to name. Right-click → Tidy lanes, Compact.

Control Panel

Up to 16 blank controls that adopt the shape of whatever they're wired to — slider, toggle, filtered dropdown, seed with reroll, or text — and revert on disconnect.

Branch Runner

Queues only this node and its upstream (partial execution). Hover outlines the branch; `runs` 1–100; **Alt+Enter** runs selected runners.

Replace Node…

Right-click → swap a node in place. Links reconnect by name, index, then type; matching widgets, title, colour and mode carry over. One Ctrl+Z undoes it.

MB sidebar

Box icon in the left sidebar listing only this pack's nodes by category, with search. Drag to place, click to add at centre.

Seeded prompt builders and the MB panel.




Fig 10.1 — randomizer toggles as a button grid

- **Krea2 Styles** — category + style over 1,506 bundled styles; random within category; outputs `Name: Prompt`.
- **Wildcard Select** — seeded pick from `wildcards/*.txt`, wrapped in a 0–5 weight; prefix/suffix; `raw` output.
- **Civitai Info** — metadata from sidecars, header, or civitai.com by SHA256 (opt-in). Never errors; `found` false.
- **Saree / High Heels / Bodycon** — 28–40 styles × 40 detail fragments, seeded colour; blouse/drape extras on Saree.
- **Accessories** — six slots (none/random/style), metal finish, per-slot outputs.
- **Body Type** (37), **Style Modifier** (43), **Simple Standing Poses** (30, with close-up).

Settings → MB

Theme

Accent: Pink (default), Green, Purple, Teal, Gold, Blue, Red, Orange, Indigo, Slate, Orchid or Custom. Optional accent-tinted UI and style polish.

Palettes

11 palettes added to ComfyUI's list — Graphite, OLED, Slate, Plum, Forest, Arctic, Deep Indigo, Glacier Mint, Ember, Ruby, Rose. Top-bar button cycles them.

Features

Node count badge, restart button, palette switcher, Replace Node menu, clipboard paste, notify-on-finish (custom mp3s). Node defaults for new nodes.

Link render modes



Plus Default, Diagonal Bus, Bezier Snap, Circuit, Dashed, Ghost Wire, Tension, Spotlight, Fade Mid, Hairline, Teleport and Bundle — with global opacity and per-mode tuning (sag, bow, reach, distance).