UNIFIED MOBILE PRODUCT · 706-ROUTE PRODUCTION SYSTEM

Tether Health Production design specification

11

A build-ready system for one secure mobile application with eleven clinically distinct health programs, four authentication methods, reusable flows, and production-grade interaction rules.

Flutter · iOS + Android · Offline-first · Accessible · HIPAA-aligned target

Prepared for design implementation and code generation · 18 September 2026 · equal-depth 11-program atlas

DOCUMENT MAP

How to use this specification

01	Product architecture
02	Visual foundations
03	Components and states
04	Navigation and authentication
05	Reusable health flows
06	Eleven equal-depth program blueprints
07	Privacy, security, accessibility
08	Flutter architecture
09	API and data contracts
10	Build and QA plan
11	406-screen core catalog
12	Visual lineage (BreatheFree source)
13	Complete 406-screen core UI atlas
14	300-screen clinical-depth extension

Implementation rule

Claude should treat the tokens, component states, route catalog, program contracts, and acceptance criteria as normative. The approved screen images are the visual reference. Do not implement the product as static screenshots; rebuild each screen with native Flutter widgets, semantic labels, responsive layout, real text scaling, and testable state.

PRODUCT ARCHITECTURE

One shell, eleven programs, 706 controlled routes

The app is not 706 unrelated designs. It is a shared shell plus a typed program template that produces consistent screens while preserving clinical differences.

10
Shared screens
Splash, program selection, authentication, profile, consent, lock setup.

36
Core per program
Onboarding, plan, home, check-in, rescue, recovery, learn, support, security.

706
Total routes
406 core routes + 300 clinical-depth routes for the ten non-tobacco programs.

Launch → Program picker → Sign in → Consent + lock → Program onboarding → Home → Check-in / Rescue / Plan / Learn / Support

Core invariant: tobacco language may appear only in BreatheFree. Every other program owns its own assessment, plan anchor, rescue, recovery, metrics, education, and escalation copy.

NAVIGATION MODEL

The information architecture stays predictable

Primary navigation

- **Home:** current program status, next action, urgent tool, upcoming items.
- **Plan:** program-specific plan center and editable commitments.
- **Progress:** trends and completed actions, never punitive scoring.
- **Learn:** clinically reviewed, searchable, offline-capable lessons.
- **Support:** people, care team, service routing, and sharing controls.

Global navigation

- Program name in the header opens the program switcher.
- Profile opens account, accessibility, privacy, and security.
- Rescue remains reachable from Home in one tap and from other active flows in two taps.
- System back returns to the previous safe state; it never discards unsaved health data without confirmation.

Persistent state

- Authenticated user and device trust
- Selected and active programs
- Per-program onboarding phase
- Draft and active plans
- Unsent offline actions
- Consent versions
- Accessibility choices

Not persistent by default

- Unsubmitted free text
- Crisis-link taps as progress
- Clipboard contents
- Social account credentials
- Sensitive notification body text

COLOR SYSTEM

The approved palette carries meaning

Use color semantically and consistently. Program identity comes from content and iconography, not a different rainbow for every condition.

Deep teal · #123C37

Teal secondary · #536F69

Muted teal · #718A84

Cream · #F8F5EC

Paper · #FFFDF7

Coral · #FF7D61

Coral light · #FFF0EB

Lime · #D5EF75

Mint · #DFF2E7

Mint strong · #BFE1D2

Border · #B6C8C2

White · #FFFFFF

Primary

Deep teal for headings, filled actions, active navigation, and high-emphasis surfaces.

Urgency

Coral for rescue, warning, selected state, and immediate support. Never use coral as decoration.

Success and time

Lime for completion, timers, progress emphasis, and the next safe action.

TYPOGRAPHY AND LAYOUT TOKENS

Type and spacing create the calm

Type scale

TOKEN	SIZE / LINE	USE
Display	40 / 43	Hero statements
H1	32 / 36	Screen title
H2	24 / 29	Card title
H3	18 / 23	Section title
Body L	17 / 25	Primary body
Body	15 / 22	Supporting copy
Label	13 / 16	Controls
Eyebrow	12 / 15	Uppercase context
Caption	11 / 15	Metadata only

Layout tokens

TOKEN	VALUE	RULE
Canvas	390 × 844	Logical iPhone baseline
Gutter	20 px	Phone horizontal
Spacing	4, 8, 12, 16, 24, 32	Only scale values
Card radius	20 px	Primary surfaces
Control radius	14 / pill	Inputs and chips
Tap target	48 × 48 min	All interactive items
Button	56 px	Primary height
Bottom bar	88 + safe area	Five destinations

Use a modern sans serif that supports all target languages. In Flutter, declare the shipped font files explicitly; do not depend on a network font. At 200% text scale, content must reflow instead of clipping.

SURFACE AND COMPONENT GRAMMAR

Cards make complex health tasks scannable

Paper card

Default grouped content. One topic, 16–20 px padding, low shadow, neutral border.

Mint card

Explanation, privacy, recommendation rationale, calm success.

Dark card

Hero status, active guided tool, or high-emphasis summary.

Coral card

Rescue entry, warning, human support, or urgent escalation.

Lime action

Timer, completion, safe next action. Keep text deep teal.

Outline row

Secondary action, navigation row, or unselected choice.



Approved Home composition

BUTTONS, INPUTS, AND FEEDBACK

Every control has visible states

Buttons

- Primary: deep teal fill, white text, lime arrow.
- Urgent: coral fill or coral-light outline.
- Secondary: paper fill, teal outline.
- Destructive: explicit label, confirmation, no color-only meaning.
- Loading: spinner + unchanged width.
- Disabled: muted fill, readable label, reason nearby.

Inputs

- Labels remain visible above fields.
- Selection uses border + icon + fill.
- Sliders expose value text and semantic increments.
- OTP supports paste and platform autofill.
- Validation appears inline after interaction.
- Health units are explicit and locale aware.

Feedback

- Autosave state is visible but quiet.
- Success confirms what changed.
- Offline state explains what will sync.
- Errors preserve entered values.
- External calls/messages require preview.
- No notification reveals a diagnosis by default.

Interaction copy: use one verb per action. Prefer “Save check-in,” “Start breathing,” and “Review sharing” over generic “Continue” when the outcome is known.

AUTHENTICATION EXPERIENCE

Four sign-in methods lead to one account

Apple | Google | Email | Phone → Identity broker → Tether session

Screen sequence

- Auth chooser shows all four options at equal hierarchy.
- Apple and Google use native OAuth/OIDC handoff; request only name and email scopes.
- Email sends a six-digit, single-use code; do not require a password.
- Phone uses E.164 formatting, SMS code autofill, resend timer, and alternate-method link.
- First sign-in continues to profile, consent, notification choice, and app lock.
- Returning users resume the last safe route after biometric or PIN unlock.

Security requirements

- PKCE and state/nonce verification for federated login.
- Short-lived access token; rotated refresh token in Keychain/Keystore.
- Never persist OTP values or provider tokens in logs.
- Rate limit sends and verification attempts.
- Account linking requires fresh authentication.
- Recovery and deletion require step-up authentication.

Apple/Google are identity providers only. Never transmit the selected health program as an authentication parameter.

PROGRAM SELECTION

The program picker is the front door

Ask “What would you like support with?” Allow multi-select, “Not sure yet,” and “Choose later.” Do not ask users to label themselves with an illness.

Behavior

- Show all eleven program cards with name, plain-language promise, availability, and selection state.
- Selections are local until consent and account creation complete.
- A user may activate multiple programs and switch at any time.
- Each program keeps independent plan, privacy, support, and notification settings.
- Availability and waitlist states come from remote configuration, not hard-coded labels.
- Changing programs never mixes journals, metrics, supporters, or clinical guidance.

Eleven programs

01 BreatheFree
02 Steady
03 WithYou
04 Heartwise
05 Nourish
06 ClearAir
07 Balance
08 SteadyMind
09 Ahead
10 Everwell
11 Present

Display the health area below the program name; the brand name alone must never obscure what support is offered.

MULTI-PROGRAM STATE MODEL

Program switching preserves context without leaking it

Global

- Account
- Language
- Accessibility
- Device trust
- Legal consent
- Security events

Per program

- Onboarding answers
- Active plan
- Check-ins
- Tool history
- Support circle
- Sharing policy
- Notification policy

Never shared silently

- Journal entries
- Symptoms
- Crisis use
- Medication notes
- Care-team summaries
- Social media data

Header program name → **Switcher sheet** → **Confirm unsaved draft** → **Load program home**

Isolation test: create data in Program A, switch to Program B, and verify that no labels, values, supporter permissions, reminders, progress metrics, or recommendations from A appear in B.

MOBILE FRAME AND NAVIGATION ANATOMY

The shared shell is native, responsive, and testable



Learn tab: selected destination and searchable content

Screen regions

- System safe area and status bar
- Compact app header with context and profile
- Optional phase/progress rail
- One clear page title and support sentence
- Scrollable content stack with card rhythm
- Sticky primary action when the task requires completion
- Persistent five-item tab bar on top-level destinations

Responsive rules

- Phone: single column, 20 px gutters.
- Large phone: preserve readable line length; do not stretch cards edge to edge.
- Tablet: 600–720 px content column or two-pane list/detail.
- Keyboard open: primary action remains reachable.
- Landscape: guided tools retain controls without vertical clipping.

REUSABLE FLOW · ONBOARDING

Onboarding explains value before asking for data



Value promise and three benefit rows



Plain-language consent with required vs optional choices

REUSABLE FLOW · ASSESSMENT

Assessments ask one understandable question at a time

Required pattern

- Show question count and percent complete.
- Explain why sensitive information is requested.
- Use condition-specific choices; include “Prefer not to answer” where safe.
- Autosave locally and restore after interruption.
- Keep free text optional and bounded.
- Do not diagnose or score severity unless a validated instrument and approved interpretation are used.

Selection state

Coral outline + light fill + checkmark. Never rely on color alone. A selected label remains readable by screen reader and exposes selected=true.



BreatheFree baseline question

REUSABLE FLOW · DAILY CHECK-IN

The check-in produces one useful next step



Short input stack with rescue always available

Contract

- Target completion: 60–90 seconds.
- Collect only signals that can change today's support.
- Use explicit units and "optional" labels.
- Never convert a missing entry to zero.
- Keep a rescue or urgent-support route visible.
- After save, return a single prioritized recommendation with rationale.

State model

```
idle → editing → validating → saved_local
saved_local → syncing → synced
syncing → failed_retryable
any → rescue_without_discard
```

REUSABLE FLOW · NEXT STEP

Recommendations explain why, not just what

Decision output

- One recommended action, duration, and expected effort.
- Inputs shown as human-readable chips.
- “Why this was recommended” reveals the rule or model explanation.
- Alternative strategy remains available.
- Add-to-plan and practice-now are separate actions.
- Educational support remains clearly non-diagnostic.

> **Model boundary:** a recommendation engine may choose among approved content; it must not invent treatment, change medicine, or set a clinical target.



Personalized next step with rationale

REUSABLE FLOW · GUIDED EXERCISE

Guided tools reduce choice during a difficult moment



Active tool with timer, voice, haptics, and pause

Behavior

- Use one active instruction and one countdown.
- Voice and haptics are optional and remembered per device.
- Reduced motion follows system preference.
- Pause, switch tool, human support, and end remain available.
- Leaving the app pauses safely; returning resumes only with confirmation.
- Partial completion may be saved; no penalty language.

Motion

Breathing rings scale 0.96–1.04 with opacity change. Use 4–6 second easing. Reduced-motion mode replaces scaling with a simple numeric cue and progress line.

Haptics

Light confirmation at phase changes; no continuous vibration. Never use haptics as the sole signal.

REUSABLE FLOW · RESCUE

Rescue is a five-step safety pattern

1
Rate
Current intensity and optional trigger.

2
Choose
Best match plus alternatives and human route.

3
Act
One short, guided, offline-capable tool.

4
Recheck
Self-reported intensity and helpfulness.

5
Save
Result, next step, repeat, or person.

Escalate
Program-specific urgent route always overrides the normal sequence.



1 · Rate



2 · Choose



4 · Recheck

REUSABLE FLOW · RECOVERY

Recovery protects progress after an off-plan event

Recovery principles

- Lead with “information, not failure.”
- Preserve all prior progress and history.
- Ask only what improves the next plan.
- Offer continue, adjust, or decide-with-help paths.
- Generate one concrete next action.
- Never create compensating, punitive, or shame-based advice.

Program names

BreatheFree: Slip recovery. Steady: Off-track recovery. WithYou: Hard-day recovery. Heartwise: Off-day recovery. Nourish: Kind reset. ClearAir: Flare recovery. Balance: Gentle return. SteadyMind: Hard-day hold. Ahead: Paused, not stopped. Everwell: Pause with kindness. Present: Binge-scroll recovery.



BreatheFree recovery reference

REUSABLE FLOW · PLAN

The plan center is specific to the program



Medication center: education and tracking, not prescribing

Shared structure

- Recorded plan status and source
- Today’s actions and reminders
- Editable goals or guidance
- Education with review/version label
- Questions for a care professional
- Offline availability and last sync
- Safety or escalation card

> **Clinical boundary:** the app may record clinician-provided targets and instructions. It must never create a dose, medication schedule, glucose range, fluid limit, respiratory action plan, or exercise clearance.

REUSABLE FLOW · PROGRESS

Progress shows patterns without punishment

Display rules

- Show source and calculation for every estimate.
- Distinguish self-report from clinical measurement.
- A setback annotates history; it does not erase it.
- Missing entries remain missing.
- Use trends, ranges, and helpful-tool evidence over scores.
- Export and date-range controls are explicit.
- Charts include text summaries for accessibility.

Metric contract

Every metric defines: source, unit, time zone, missing-value behavior, calculation, edit policy, deletion policy, and whether it can be shared.

Progress dashboard reference

REUSABLE FLOW · LEARN

Learning content is reviewed, versioned, and usable offline



Search, filters, featured lesson, topics, downloads

Content model

- Title, summary, body blocks, reading time
- Audio, transcript, captions, language
- Clinical reviewer and review date
- Content version and expiry/review due date
- Program tags, phase tags, contraindication flags
- Offline asset manifest and checksum

Editorial rules

- Plain language; define medical terms.
- Separate education from individualized advice.
- Use “contact your care team” when interpretation depends on the person.
- Localize content professionally; do not ship machine translation as clinical copy.

REUSABLE FLOW · SUPPORT

A route to a person stays within two taps

Support hierarchy

- Program-specific service or crisis route
- Trusted supporter with explicit permissions
- Coach or counselor where offered
- Clinician and pharmacist contacts
- Urgent or emergency guidance

External action pattern

Tap → Preview destination → Explain data shared → Confirm → Open OS action

> **Demo safety:** prototypes must intercept tel: and sms: actions with an in-app notice. Production builds open the native dialer or composer only after confirmation.



Support hub reference

REUSABLE FLOW · SECURITY CENTER

Privacy is a product surface, not a footer

Device

- Biometric/PIN lock
- Secure storage
- Notification privacy
- Screenshot policy
- Offline data status

Sharing

- Per-item preview
- Per-program scope
- Recipient identity
- Expiry and revoke
- Audit history

Rights

- Export request
- Correction path
- Delete data
- Consent history
- Support contact

Every share event records

- Actor and authenticated session
- Program and data categories
- Recipient and purpose
- User consent version
- Timestamp and outcome
- Revocation or expiry

Never present as fact

- “HIPAA compliant” before legal/security validation
- “End-to-end encrypted” without verified key architecture
- “Anonymous” when re-identification remains possible
- “Deleted” before all required systems confirm completion

PROGRAM CONTRACTS · 1 OF 3

Each program owns its care language

BreatheFree · Tobacco & nicotine

Anchor	Quit day
Check-in	Cravings, mood, triggers, smoking
Rescue	Craving Rescue
Recovery	Slip recovery
Plan	Medication center
Person	Quitline, clinician, supporter

Steady · Diabetes & metabolic

Anchor	Fresh-start week
Check-in	Energy, meals, glucose, meds, movement
Rescue	Meal & Energy Reset
Recovery	Off-track recovery
Plan	Care plan
Person	Educator, clinician, dietitian

WithYou · Cancer support

Anchor	Treatment rhythm
Check-in	Energy, symptoms, sleep, one need
Rescue	Tough-moment rescue
Recovery	Hard-day recovery
Plan	My care plan
Person	Oncology nurse, social worker, caregiver

Heartwise · Cardiovascular

Anchor	Heart-start day
Check-in	Movement, BP, meds, meals, stress
Rescue	Pressure Reset
Recovery	Off-day recovery
Plan	Heart plan
Person	Cardiologist, PCP, pharmacist

PROGRAM CONTRACTS · 2 OF 3

Each program owns its care language

Nourish · Obesity & nutrition

Anchor	Fresh-start week
Check-in	Meal rhythm, movement, energy, mood
Rescue	Urge Rescue
Recovery	Kind reset
Plan	Nourish plan
Person	Dietitian, PCP, counselor

ClearAir · Respiratory

Anchor	Breathe-better week
Check-in	Breathing, symptoms, inhaler, triggers
Rescue	Breathe Rescue
Recovery	Flare recovery
Plan	Breathing plan
Person	Pulmonologist, PCP, pharmacist

Balance · Kidney & liver

Anchor	Care-start week
Check-in	Fluids, salt, meds, energy, swelling
Rescue	Steady Reset
Recovery	Gentle return
Plan	Care plan
Person	Specialist, PCP, dietitian

SteadyMind · Mental & behavioral

Anchor	Reset week
Check-in	Mood, stress, sleep, coping, support
Rescue	Tough-moment rescue
Recovery	Hard-day hold
Plan	Steadiness plan
Person	Therapist, 988, trusted supporter

PROGRAM CONTRACTS · 3 OF 3

Each program owns its care language

Ahead · Preventive health

Anchor	Checkup season
Check-in	Due items, appointments, healthy action
Rescue	Calm-visit tool
Recovery	Paused, not stopped
Plan	Prevention plan
Person	PCP, pharmacist, community resources

Everwell · Healthy aging

Anchor	Strong-start week
Check-in	Movement, balance, mood, social, pain
Rescue	Gentle-day tool
Recovery	Pause with kindness
Plan	Everwell plan
Person	PCP, PT, pharmacist, family

Present · Social media addiction

Anchor	Digital reset week
Check-in	Screen time, pickups, mood, sleep
Rescue	Urge-surf Rescue
Recovery	Binge-scroll recovery
Plan	Reset plan
Person	Private supporter, counselor

TOBACCO & NICOTINE · COMPLETE PLAN

BreatheFree turns one goal into a four-phase plan

Your next breath can be different.

User outcome: Prepare, quit, manage cravings, and recover from slips without losing progress.

Plan anchor · Quit day

Daily signals: craving 0-10, smoking since last check-in, mood and stress, trigger context, confidence.

1 · UNDERSTAND

Baseline use, dependence patterns, triggers and readiness.

Starting point and recommended path.

2 · PREPARE

Choose quit path/date, reasons, support, environment and treatment discussion.

Activated quit plan.

3 · PRACTICE

Daily check-ins, personalized actions and five-step Craving Rescue.

Saved coping preferences.

4 · SUSTAIN

Slip recovery, progress, medication education, learning and support.

Editable long-term plan.

Progress evidence

Smoke-free time, Estimated avoided, Estimated savings, Cravings checked in.

Learning path

Cravings, Withdrawal, Medicines, Slip recovery, Stress and mood.

Safety boundary

Medication is education/tracking only; urgent symptoms route to emergency help.

TOBACCO & NICOTINE · ROUTE-BY-ROUTE FLOW

BreatheFree has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Your next breath can be different.
- P02 **Why it helps:** Prepare, quit, manage cravings, and recover from slips without losing progress.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** craving 0-10 and current routine.
- P06 **Daily pattern:** smoking since last check-in, mood and stress.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Quit day with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** 7 days to your quit day; one next step and rescue.
- P16 **Daily check-in:** Mood, Smoked?, Strongest craving, Confidence, Triggers.
- P17 **Next step:** Stock gum, water or healthy snacks with explanation and alternative.
- P18 **Guided tool:** 2-minute slow breathing.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** 2-minute slow breathing; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Craving 8 to 3; next step, repeat or person.
- P25 **Active Home:** 7 days to your quit day; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Quit approach and date, Top reason, Trigger plan.

Phase 4 · Sustain

- P28 **Plan detail:** Support circle, Recorded treatment plan.
- P29 **Progress:** Smoke-free time, Estimated avoided, Estimated savings.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Cravings, Withdrawal, Medicines.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Quitline, care team, pharmacist and chosen supporter.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

TOBACCO & NICOTINE · PRODUCTION SCREEN DIRECTION

BreatheFree UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: No tobacco content may appear in another program.

DIABETES & METABOLIC HEALTH · COMPLETE PLAN

Steady turns one goal into a four-phase plan

Small, steady steps can change your patterns.

User outcome: Build repeatable meal, medicine, movement, sleep and monitoring routines.

Plan anchor · Fresh-start week

Daily signals: energy, meal rhythm, optional glucose, medicine status, movement, stress.

1 · UNDERSTAND

Learn routines, barriers, clinician guidance and monitoring preferences.

Baseline routine map.

2 · PREPARE

Choose one habit, record clinician targets and set care reminders.

Activated steady-start plan.

3 · PRACTICE

Check in, receive one next step and use Meal & Energy Reset.

Habit evidence without grades.

4 · SUSTAIN

Review trends, recover after off-track meals and prepare for visits.

Updated care plan.

Progress evidence

Habit streaks, Glucose trend, Medicines on time, Movement minutes.

Learning path

Carbs without fear, Plate method, Sleep and readings, Medicine basics, Foot care.

Safety boundary

High/low readings are data; show clinician-approved urgent guidance without diagnosing.

DIABETES & METABOLIC HEALTH · ROUTE-BY-ROUTE FLOW

Steady has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Small, steady steps can change your patterns.
- P02 **Why it helps:** Build repeatable meal, medicine, movement, sleep and monitoring routines.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** energy and current routine.
- P06 **Daily pattern:** meal rhythm, optional glucose.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Fresh-start week with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Fresh-start week: day 3; one next step and rescue.
- P16 **Daily check-in:** Energy, Meal rhythm, Glucose (optional), Medicines, Movement.
- P17 **Next step:** Pair lunch with a 10-minute walk with explanation and alternative.
- P18 **Guided tool:** Water, pause, then choose one next action.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** Water, pause, then choose one next action; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Confidence 4 to 7; next step, repeat or person.
- P25 **Active Home:** Fresh-start week: day 3; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Clinician-provided range, Medicine record, Meal rhythm.

Phase 4 · Sustain

- P28 **Plan detail:** Movement goal, A1C and visit reminders.
- P29 **Progress:** Habit streaks, Glucose trend, Medicines on time.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Carbs without fear, Plate method, Sleep and readings.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Diabetes educator, clinician, dietitian, pharmacist and supporter.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

DIABETES & METABOLIC HEALTH · PRODUCTION SCREEN DIRECTION

Steady UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

CANCER SUPPORT · COMPLETE PLAN

WithYou turns one goal into a four-phase plan

You do not have to carry this alone.

User outcome: Prepare for treatment, track what matters, manage difficult moments and coordinate support.

Plan anchor · Treatment rhythm

Daily signals: energy 0-10, symptoms, sleep, appetite, mood, one need.

1 · UNDERSTAND

Record treatment context, priorities, symptoms and support preferences.

Personal support baseline.

2 · PREPARE

Add appointments, visit questions, care contacts and caregiver permissions.

Treatment rhythm plan.

3 · PRACTICE

Daily symptom/energy check-ins and Tough-moment Rescue.

Shareable symptom summary.

4 · SUSTAIN

Hard-day recovery, trend review and appointment preparation.

Updated care-team questions.

Progress evidence

Appointments prepared, Energy trend, Symptom patterns, Support accepted.

Learning path

Treatment expectations, Side effects, Eating during treatment, Talking with family, Rest without guilt.

Safety boundary

Severe or unexpected symptoms route to the oncology team or emergency guidance.

CANCER SUPPORT · ROUTE-BY-ROUTE FLOW

WithYou has 36 explicit screen contracts

Phase 1 · Understand

P01	**Welcome:** You do not have to carry this alone.
P02	**Why it helps:** Prepare for treatment, track what matters, manage difficult moments and coordinate support.
P03	**Privacy choices:** Required data, optional choices and program-scoped sharing.
P04	**Assessment intro:** What will be asked, why, duration and skip rules.
P05	**Baseline:** energy 0-10 and current routine.
P06	**Daily pattern:** symptoms, sleep.
P07	**Confidence/need:** Confidence, goals and preferred support.
P08	**Triggers/barriers:** Program-specific triggers, barriers and custom option.
P09	**Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

P10	**Choose path:** Start now, prepare gradually, or explore first.
P11	**Set anchor:** Treatment rhythm with editable reminder.
P12	**Reasons:** Private reasons; one may be pinned.
P13	**Support preparation:** Support person, environment and care-team preparation.
P14	**Review plan:** Editable summary before activation.
P15	**Prepare Home:** Next treatment: Friday; one next step and rescue.
P16	**Daily check-in:** Energy, Symptoms, Sleep, Appetite, One thing that would help.
P17	**Next step:** Add two questions for your oncology visit with explanation and alternative.
P18	**Guided tool:** Ground, soothe, or contact your care team.

Phase 3 · Practice

P19	**Tool complete:** Duration, helpfulness, before/after and save.
P20	**Rescue start:** Current intensity, optional trigger and person route.
P21	**Rescue match:** Best-match approved tool plus alternatives.
P22	**Rescue active:** Ground, soothe, or contact your care team; pause, switch, person, end.
P23	**Rescue recheck:** Self-recheck plus program-specific escalation.
P24	**Rescue result:** Distress 7 to 4; next step, repeat or person.
P25	**Active Home:** Next treatment: Friday; essentials, reason and support.
P26	**Recovery:** Sustain language; preserve prior progress.
P27	**Plan center:** Appointments, Recorded medicines, Symptom diary.

Phase 4 · Sustain

P28	**Plan detail:** Questions for visit, Caregiver permissions.
P29	**Progress:** Appointments prepared, Energy trend, Symptom patterns.
P30	**Metric detail:** Source, unit, history, missing-value and edit rules.
P31	**Learn:** Treatment expectations, Side effects, Eating during treatment.
P32	**Lesson:** Reviewed lesson, audio/transcript, version and offline status.
P33	**Support:** Oncology nurse, social worker, care team, caregiver circle and peer support.
P34	**Supporter detail:** Exact visibility, preview, expiry and revoke.
P35	**Security center:** Lock, sharing audit, export, delete and consent history.
P36	**Program settings:** Reminders, accessibility, data controls and leave program.

CANCER SUPPORT · PRODUCTION SCREEN DIRECTION

WithYou UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

CARDIOVASCULAR HEALTH · COMPLETE PLAN

Heartwise turns one goal into a four-phase plan

Every beat deserves a clear plan.

User outcome: Support medicines, movement, food, blood-pressure recording and stress routines.

Plan anchor · Heart-start day

Daily signals: movement, optional blood pressure, medicine status, meal pattern, stress, sleep.

1 · UNDERSTAND

Capture heart history context, routines, barriers and clinician guidance.

Baseline heart-care map.

2 · PREPARE

Record targets from clinician, medicines, movement plan and reminders.

Activated heart plan.

3 · PRACTICE

Daily check-in, one next step and Pressure Reset.

Reliable routine evidence.

4 · SUSTAIN

Off-day recovery, trends, learning and visit preparation.

Reviewed heart plan.

Progress evidence

Movement streak, BP trend, Medicines on time, Restorative sleep.

Learning path

Understanding BP, Heart-healthy plate, Salt smarts, Safe activity, When to seek care.

Safety boundary

Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

CARDIOVASCULAR HEALTH · ROUTE-BY-ROUTE FLOW

Heartwise has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Every beat deserves a clear plan.
- P02 **Why it helps:** Support medicines, movement, food, blood-pressure recording and stress routines.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** movement and current routine.
- P06 **Daily pattern:** optional blood pressure, medicine status.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Heart-start day with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Heart-start week: 4 actions done; one next step and rescue.
- P16 **Daily check-in:** Movement, Blood pressure (optional), Medicines, Meals, Stress.
- P17 **Next step:** Take a 10-minute easy walk with explanation and alternative.
- P18 **Guided tool:** Slow breathing, short walk, or contact support.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** Slow breathing, short walk, or contact support; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Tension 8 to 4; next step, repeat or person.
- P25 **Active Home:** Heart-start week: 4 actions done; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Clinician-provided BP range, Recorded medicines, Movement plan.

Phase 4 · Sustain

- P28 **Plan detail:** Sodium guidance, Appointments.
- P29 **Progress:** Movement streak, BP trend, Medicines on time.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Understanding BP, Heart-healthy plate, Salt smarts.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Cardiologist, primary care, pharmacist, dietitian and supporter.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

CARDIOVASCULAR HEALTH · PRODUCTION SCREEN DIRECTION

Heartwise UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

OBESITY & NUTRITION · COMPLETE PLAN

Nourish turns one goal into a four-phase plan

Progress without punishment.

User outcome: Build meal rhythm, movement, sleep and emotional-eating skills without calorie or weight pressure.

Plan anchor · Fresh-start week

Daily signals: meal rhythm, mindful moment, movement, energy, mood, sleep.

1 · UNDERSTAND

Explore hunger patterns, routines, sleep, movement and goals.

Scale-free starting point.

2 · PREPARE

Choose one gentle habit and optional private measures.

Nourish plan.

3 · PRACTICE

Check in, receive one action and use Urge Rescue.

Helpful habit evidence.

4 · SUSTAIN

Kind Reset, energy trends, learning and professional support.

Flexible weekly routine.

Progress evidence

Steady weeks, Mindful meals, Movement minutes, Energy trend.

Learning path

Hunger and fullness, Plate method, Sleep and appetite, Food noise, Emotional eating.

Safety boundary

If eating feels out of control or unsafe, offer appropriate professional and crisis support.

OBESITY & NUTRITION · ROUTE-BY-ROUTE FLOW

Nourish has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Progress without punishment.
- P02 **Why it helps:** Build meal rhythm, movement, sleep and emotional-eating skills without calorie or weight pressure.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** meal rhythm and current routine.
- P06 **Daily pattern:** mindful moment, movement.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Fresh-start week with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Fresh-start week: choose one steady habit; one next step and rescue.
- P16 **Daily check-in:** Meal rhythm, Mindful moment, Movement, Energy, Mood and sleep.
- P17 **Next step:** Plan your next regular meal with explanation and alternative.
- P18 **Guided tool:** Pause 10 minutes, water, breathe, or move.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** Pause 10 minutes, water, breathe, or move; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Urge 7 to 4; next step, repeat or person.
- P25 **Active Home:** Fresh-start week: choose one steady habit; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Meal rhythm, Mindful eating, Movement.

Phase 4 · Sustain

- P28 **Plan detail:** Sleep, Optional private weight log.
- P29 **Progress:** Steady weeks, Mindful meals, Movement minutes.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Hunger and fullness, Plate method, Sleep and appetite.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Dietitian, primary care, counselor and trusted supporter.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

OBESITY & NUTRITION · PRODUCTION SCREEN DIRECTION

Nourish UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

RESPIRATORY HEALTH · COMPLETE PLAN

ClearAir turns one goal into a four-phase plan

Breathe easier with a plan you already know.

User outcome: Use a clinician-recorded action plan, recognize zones, practice technique and manage triggers.

Plan anchor · Breathe-better week

Daily signals: breathing ease, cough/wheeze/tightness, recorded inhaler use, triggers, activity, sleep.

1 · UNDERSTAND

Capture symptoms, triggers, technique confidence and existing action plan.

Baseline breathing profile.

2 · PREPARE

Record clinician green/yellow/red plan, medicines and contacts.

Breathe-better plan.

3 · PRACTICE

Zone-aware check-in, technique guidance and Breathe Rescue.

Action-plan adherence evidence.

4 · SUSTAIN

Flare recovery, symptom patterns, learning and care-team review.

Updated questions and triggers.

Progress evidence

Easier-breathing days, Activity, Rescue-use trend, Trigger patterns.

Learning path

Inhaler technique, Know your zones, Air quality, Safe movement, Vaccines and infections.

Safety boundary

Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

RESPIRATORY HEALTH · ROUTE-BY-ROUTE FLOW

ClearAir has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Breathe easier with a plan you already know.
- P02 **Why it helps:** Use a clinician-recorded action plan, recognize zones, practice technique and manage triggers.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** breathing ease and current routine.
- P06 **Daily pattern:** cough/wheeze/tightness, recorded inhaler use.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Breathe-better week with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Today: Green zone; one next step and rescue.
- P16 **Daily check-in:** Breathing ease, Symptoms, Recorded inhaler, Triggers, Sleep.
- P17 **Next step:** Review your recorded inhaler routine with explanation and alternative.
- P18 **Guided tool:** Follow the action recorded for your current zone.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** Follow the action recorded for your current zone; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Ease 4 to 7; next step, repeat or person.
- P25 **Active Home:** Today: Green zone; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Green/yellow/red actions, Recorded medicines, Technique practice.

Phase 4 · Sustain

- P28 **Plan detail:** Trigger plan, Care contacts.
- P29 **Progress:** Easier-breathing days, Activity, Rescue-use trend.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Inhaler technique, Know your zones, Air quality.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Pulmonologist, primary care, pharmacist, respiratory therapist and supporter.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

RESPIRATORY HEALTH · PRODUCTION SCREEN DIRECTION

ClearAir UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

KIDNEY & LIVER HEALTH · COMPLETE PLAN

Balance turns one goal into a four-phase plan

Gentle routines can protect the care plan you have.

User outcome: Follow clinician-recorded medicine, fluid, food, lab and appointment guidance.

Plan anchor · Care-start week

Daily signals: fluids within plan, meal salt pattern, medicine status, energy, swelling or unusual symptoms, mood.

1 · UNDERSTAND

Record diagnosis context only as needed, routines, symptoms and clinician limits.

Baseline care routine.

2 · PREPARE

Capture guidance, medicines, labs, visits and questions.

Activated care-start plan.

3 · PRACTICE

Daily check-in, one next step and Steady Reset.

Adherence evidence without grading labs.

4 · SUSTAIN

Gentle Return, trend review and visit preparation.

Updated care questions.

Progress evidence

Medicines on time, Care visits, Habit streaks, Questions prepared.

Learning path

Kidneys and liver plainly, Sodium smarts, Fluid guidance, Medicine safety, Reading labs with clinician.

Safety boundary

Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

KIDNEY & LIVER HEALTH · ROUTE-BY-ROUTE FLOW

Balance has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Gentle routines can protect the care plan you have.
- P02 **Why it helps:** Follow clinician-recorded medicine, fluid, food, lab and appointment guidance.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** fluids within plan and current routine.
- P06 **Daily pattern:** meal salt pattern, medicine status.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Care-start week with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Care-start week: stay with today's plan; one next step and rescue.
- P16 **Daily check-in:** Fluids within plan, Meal pattern, Medicines, Energy, Swelling/symptoms.
- P17 **Next step:** Prepare one lower-salt meal choice with explanation and alternative.
- P18 **Guided tool:** Review your recorded guidance and choose the next safe action.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** Review your recorded guidance and choose the next safe action; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Confidence 5 to 8; next step, repeat or person.
- P25 **Active Home:** Care-start week: stay with today's plan; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Clinician fluid guidance, Clinician sodium guidance, Recorded medicines.

Phase 4 · Sustain

- P28 **Plan detail:** Labs, Appointments and questions.
- P29 **Progress:** Medicines on time, Care visits, Habit streaks.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Kidneys and liver plainly, Sodium smarts, Fluid guidance.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Nephrologist or hepatologist, primary care, dietitian, pharmacist and supporter.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

KIDNEY & LIVER HEALTH · PRODUCTION SCREEN DIRECTION

Balance UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

MENTAL & BEHAVIORAL HEALTH · COMPLETE PLAN

SteadyMind turns one goal into a four-phase plan

Your mind deserves the same care.

User outcome: Check in safely, practice coping tools, notice patterns and reach a person quickly.

Plan anchor · Reset week

Daily signals: mood, stress, sleep, coping tool, need support now.

1 · UNDERSTAND

Optional short assessment, priorities, coping preferences and privacy choices.

Private starting point.

2 · PREPARE

Build coping toolkit, trusted contacts and care reminders.

Steadiness plan.

3 · PRACTICE

Daily check-in, grounding/breathing/journal and Tough-moment Rescue.

Tool-helpfulness evidence.

4 · SUSTAIN

Hard-day Hold, mood patterns, learning and care connection.

Updated coping plan.

Progress evidence

Mood trend, Tools tried, Helpfulness, Sleep pattern.

Learning path

Understanding emotions, Stress physiology, Sleep and mood, Grounding, When to seek help.

Safety boundary

Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

MENTAL & BEHAVIORAL HEALTH · ROUTE-BY-ROUTE FLOW

SteadyMind has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Your mind deserves the same care.
- P02 **Why it helps:** Check in safely, practice coping tools, notice patterns and reach a person quickly.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** mood and current routine.
- P06 **Daily pattern:** stress, sleep.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Reset week with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Reset week: one gentle step today; one next step and rescue.
- P16 **Daily check-in:** Mood, Stress, Sleep, Coping used, Need support now?.
- P17 **Next step:** Try a 60-second grounding check with explanation and alternative.
- P18 **Guided tool:** 5-4-3-2-1 grounding, breathing, journal, or reach out.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** 5-4-3-2-1 grounding, breathing, journal, or reach out; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Distress 8 to 5; next step, repeat or person.
- P25 **Active Home:** Reset week: one gentle step today; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Coping toolkit, Private journal, Therapy reminders.

Phase 4 · Sustain

- P28 **Plan detail:** Recorded medicine education, Trusted contacts.
- P29 **Progress:** Mood trend, Tools tried, Helpfulness.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Understanding emotions, Stress physiology, Sleep and mood.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Therapist, primary care, trusted supporter and jurisdiction-specific crisis resources.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

MENTAL & BEHAVIORAL HEALTH · PRODUCTION SCREEN DIRECTION

SteadyMind UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

PREVENTIVE HEALTH · COMPLETE PLAN

Ahead turns one goal into a four-phase plan

Stay ahead of what matters, one appointment at a time.

User outcome: Organize age- and context-appropriate preventive actions with reviewed guidance and reminders.

Plan anchor · Checkup season

Daily signals: items due, appointments confirmed, one healthy action, questions for clinician.

1 · UNDERSTAND

Capture age/context only as required and current care access.

Reviewed prevention baseline.

2 · PREPARE

Build screening/vaccine list and reminder preferences.

Checkup-season plan.

3 · PRACTICE

Weekly check-in, Calm-visit tool and appointment preparation.

Completed/rescheduled actions.

4 · SUSTAIN

Paused-not-stopped recovery and yearly plan refresh.

Updated preventive checklist.

Progress evidence

Completed vs due, Appointments kept, Rescheduled items, Yearly refresh.

Learning path

Why screenings matter, Vaccines plainly, Preparing for results, Insurance basics, Finding primary care.

Safety boundary

Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

PREVENTIVE HEALTH · ROUTE-BY-ROUTE FLOW

Ahead has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Stay ahead of what matters, one appointment at a time.
- P02 **Why it helps:** Organize age- and context-appropriate preventive actions with reviewed guidance and reminders.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** items due and current routine.
- P06 **Daily pattern:** appointments confirmed, one healthy action.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Checkup season with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** 3 due, 5 complete; one next step and rescue.
- P16 **Daily check-in:** Anything due?, Appointment confirmed, Healthy action, Question for clinician.
- P17 **Next step:** Confirm your annual visit with explanation and alternative.
- P18 **Guided tool:** What-to-expect, question builder, or slow breathing.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** What-to-expect, question builder, or slow breathing; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Worry 7 to 3; next step, repeat or person.
- P25 **Active Home:** 3 due, 5 complete; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Reviewed screening list, Vaccination log, Appointments.

Phase 4 · Sustain

- P28 **Plan detail:** Questions, Care contact.
- P29 **Progress:** Completed vs due, Appointments kept, Rescheduled items.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Why screenings matter, Vaccines plainly, Preparing for results.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Primary care, pharmacist, community health resources and supporter.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

PREVENTIVE HEALTH · PRODUCTION SCREEN DIRECTION

Ahead UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

HEALTHY AGING · COMPLETE PLAN

Everwell turns one goal into a four-phase plan

Strength for the years you want.

User outcome: Support safe movement, balance, cognition, connection, sleep and medication review.

Plan anchor · Strong-start week

Daily signals: movement, balance practice, mood, social moment, sleep, pain/stiffness.

1 · UNDERSTAND

Explore mobility, balance confidence, routines, goals and accessibility.

Personal strong-start profile.

2 · PREPARE

Choose chair-safe movement, balance, social and review reminders.

Everwell plan.

3 · PRACTICE

Large-target check-in and Gentle-day Tool.

Flexible routine evidence.

4 · SUSTAIN

Pause with Kindness, trends, learning and consent-based family support.

Updated independence plan.

Progress evidence

Movement days, Balance practice, Social moments, Steady weeks.

Learning path

Balance basics, Fall-proofing, Medicine safety, Brain health, Staying connected.

Safety boundary

A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

HEALTHY AGING · ROUTE-BY-ROUTE FLOW

Everwell has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Strength for the years you want.
- P02 **Why it helps:** Support safe movement, balance, cognition, connection, sleep and medication review.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** movement and current routine.
- P06 **Daily pattern:** balance practice, mood.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Strong-start week with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Strong-start week: 3 steady days; one next step and rescue.
- P16 **Daily check-in:** Movement, Balance, Mood, Social moment, Pain/stiffness.
- P17 **Next step:** Do your 5-minute chair-safe routine with explanation and alternative.
- P18 **Guided tool:** Chair-safe movement, rest, call your person, or fall checklist.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** Chair-safe movement, rest, call your person, or fall checklist; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Confidence 4 to 7; next step, repeat or person.
- P25 **Active Home:** Strong-start week: 3 steady days; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Safe movement, Balance practice, Brain activity.

Phase 4 · Sustain

- P28 **Plan detail:** Social plan, Medication-review reminder.
- P29 **Progress:** Movement days, Balance practice, Social moments.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** Balance basics, Fall-proofing, Medicine safety.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Primary care, physical therapist, pharmacist, family or buddy.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

HEALTHY AGING · PRODUCTION SCREEN DIRECTION

Everwell UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

SOCIAL MEDIA ADDICTION · COMPLETE PLAN

Present turns one goal into a four-phase plan

Take back your attention.

User outcome: Reduce compulsive use, protect sleep and rebuild intentional offline time without connecting social accounts.

Plan anchor · Digital reset week

Daily signals: screen time vs goal, pickups, mood after scrolling, sleep, offline activity.

1 · UNDERSTAND

Map use patterns, triggers, sleep and attention goals without account access.

Private digital baseline.

2 · PREPARE

Set digital sunset, OS limits, notification hygiene and alternatives.

Digital reset plan.

3 · PRACTICE

Daily check-in and Urge-surf Rescue.

Helpful offline alternatives.

4 · SUSTAIN

Binge-scroll recovery, weekly reflection and mood/sleep trends.

Updated attention plan.

Progress evidence

Sunsets kept, Offline hours, Mood trend, Sleep trend.

Learning path

How feeds hook attention, Sleep and screens, FOMO, Rebuilding attention, Notification science.

Safety boundary

If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

SOCIAL MEDIA ADDICTION · ROUTE-BY-ROUTE FLOW

Present has 36 explicit screen contracts

Phase 1 · Understand

- P01 **Welcome:** Take back your attention.
- P02 **Why it helps:** Reduce compulsive use, protect sleep and rebuild intentional offline time without connecting social accounts.
- P03 **Privacy choices:** Required data, optional choices and program-scoped sharing.
- P04 **Assessment intro:** What will be asked, why, duration and skip rules.
- P05 **Baseline:** screen time vs goal and current routine.
- P06 **Daily pattern:** pickups, mood after scrolling.
- P07 **Confidence/need:** Confidence, goals and preferred support.
- P08 **Triggers/barriers:** Program-specific triggers, barriers and custom option.
- P09 **Starting point:** Reflection plus a user-controlled path.

Phase 2 · Prepare

- P10 **Choose path:** Start now, prepare gradually, or explore first.
- P11 **Set anchor:** Digital reset week with editable reminder.
- P12 **Reasons:** Private reasons; one may be pinned.
- P13 **Support preparation:** Support person, environment and care-team preparation.
- P14 **Review plan:** Editable summary before activation.
- P15 **Prepare Home:** Digital sunset begins at 9:00 PM; one next step and rescue.
- P16 **Daily check-in:** Screen time (self-report), Pickups, Mood after scrolling, Sleep, Offline activity.
- P17 **Next step:** Move one distracting app off your Home screen with explanation and alternative.
- P18 **Guided tool:** 2-minute urge surf plus an offline alternative.

Phase 3 · Practice

- P19 **Tool complete:** Duration, helpfulness, before/after and save.
- P20 **Rescue start:** Current intensity, optional trigger and person route.
- P21 **Rescue match:** Best-match approved tool plus alternatives.
- P22 **Rescue active:** 2-minute urge surf plus an offline alternative; pause, switch, person, end.
- P23 **Rescue recheck:** Self-recheck plus program-specific escalation.
- P24 **Rescue result:** Urge 8 to 4; next step, repeat or person.
- P25 **Active Home:** Digital sunset begins at 9:00 PM; essentials, reason and support.
- P26 **Recovery:** Sustain language; preserve prior progress.
- P27 **Plan center:** Screen-time goal, Digital sunset, OS app limits.

Phase 4 · Sustain

- P28 **Plan detail:** Notification hygiene, Private reflection.
- P29 **Progress:** Sunsets kept, Offline hours, Mood trend.
- P30 **Metric detail:** Source, unit, history, missing-value and edit rules.
- P31 **Learn:** How feeds hook attention, Sleep and screens, FOMO.
- P32 **Lesson:** Reviewed lesson, audio/transcript, version and offline status.
- P33 **Support:** Private supporter or counselor when use feels compulsive.
- P34 **Supporter detail:** Exact visibility, preview, expiry and revoke.
- P35 **Security center:** Lock, sharing audit, export, delete and consent history.
- P36 **Program settings:** Reminders, accessibility, data controls and leave program.

SOCIAL MEDIA ADDICTION · PRODUCTION SCREEN DIRECTION

Present UI reference keeps the shared language and unique care logic







Home: status, one next action, rescue in one tap. **Check-in:** only program-specific signals. **Rescue:** five steps, offline tool, recheck and escalation.

Do not implement: Never request social login, contacts, feeds or posting permission; social sharing stays off.

CLINICAL AND SAFETY INVARIANTS

Program hard rules are release blockers

PROGRAM	REQUIRED INVARIANT	FORBIDDEN BEHAVIOR
BreatheFree	Quitline and medication education available.	Smoking content outside this program.
Steady	Glucose values remain self-report unless device-sourced.	Missing glucose counted as zero; app-set targets.
WithYou	Severe symptoms route to the care team.	Countdowns that imply prognosis or pressure.
Heartwise	Chest pain/pressure or breathing trouble routes to emergency help.	App-created blood pressure or exercise targets.
Nourish	Scale-free by default; weight optional and private.	Calories, punishment, compensating behavior.
ClearAir	Green/yellow/red action plan; red route always visible.	App-authored action plan or inhaler instruction.
Balance	Limits and lab interpretation come from clinician.	App-set fluid/sodium limits; graded labs.
SteadyMind	988 and Crisis Text Line visible on every screen; journal local by default.	Crisis use as a metric; sharing by default.
Ahead	Screening logic is reviewed and jurisdiction-aware.	Diagnosis from checklist completion.
Everwell	Large targets, text controls, consent-based caregiver access.	Caregiver visibility without revocable consent.
Present	No social login/connect prompts; social sharing off.	Requesting social account credentials or feeds.

PLAN MODEL

Every program moves through four understandable phases

1
Understand

Welcome, privacy, baseline, triggers, starting-point reflection.

Output: safe starting state and user-selected path.

2
Prepare

Anchor, reasons, supporter, environment, plan review.

Output: active, editable program plan.

3
Practice

Home, check-ins, recommendations, guided tools, rescue.

Output: completed actions and learned preferences.

4
Sustain

Recovery, progress, learning, care plan, support, privacy.

Output: durable routine and route to a person.

> **Phase is per program.** A person may be sustaining BreatheFree while preparing Steady and only exploring Ahead. The global home may summarize status, but it must not combine measurements or treat one program’s completion as another’s.

URGENT-STATE ARCHITECTURE

Safety escalation interrupts the normal flow

Inform

Plain-language guidance, expected symptoms, and when to contact the care team.

Escalate

Program-specific urgent route with destination and action preview.

Emergency

Direct instruction to call emergency services when configured criteria are met.

Rules

- Safety content is remotely configurable by jurisdiction and versioned with clinical approval.
- Emergency cards cannot be dismissed permanently and remain reachable after offline restart.
- The app does not decide that a user is safe; it presents approved decision support and routes.
- A failed network connection must not block native phone access or display a blank screen.
- Demo and automated test modes intercept external phone/SMS intents without crashing.
- All safety copy requires clinical, legal, localization, and accessibility review before release.

PRIVACY AND SECURITY REQUIREMENTS

HIPAA alignment is an engineering and operating system

This specification defines a HIPAA-aligned target, not a compliance certification. Compliance depends on the deployed architecture, business associate agreements, policies, workforce practices, risk analysis, and verified operation.

Administrative

- Named security/privacy owners
- Risk analysis and remediation
- Vendor and BAA review
- Incident response and breach process
- Workforce access and training
- Retention and deletion policy

Technical

- Unique identity and MFA support
- Least privilege and tenant isolation
- Encryption in transit and at rest
- Audit events and tamper resistance
- Automatic session timeout
- Backup, restore, and disaster recovery

Product

- Minimum necessary data
- Purpose-specific consent
- Per-program sharing
- Sensitive notification defaults
- Export and deletion status
- No PHI in analytics/crash payloads

THREAT MODEL AND CONTROLS

Data is protected through its full lifecycle

RISK	PRIMARY CONTROL	VERIFICATION
Lost device	OS encryption, biometric/PIN lock, token revocation	Device-loss test
Token theft	PKCE, secure storage, rotation, short TTL	Auth penetration test
Cross-program leak	Program-scoped repository and authorization checks	Isolation tests
PHI in logs	Structured allowlist logging and redaction	Log inspection
Offline duplication	Idempotency keys and sync ledger	Replay tests
Improper sharing	Preview, consent, recipient, scope, expiry, revoke	Authorization matrix
Unsafe remote content	Signed bundles, schema validation, rollback	Content integrity test
Supply-chain issue	Locked dependencies, SBOM, code signing	Release gate
Account takeover	Step-up auth, anomaly detection, recovery controls	Abuse testing

> **Logging rule:** record event names and opaque IDs, not symptom text, journal contents, OTPs, tokens, phone numbers, or medication notes.

ACCESSIBILITY SPECIFICATION

Accessibility is part of the component contract

Visual and motor

- Minimum 4.5:1 text contrast and 3:1 essential UI contrast.
- Meaning never depends on color alone.
- 48 × 48 px minimum targets with 8 px separation.
- Text reflows at 200%; no clipped buttons or fixed-height cards.
- Reduced-motion path for breathing and timers.
- Large-text mode emphasized in Everwell.

Screen reader and cognition

- Logical focus order and one descriptive screen title.
- Group selection label, value, and state.
- Announce timer changes sparingly.
- Charts include equivalent summaries.
- Error text identifies the field and recovery.
- Plain language; one primary task per screen.

Required device matrix

PLATFORM	ASSISTIVE TECHNOLOGY	SCENARIOS
iOS	VoiceOver, Dynamic Type, Reduce Motion	Auth, assessment, check-in, rescue, share
Android	TalkBack, font scaling, switch access	Same plus notification and back behavior
External	Keyboard, screen magnifier	Tablet/web review surfaces if shipped

IMPLEMENTATION ARCHITECTURE

Flutter code mirrors product boundaries

Feature-first structure

```
lib/
  app/                routing, shell, theme
  core/               auth, network, storage, sync
  design_system/      tokens, components, icons
  features/
    shared_entry/     picker + authentication
    programs/
      breathe_free/
      steady/
      ...
  domain/             typed entities + policies
  data/               DTOs, repositories, mappers
  l10n/               generated localization
  testing/            fixtures + semantics helpers
```

Recommended stack

- Flutter stable and Dart with sound null safety.
- GoRouter for typed routes and guarded redirects.
- Riverpod or equivalent unidirectional state management.
- Dio/http with generated typed clients and certificate policy.
- Drift/SQLite with encrypted database strategy reviewed per platform.
- Keychain/Keystore for session and device secrets.
- Freezed/json_serializable for immutable contracts.

Migration rule: the current PNG player is a reference prototype. Production screens must be reconstructed as native widgets; retain approved assets only for comparison tests.

DESIGN-SYSTEM PACKAGE

Tokens and components are code, not screenshots

Token API

```
abstract final class TetherColor {
  static const primary = Color(0xFF123C37);
  static const urgent = Color(0xFFFF7D61);
  static const success = Color(0xFFD5EF75);
  static const info = Color(0xFFDFF2E7);
  static const canvas = Color(0xFFF8F5EC);
  static const surface = Color(0xFFFFFDF7);
}

abstract final class TetherSpace {
  static const xs=4.0, sm=8.0, md=12.0;
  static const lg=16.0, xl=24.0, xxl=32.0;
}
```

Required components

- TetherScaffold and TetherTopBar
- TetherBottomNavigation
- PrimaryButton, SecondaryButton, UrgentButton
- StatusHeroCard and InfoCard
- ChoiceTile, ChoiceChip, ToggleRow
- ProgressRail and StepBadge
- MetricCard and AccessibleTrendChart
- RescueEntryCard and SafetyBanner
- SupportPreviewSheet and SharePreviewSheet
- OfflineStatus, SyncStatus, AutosaveLabel

Every component ships with default, pressed, focused, disabled, loading, error, offline, and large-text stories/tests where applicable.

CORE DATA MODEL

The domain model enforces program isolation

Identity

User, AuthIdentity, Device, Session, ConsentRecord.

Programs

ProgramEnrollment, ProgramPhase, Assessment, Plan, PlanItem.

Daily support

CheckIn, Signal, Recommendation, ToolSession, RescueSession.

Progress

MetricDefinition, MetricObservation, TrendWindow, UserCorrection.

People

Supporter, CareContact, ShareGrant, ShareEvent, Revocation.

Safety

SafetyRule, JurisdictionRoute, ContentVersion, EscalationEvent.

```
Every protected record: id · userId · programId · createdAtUtc · localTimeZone · source · consentVersion · schemaVersion · syncState · deletedAtUtc?
```

Journal bodies and high-sensitivity free text use a stricter repository and are excluded from general-purpose analytics and search indexing.

SERVICE CONTRACT

APIs are small, typed, and idempotent

SERVICE	CORE OPERATIONS	IMPORTANT BEHAVIOR
Identity	exchange, refresh, revoke	OIDC, rotation, step-up
Programs	catalog, enroll, switch	remote availability
Assessments	draft, submit, version	program schema
Plans	create, patch, activate	optimistic concurrency
Check-ins	create, edit, delete	idempotency key
Recommendations	evaluate, explain	approved content IDs
Content	manifest, bundle, verify	signed and versioned
Sharing	preview, grant, revoke	scope and expiry
Export/deletion	request, status, download	step-up authentication

Headers

Authorization, X-Request-ID, Idempotency-Key, If-Match, Content-Language, App-Version.

Error shape

Stable code, user-safe message key, retryable flag, field path, request ID. Never echo protected input.

OFFLINE AND SYNCHRONIZATION

Offline-first means reliable, not merely cached

User action → Encrypted local transaction → Outbox item → Authenticated sync → Server receipt → Local commit

Queue rules

- Unique operation and idempotency IDs
- FIFO within a record; safe parallelism across records
- Exponential retry with connectivity awareness
- No retry for authorization or schema rejection
- Visible pending/failed state
- User can edit or delete a pending item

Conflict rules

- Append-only health observations where possible
- Field-level merge for independent plan edits
- Prompt when two devices changed the same sensitive value
- Never silently overwrite consent or share permissions
- Server time stored; user time zone preserved
- Deletion tombstones propagate before compaction

Rescue availability: approved rescue instructions, urgent routes, and the user’s saved support plan must remain available without network access.

TELEMETRY SPECIFICATION

Analytics measures product health without collecting health stories

Allowed examples

- screen_view with route ID
- button_tap with component ID
- flow_complete with duration bucket
- sync_failed with error class
- content_open with content ID
- accessibility_mode enabled

Never send

- Assessment answers
- Symptom or journal text
- Glucose/BP values
- Medication names or notes
- OTP, email, phone
- Supporter message bodies

Operational controls

- Explicit event allowlist
- Environment separation
- Short retention
- Role-based access
- Consent-aware configuration
- Deletion propagation

```
event: "flow_complete"
properties: {
  route_family: "rescue",
  program_code: "present",
  duration_bucket: "2_to_5_min",
  completion_state: "completed",
  app_version: "1.0.0"
}
// No health values, free text, contact data, or user-facing copy.
```

TEST STRATEGY

Quality gates protect the whole 706-route system

LAYER	REQUIRED COVERAGE	RELEASE GATE
Unit	Policies, calculations, routing, sync merge	All critical branches
Widget	Components, states, semantics, text scale	Golden + semantics pass
Integration	Auth, onboarding, check-in, rescue, share	iOS + Android devices
Contract	API schema and error mapping	Backward compatibility
Security	Auth, authorization, storage, logging	No critical/high findings
Clinical	Content, escalation, jurisdiction	Signed review record
Accessibility	VoiceOver/TalkBack, 200%, reduce motion	Critical flows pass
Visual	Reference screens and program variants	Approved diffs only

Mechanical content scan: reject any non-BreatheFree route containing tobacco-only terms. Also assert each program's permanent safety banner, privacy rule, and forbidden behavior.

IMPLEMENTATION PLAN

Build the system in validated clinical slices

Phase 0 **Foundation:** confirm clinical owners, backend boundaries, identifiers, threat model, design tokens, route registry.

Phase 1 **Shared shell:** program picker, four auth methods, profile, consent, lock, global navigation, offline substrate.

Phase 2 **Reference set:** build the shared shell plus one complete vertical slice for each of the eleven programs; validate every slice against its own content and safety contract.

Phase 3 **Program engine:** convert content, fields, metrics, rescue, recovery, and safety rules into typed configuration.

Phase 4 **Ten programs:** implement in clinical review batches; run cross-program isolation and forbidden-copy scans.

Phase 5 **Platform services:** production auth, API, secure storage, notifications, sharing, export, deletion, monitoring.

Phase 6 **Release:** usability, accessibility, penetration, clinical/legal review, App Store and Play Store readiness.

> **Exit criteria for each phase:** working code, tests, content version, accessibility evidence, privacy review, and a signed visual comparison. A simulator route count alone is not completion.

406-SCREEN CORE CATALOG · SHARED

Ten shared screens open the unified app

ID	SCREEN	ACCEPTANCE FOCUS
SH-01	Splash	Brand load; no health detail
SH-02	Welcome	Value + language
SH-03	Program picker	Eleven programs; multi-select
SH-04	Auth chooser	Apple, Google, email, phone
SH-05	Apple handoff	Native provider return
SH-06	Google handoff	OIDC provider return
SH-07	Email code	Send, verify, resend
SH-08	Phone code	E.164 + SMS autofill
SH-09	Profile	Name, language, optional photo
SH-10	Privacy and lock	Consent, notifications, biometric/PIN

Route form

```
/entry/programs
/auth/method
/auth/email/verify
/auth/phone/verify
/setup/profile
/setup/privacy-lock
/p/:programCode/:screenCode
```

A selected program may be carried only as an opaque local route parameter before consent. Do not include health labels in external OAuth redirect URLs, push-notification payloads, or analytics.

406-SCREEN CORE CATALOG · P01–P12

Thirty-six screens define every program journey

ID	SCREEN	ACCEPTANCE FOCUS
P01	Program welcome	Promise, language, account path
P02	Why this program	Three benefits and continue
P03	Program privacy	Required vs optional choices
P04	Assessment intro	Scope, duration, skip rules
P05	Assessment question 1	Program baseline
P06	Assessment question 2	Daily pattern
P07	Assessment question 3	Confidence or need
P08	Triggers and barriers	Multi-select + custom
P09	Starting point	Reflection and path suggestion
P10	Choose path	Three user-controlled paths
P11	Set anchor	Date/week/rhythm/goal
P12	My reasons	Select and top reason

406-SCREEN CORE CATALOG · P13–P24

Thirty-six screens define every program journey

ID	SCREEN	ACCEPTANCE FOCUS
P13	Support preparation	Person, environment, care option
P14	Review plan	Editable summary and activation
P15	Home · prepare	Anchor, next step, rescue
P16	Daily check-in	Signals and immediate support
P17	Personalized next step	One action + rationale
P18	Guided tool	Timer, voice, haptics
P19	Tool complete	Recheck and helpfulness
P20	Rescue start	Intensity + optional trigger
P21	Rescue match	Recommended + alternatives
P22	Rescue active	Guided action + human route
P23	Rescue recheck	Intensity and safe escalation
P24	Rescue result	Result, next step, repeat

406-SCREEN CORE CATALOG · P25–P36

Thirty-six screens define every program journey

ID	SCREEN	ACCEPTANCE FOCUS
P25	Home · active	Current phase and essentials
P26	Recovery	Nonpunitive return path
P27	Plan center	Program-specific plan
P28	Plan detail	Edit one plan domain
P29	Progress overview	Range, trends, explanation
P30	Progress detail	Metric source and history
P31	Learn home	Search, topics, offline
P32	Lesson detail	Reviewed content + transcript
P33	Support hub	People, services, urgent
P34	Supporter detail	Scope, preview, revoke
P35	Security center	Lock, sharing, audit, rights
P36	Program settings	Notifications, access, leave

ROUTE ALLOCATION

The core numbering scheme covers screens 001–406

RANGE	PROGRAM	CODE	ROUTES
001–010	Shared entry	shared	SH-01…SH-10
011–046	BreatheFree	breathefree	P01…P36
047–082	Steady	steady	P01…P36
083–118	WithYou	withyou	P01…P36
119–154	Heartwise	heartwise	P01…P36
155–190	Nourish	nourish	P01…P36
191–226	ClearAir	clearair	P01…P36
227–262	Balance	balance	P01…P36
263–298	SteadyMind	steadymind	P01…P36
299–334	Ahead	ahead	P01…P36
335–370	Everwell	everwell	P01…P36
371–406	Present	present	P01…P36

Stable IDs: analytics, deep links, tests, and content bundles use semantic IDs such as `steady.rescue.active`, not the display number. Screen numbers are review references only and may never be database keys.

TYPED PROGRAM DEFINITION

Program configuration changes content, not safety logic

```
ProgramDefinition(
  code: ProgramCode.steady,
  nameKey: 'program.steady.name',
  healthAreaKey: 'program.steady.area',
  anchor: AnchorType.freshStartWeek,
  checkInSchema: diabetesCheckInV1,
  rescue: mealEnergyResetV1,
  recovery: offTrackRecoveryV1,
  planCenter: diabetesCarePlanV1,
  safetyPolicy: diabetesSafetyV1,
  sharingPolicy: standardHealthV1,
)
```

Configuration may define

- Localized copy keys
- Approved icon and illustration IDs
- Field schemas and units
- Content and tool IDs
- Metric definitions
- Safety rule IDs
- Support destinations
- Feature availability

Configuration may not define

- Executable remote code
- Arbitrary URLs
- Unreviewed HTML
- Provider credentials
- Authorization decisions
- Raw SQL or expressions

SCREEN-LEVEL SPECIFICATION TEMPLATE

A screen is ready only when behavior is specified

Design fields

- Stable route ID and screen title
- Purpose and user outcome
- Entry points and exit routes
- Required components and token variants
- Copy keys and content version
- All visual and interaction states
- Accessibility semantics
- Offline behavior

Engineering fields

- View model inputs and outputs
- Validation and unit rules
- Repository/API calls
- Analytics allowlist events
- Authorization and consent checks
- Error and retry behavior
- Golden/widget/integration tests
- Clinical and legal approvers

```
Acceptance: Given [state], when [user action], then [visible result],
and [data effect], while [privacy/safety invariant] remains true.
```

Example: Given a saved Steady check-in and no network, when the user taps “Save check-in,” then Home shows “Saved offline,” one idempotent outbox item is created, and no glucose value enters telemetry.

SCREEN GALLERY · 01–07

Approved BreatheFree visual reference



Welcome



Why BreatheFree



Consent & privacy

Baseline assessment



Trigger map



Starting point



Choose path

SCREEN GALLERY · 08–14

Approved BreatheFree visual reference



Select quit date



My reasons



Support preparation



Review plan



Preparation Home



Daily check-in



Personalized next step

SCREEN GALLERY · 15–21

Approved BreatheFree visual reference



Guided reset



Exercise complete



Rescue start



Rescue match



Rescue active



Rescue recheck



Rescue result

SCREEN GALLERY · 22–28

Approved BreatheFree visual reference



Quit-day Home



Slip recovery



Medication center



Learn

Progress



Support



Settings & privacy

COMPLETE 406-SCREEN CORE UI ATLAS

Every route now has a production UI reference

The next 406 pages give every route equal space: mobile UI, exact button destinations, state effects, offline behavior, error recovery, purpose, and non-negotiable program rule.

Build use: treat each panel as the visual and behavioral acceptance reference. Rebuild it as native Flutter UI, not as an image.

406
unique routes

10
shared screens

36
screens per program

11
programs

Reading order

Understand	Prepare	Practice	Sustain	Shared	Global
P01–P09	P10–P15	P16–P24	P25–P36	SH-01–10	001–406

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 001–001



SCREEN 001 · SH-01

Splash

Purpose: Open the product without exposing health information.

BUTTON	DESTINATION	STATE EFFECT
Continue automatically	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: Brand mark, quiet loading state, no program name in notifications.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 002–002



SCREEN 002 · SH-02

Welcome

Purpose: Explain the product value and let the person choose language.

BUTTON	DESTINATION	STATE EFFECT
Get started	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: One clear promise; existing-account path remains visible.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 003–003



SCREEN 003 · SH-03

Program picker

Purpose: Choose one or more support programs without self-labeling.

BUTTON	DESTINATION	STATE EFFECT
Continue with selection	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: All eleven programs, multi-select, Not sure yet, Choose later.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 004–004



SCREEN 004 · SH-04

Sign-in options

Purpose: Offer all four approved authentication methods.

BUTTON	DESTINATION	STATE EFFECT
Choose Apple, Google, email, or phone	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: Equal hierarchy; health selection never leaves through OAuth.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 005–005



SCREEN 005 · SH-05

Continue with Apple

Purpose: Complete native Apple identity handoff.

BUTTON	DESTINATION	STATE EFFECT
Continue with Apple	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: PKCE, state and nonce; show cancel and another-method recovery.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 006–006



SCREEN 006 · SH-06

Continue with Google

Purpose: Complete Google identity handoff.

BUTTON	DESTINATION	STATE EFFECT
Continue with Google	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: Request only approved identity scopes; preserve setup draft.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 007–007



SCREEN 007 · SH-07

Verify email

Purpose: Verify a single-use code sent to email.

BUTTON	DESTINATION	STATE EFFECT
Verify code	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: Six digits, paste/autofill, resend timer, editable destination.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 008–008



SCREEN 008 · SH-08

Verify phone

Purpose: Verify a single-use SMS code.

BUTTON	DESTINATION	STATE EFFECT
Verify code	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: E.164 number, SMS autofill, resend timer, alternate method.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 009–009



SCREEN 009 · SH-09

Your profile

Purpose: Capture only the profile data needed for the experience.

BUTTON	DESTINATION	STATE EFFECT
Save profile	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: Name and language required; photo optional; accessibility visible.

COMPLETE UI ATLAS · SHARED ENTRY

Application screens 010–010



SCREEN 010 · SH-10

Privacy and app lock

Purpose: Confirm consent and protect local access.

BUTTON	DESTINATION	STATE EFFECT
Finish setup	Next shared route	Advance only after success
Back or cancel	Previous safe route	Preserve setup draft

Offline
Preserve setup draft; provider handoffs require network.

Error
Keep input, explain recovery, and offer another sign-in method.

Non-negotiable: Required vs optional consent, notification privacy, PIN/biometric choice.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 011–011



SCREEN 011 · BREATHEFREE.P01

Welcome

Purpose: Your next breath can be different.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 012–012



SCREEN 012 · BREATHEFREE.P02

Why it helps

Purpose: Prepare, quit, manage cravings, and recover from slips without losing progress.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 013–013



SCREEN 013 · BREATHEFREE.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 014–014



SCREEN 014 · BREATHEFREE.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 015–015



SCREEN 015 · BREATHEFREE.P05

Baseline

Purpose: craving 0-10 and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 016–016



SCREEN 016 · BREATHEFREE.P06

Daily pattern

Purpose: smoking since last check-in, mood and stress.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 017–017



SCREEN 017 · BREATHEFREE.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 018–018



SCREEN 018 · BREATHEFREE.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 019–019



SCREEN 019 · BREATHEFREE.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 020–020



SCREEN 020 · BREATHEFREE.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 021–021



SCREEN 021 · BREATHEFREE.P11

Set anchor

Purpose: Quit day with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 022–022



SCREEN 022 · BREATHEFREE.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 023–023



SCREEN 023 · BREATHEFREE.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 024–024



SCREEN 024 · BREATHEFREE.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 025–025



SCREEN 025 · BREATHEFREE.P15

Prepare Home

Purpose: 7 days to your quit day; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Craving Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 026–026



SCREEN 026 · BREATHEFREE.P16

Daily check-in

Purpose: Mood, Smoked?, Strongest craving, Confidence, Triggers.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Craving Rescue	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 027–027



SCREEN 027 · BREATHEFREE.P17

Next step

Purpose: Stock gum, water or healthy snacks with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 028–028



SCREEN 028 · BREATHEFREE.P18

Guided tool

Purpose: 2-minute slow breathing.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 029–029



SCREEN 029 · BREATHEFREE.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 030–030



SCREEN 030 · BREATHEFREE.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Medication is education/tracking only; urgent symptoms route to emergency help.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 031–031



SCREEN 031 · BREATHEFREE.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Medication is education/tracking only; urgent symptoms route to emergency help.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 032–032



SCREEN 032 · BREATHEFREE.P22

Rescue active

Purpose: 2-minute slow breathing; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Medication is education/tracking only; urgent symptoms route to emergency help.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 033–033



SCREEN 033 · BREATHEFREE.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Medication is education/tracking only; urgent symptoms route to emergency help.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 034–034



SCREEN 034 · BREATHEFREE.P24

Rescue result

Purpose: Craving 8 to 3; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Medication is education/tracking only; urgent symptoms route to emergency help.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 035–035



SCREEN 035 · BREATHEFREE.P25

Active Home

Purpose: 7 days to your quit day; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today’s step	P17	Open recommendation
Open Craving Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 036–036



SCREEN 036 · BREATHEFREE.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 037–037



SCREEN 037 · BREATHEFREE.P27

Plan center

Purpose: Quit approach and date, Top reason, Trigger plan.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 038–038



SCREEN 038 · BREATHEFREE.P28

Plan detail

Purpose: Support circle, Recorded treatment plan.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 039–039



SCREEN 039 · BREATHEFREE.P29

Progress

Purpose: Smoke-free time, Estimated avoided, Estimated savings.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 040–040



SCREEN 040 · BREATHEFREE.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 041–041



SCREEN 041 · BREATHEFREE.P31

Learn

Purpose: Cravings, Withdrawal, Medicines.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 042–042



SCREEN 042 · BREATHEFREE.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 043–043



SCREEN 043 · BREATHEFREE.P33

Support

Purpose: Quitline, care team, pharmacist and chosen supporter.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Medication is education/tracking only; urgent symptoms route to emergency help.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 044–044



SCREEN 044 · BREATHEFREE.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 045–045



SCREEN 045 · BREATHEFREE.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · BREATHEFREE

Application screens 046–046



SCREEN 046 · BREATHEFREE.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No tobacco content may appear in another program.

COMPLETE UI ATLAS · STEADY

Application screens 047–047



SCREEN 047 · STEADY.P01

Welcome

Purpose: Small, steady steps can change your patterns.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 048–048



SCREEN 048 · STEADY.P02

Why it helps

Purpose: Build repeatable meal, medicine, movement, sleep and monitoring routines.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 049–049



SCREEN 049 · STEADY.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 050–050



SCREEN 050 · STEADY.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 051–051



SCREEN 051 · STEADY.P05

Baseline

Purpose: energy and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 052–052



SCREEN 052 · STEADY.P06

Daily pattern

Purpose: meal rhythm, optional glucose.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 053–053



SCREEN 053 · STEADY.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 054–054



SCREEN 054 · STEADY.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 055–055



SCREEN 055 · STEADY.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 056–056



SCREEN 056 · STEADY.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 057–057



SCREEN 057 · STEADY.P11

Set anchor

Purpose: Fresh-start week with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 058–058



SCREEN 058 · STEADY.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 059–059



SCREEN 059 · STEADY.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 060–060



SCREEN 060 · STEADY.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 061–061



SCREEN 061 · STEADY.P15

Prepare Home

Purpose: Fresh-start week: day 3; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Meal & Energy Reset	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 062–062



SCREEN 062 · STEADY.P16

Daily check-in

Purpose: Energy, Meal rhythm, Glucose (optional), Medicines, Movement.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Meal & Energy Reset	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 063–063



SCREEN 063 · STEADY.P17

Next step

Purpose: Pair lunch with a 10-minute walk with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 064–064



SCREEN 064 · STEADY.P18

Guided tool

Purpose: Water, pause, then choose one next action.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 065–065



SCREEN 065 · STEADY.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 066–066



SCREEN 066 · STEADY.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

COMPLETE UI ATLAS · STEADY

Application screens 067–067



SCREEN 067 · STEADY.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

COMPLETE UI ATLAS · STEADY

Application screens 068–068



SCREEN 068 · STEADY.P22

Rescue active

Purpose: Water, pause, then choose one next action; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

COMPLETE UI ATLAS · STEADY

Application screens 069–069



SCREEN 069 · STEADY.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

COMPLETE UI ATLAS · STEADY

Application screens 070–070



SCREEN 070 · STEADY.P24

Rescue result

Purpose: Confidence 4 to 7; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

COMPLETE UI ATLAS · STEADY

Application screens 071–071



SCREEN 071 · STEADY.P25

Active Home

Purpose: Fresh-start week: day 3; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today's step	P17	Open recommendation
Open Meal & Energy Reset	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 072–072



SCREEN 072 · STEADY.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 073–073



SCREEN 073 · STEADY.P27

Plan center

Purpose: Clinician-provided range, Medicine record, Meal rhythm.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 074–074



SCREEN 074 · STEADY.P28

Plan detail

Purpose: Movement goal, A1C and visit reminders.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 075–075



SCREEN 075 · STEADY.P29

Progress

Purpose: Habit streaks, Glucose trend, Medicines on time.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 076–076



SCREEN 076 · STEADY.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 077–077



SCREEN 077 · STEADY.P31

Learn

Purpose: Carbs without fear, Plate method, Sleep and readings.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 078–078



SCREEN 078 · STEADY.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 079–079



SCREEN 079 · STEADY.P33

Support

Purpose: Diabetes educator, clinician, dietitian, pharmacist and supporter.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

COMPLETE UI ATLAS · STEADY

Application screens 080–080



SCREEN 080 · STEADY.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 081–081



SCREEN 081 · STEADY.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · STEADY

Application screens 082–082



SCREEN 082 · STEADY.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set glucose targets, prescribe medicine, count missing values as zero, or import content from another program.

COMPLETE UI ATLAS · WITHYOU

Application screens 083–083



SCREEN 083 · WITHYOU.P01

Welcome

Purpose: You do not have to carry this alone.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 084–084



SCREEN 084 · WITHYOU.P02

Why it helps

Purpose: Prepare for treatment, track what matters, manage difficult moments and coordinate support.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 085–085



SCREEN 085 · WITHYOU.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 086–086



SCREEN 086 · WITHYOU.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 087–087



SCREEN 087 · WITHYOU.P05

Baseline

Purpose: energy 0-10 and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 088–088



SCREEN 088 · WITHYOU.P06

Daily pattern

Purpose: symptoms, sleep.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 089–089



SCREEN 089 · WITHYOU.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 090–090



SCREEN 090 · WITHYOU.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 091–091



SCREEN 091 · WITHYOU.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 092–092



SCREEN 092 · WITHYOU.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 093–093



SCREEN 093 · WITHYOU.P11

Set anchor

Purpose: Treatment rhythm with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 094–094



SCREEN 094 · WITHYOU.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 095–095

SCREEN 095 · WITHYOU.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 096–096



SCREEN 096 · WITHYOU.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 097–097



SCREEN 097 · WITHYOU.P15

Prepare Home

Purpose: Next treatment: Friday; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Tough-moment Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 098–098



SCREEN 098 · WITHYOU.P16

Daily check-in

Purpose: Energy, Symptoms, Sleep, Appetite, One thing that would help.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Tough-moment Rescue	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 099–099



SCREEN 099 · WITHYOU.P17

Next step

Purpose: Add two questions for your oncology visit with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 100–100



SCREEN 100 · WITHYOU.P18

Guided tool

Purpose: Ground, soothe, or contact your care team.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 101–101



SCREEN 101 · WITHYOU.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 102–102



SCREEN 102 · WITHYOU.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

COMPLETE UI ATLAS · WITHYOU

Application screens 103–103



SCREEN 103 · WITHYOU.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

COMPLETE UI ATLAS · WITHYOU

Application screens 104–104



SCREEN 104 · WITHYOU.P22

Rescue active

Purpose: Ground, soothe, or contact your care team; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

COMPLETE UI ATLAS · WITHYOU

Application screens 105–105



SCREEN 105 · WITHYOU.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

COMPLETE UI ATLAS · WITHYOU

Application screens 106–106



SCREEN 106 · WITHYOU.P24

Rescue result

Purpose: Distress 7 to 4; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

COMPLETE UI ATLAS · WITHYOU

Application screens 107–107



SCREEN 107 · WITHYOU.P25

Active Home

Purpose: Next treatment: Friday; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today’s step	P17	Open recommendation
Open Tough-moment Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 108–108



SCREEN 108 · WITHYOU.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 109–109



SCREEN 109 · WITHYOU.P27

Plan center

Purpose: Appointments, Recorded medicines, Symptom diary.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 110–110



SCREEN 110 · WITHYOU.P28

Plan detail

Purpose: Questions for visit, Caregiver permissions.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 111–111



SCREEN 111 · WITHYOU.P29

Progress

Purpose: Appointments prepared, Energy trend, Symptom patterns.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 112–112



SCREEN 112 · WITHYOU.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 113–113



SCREEN 113 · WITHYOU.P31

Learn

Purpose: Treatment expectations, Side effects, Eating during treatment.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 114–114



SCREEN 114 · WITHYOU.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 115–115



SCREEN 115 · WITHYOU.P33

Support

Purpose: Oncology nurse, social worker, care team, caregiver circle and peer support.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

COMPLETE UI ATLAS · WITHYOU

Application screens 116–116



SCREEN 116 · WITHYOU.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 117–117



SCREEN 117 · WITHYOU.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · WITHYOU

Application screens 118–118



SCREEN 118 · WITHYOU.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never imply prognosis, grade symptoms, pressure countdowns, or share with caregivers by default.

COMPLETE UI ATLAS · HEARTWISE

Application screens 119–119



SCREEN 119 · HEARTWISE.P01

Welcome

Purpose: Every beat deserves a clear plan.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 120–120



SCREEN 120 · HEARTWISE.P02

Why it helps

Purpose: Support medicines, movement, food, blood-pressure recording and stress routines.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 121–121



SCREEN 121 · HEARTWISE.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 122–122



SCREEN 122 · HEARTWISE.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 123–123



SCREEN 123 · HEARTWISE.P05

Baseline

Purpose: movement and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 124–124



SCREEN 124 · HEARTWISE.P06

Daily pattern

Purpose: optional blood pressure, medicine status.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 125–125



SCREEN 125 · HEARTWISE.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 126–126



SCREEN 126 · HEARTWISE.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 127–127



SCREEN 127 · HEARTWISE.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 128–128



SCREEN 128 · HEARTWISE.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 129–129



SCREEN 129 · HEARTWISE.P11

Set anchor

Purpose: Heart-start day with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 130–130



SCREEN 130 · HEARTWISE.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 131–131



SCREEN 131 · HEARTWISE.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 132–132



SCREEN 132 · HEARTWISE.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 133–133



SCREEN 133 · HEARTWISE.P15

Prepare Home

Purpose: Heart-start week: 4 actions done; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Pressure Reset	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 134–134



SCREEN 134 · HEARTWISE.P16

Daily check-in

Purpose: Movement, Blood pressure (optional), Medicines, Meals, Stress.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Pressure Reset	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 135–135



SCREEN 135 · HEARTWISE.P17

Next step

Purpose: Take a 10-minute easy walk with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 136–136



SCREEN 136 · HEARTWISE.P18

Guided tool

Purpose: Slow breathing, short walk, or contact support.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 137–137



SCREEN 137 · HEARTWISE.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 138–138



SCREEN 138 · HEARTWISE.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

COMPLETE UI ATLAS · HEARTWISE

Application screens 139–139



SCREEN 139 · HEARTWISE.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

COMPLETE UI ATLAS · HEARTWISE

Application screens 140–140



SCREEN 140 · HEARTWISE.P22

Rescue active

Purpose: Slow breathing, short walk, or contact support; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

COMPLETE UI ATLAS · HEARTWISE

Application screens 141–141



SCREEN 141 · HEARTWISE.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

COMPLETE UI ATLAS · HEARTWISE

Application screens 142–142



SCREEN 142 · HEARTWISE.P24

Rescue result

Purpose: Tension 8 to 4; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

COMPLETE UI ATLAS · HEARTWISE

Application screens 143–143



SCREEN 143 · HEARTWISE.P25

Active Home

Purpose: Heart-start week: 4 actions done; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today’s step	P17	Open recommendation
Open Pressure Reset	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 144–144



SCREEN 144 · HEARTWISE.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 145–145



SCREEN 145 · HEARTWISE.P27

Plan center

Purpose: Clinician-provided BP range, Recorded medicines, Movement plan.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 146–146



SCREEN 146 · HEARTWISE.P28

Plan detail

Purpose: Sodium guidance, Appointments.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 147–147



SCREEN 147 · HEARTWISE.P29

Progress

Purpose: Movement streak, BP trend, Medicines on time.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 148–148



SCREEN 148 · HEARTWISE.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 149–149



SCREEN 149 · HEARTWISE.P31

Learn

Purpose: Understanding BP, Heart-healthy plate, Salt smarts.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 150–150



SCREEN 150 · HEARTWISE.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 151–151



SCREEN 151 · HEARTWISE.P33

Support

Purpose: Cardiologist, primary care, pharmacist, dietitian and supporter.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

COMPLETE UI ATLAS · HEARTWISE

Application screens 152–152



SCREEN 152 · HEARTWISE.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 153–153



SCREEN 153 · HEARTWISE.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · HEARTWISE

Application screens 154–154



SCREEN 154 · HEARTWISE.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never set blood-pressure or exercise targets, diagnose from readings, or hide the emergency card.

COMPLETE UI ATLAS · NOURISH

Application screens 155–155



SCREEN 155 · NOURISH.P01

Welcome

Purpose: Progress without punishment.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 156–156



SCREEN 156 · NOURISH.P02

Why it helps

Purpose: Build meal rhythm, movement, sleep and emotional-eating skills without calorie or weight pressure.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 157–157



SCREEN 157 · NOURISH.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 158–158



SCREEN 158 · NOURISH.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 159–159



SCREEN 159 · NOURISH.P05

Baseline

Purpose: meal rhythm and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 160–160



SCREEN 160 · NOURISH.P06

Daily pattern

Purpose: mindful moment, movement.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 161–161



SCREEN 161 · NOURISH.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 162–162



SCREEN 162 · NOURISH.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 163–163



SCREEN 163 · NOURISH.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 164–164



SCREEN 164 · NOURISH.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 165–165



SCREEN 165 · NOURISH.P11

Set anchor

Purpose: Fresh-start week with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 166–166



SCREEN 166 · NOURISH.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 167–167



SCREEN 167 · NOURISH.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 168–168



SCREEN 168 · NOURISH.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 169–169



SCREEN 169 · NOURISH.P15

Prepare Home

Purpose: Fresh-start week: choose one steady habit; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Urge Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 170–170



SCREEN 170 · NOURISH.P16

Daily check-in

Purpose: Meal rhythm, Mindful moment, Movement, Energy, Mood and sleep.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Urge Rescue	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 171–171



SCREEN 171 · NOURISH.P17

Next step

Purpose: Plan your next regular meal with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 172–172



SCREEN 172 · NOURISH.P18

Guided tool

Purpose: Pause 10 minutes, water, breathe, or move.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 173–173



SCREEN 173 · NOURISH.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 174–174



SCREEN 174 · NOURISH.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

COMPLETE UI ATLAS · NOURISH

Application screens 175–175



SCREEN 175 · NOURISH.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

COMPLETE UI ATLAS · NOURISH

Application screens 176–176



SCREEN 176 · NOURISH.P22

Rescue active

Purpose: Pause 10 minutes, water, breathe, or move; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

COMPLETE UI ATLAS · NOURISH

Application screens 177–177



SCREEN 177 · NOURISH.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

COMPLETE UI ATLAS · NOURISH

Application screens 178–178



SCREEN 178 · NOURISH.P24

Rescue result

Purpose: Urge 7 to 4; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

COMPLETE UI ATLAS · NOURISH

Application screens 179–179



SCREEN 179 · NOURISH.P25

Active Home

Purpose: Fresh-start week: choose one steady habit; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today’s step	P17	Open recommendation
Open Urge Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 180–180



SCREEN 180 · NOURISH.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 181–181



SCREEN 181 · NOURISH.P27

Plan center

Purpose: Meal rhythm, Mindful eating, Movement.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 182–182



SCREEN 182 · NOURISH.P28

Plan detail

Purpose: Sleep, Optional private weight log.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 183–183



SCREEN 183 · NOURISH.P29

Progress

Purpose: Steady weeks, Mindful meals, Movement minutes.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 184–184



SCREEN 184 · NOURISH.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 185–185



SCREEN 185 · NOURISH.P31

Learn

Purpose: Hunger and fullness, Plate method, Sleep and appetite.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 186–186



SCREEN 186 · NOURISH.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 187–187



SCREEN 187 · NOURISH.P33

Support

Purpose: Dietitian, primary care, counselor and trusted supporter.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

COMPLETE UI ATLAS · NOURISH

Application screens 188–188



SCREEN 188 · NOURISH.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 189–189



SCREEN 189 · NOURISH.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · NOURISH

Application screens 190–190



SCREEN 190 · NOURISH.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: No calorie budgets, compensating language, public weight, before/after comparison, or shame.

COMPLETE UI ATLAS · CLEARAIR

Application screens 191–191



SCREEN 191 · CLEARAIR.P01

Welcome

Purpose: Breathe easier with a plan you already know.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 192–192



SCREEN 192 · CLEARAIR.P02

Why it helps

Purpose: Use a clinician-recorded action plan, recognize zones, practice technique and manage triggers.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 193–193



SCREEN 193 · CLEARAIR.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 194–194



SCREEN 194 · CLEARAIR.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 195–195



SCREEN 195 · CLEARAIR.P05

Baseline

Purpose: breathing ease and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 196–196



SCREEN 196 · CLEARAIR.P06

Daily pattern

Purpose: cough/wheeze/tightness, recorded inhaler use.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 197–197



SCREEN 197 · CLEARAIR.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 198–198



SCREEN 198 · CLEARAIR.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 199–199



SCREEN 199 · CLEARAIR.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 200–200



SCREEN 200 · CLEARAIR.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 201–201



SCREEN 201 · CLEARAIR.P11

Set anchor

Purpose: Breathe-better week with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 202–202



SCREEN 202 · CLEARAIR.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 203–203



SCREEN 203 · CLEARAIR.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 204–204



SCREEN 204 · CLEARAIR.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 205–205



SCREEN 205 · CLEARAIR.P15

Prepare Home

Purpose: Today: Green zone; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Breathe Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 206–206



SCREEN 206 · CLEARAIR.P16

Daily check-in

Purpose: Breathing ease, Symptoms, Recorded inhaler, Triggers, Sleep.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Breathe Rescue	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 207–207



SCREEN 207 · CLEARAIR.P17

Next step

Purpose: Review your recorded inhaler routine with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 208–208



SCREEN 208 · CLEARAIR.P18

Guided tool

Purpose: Follow the action recorded for your current zone.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 209–209



SCREEN 209 · CLEARAIR.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 210–210



SCREEN 210 · CLEARAIR.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

COMPLETE UI ATLAS · CLEARAIR

Application screens 211–211



SCREEN 211 · CLEARAIR.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

COMPLETE UI ATLAS · CLEARAIR

Application screens 212–212



SCREEN 212 · CLEARAIR.P22

Rescue active

Purpose: Follow the action recorded for your current zone; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

COMPLETE UI ATLAS · CLEARAIR

Application screens 213–213

SCREEN 213 · CLEARAIR.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

COMPLETE UI ATLAS · CLEARAIR

Application screens 214–214



SCREEN 214 · CLEARAIR.P24

Rescue result

Purpose: Ease 4 to 7; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

COMPLETE UI ATLAS · CLEARAIR

Application screens 215–215



SCREEN 215 · CLEARAIR.P25

Active Home

Purpose: Today: Green zone; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today's step	P17	Open recommendation
Open Breathe Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 216–216



SCREEN 216 · CLEARAIR.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 217–217



SCREEN 217 · CLEARAIR.P27

Plan center

Purpose: Green/yellow/red actions, Recorded medicines, Technique practice.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 218–218



SCREEN 218 · CLEARAIR.P28

Plan detail

Purpose: Trigger plan, Care contacts.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 219–219



SCREEN 219 · CLEARAIR.P29

Progress

Purpose: Easier-breathing days, Activity, Rescue-use trend.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 220–220



SCREEN 220 · CLEARAIR.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 221–221



SCREEN 221 · CLEARAIR.P31

Learn

Purpose: Inhaler technique, Know your zones, Air quality.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 222–222



SCREEN 222 · CLEARAIR.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 223–223



SCREEN 223 · CLEARAIR.P33

Support

Purpose: Pulmonologist, primary care, pharmacist, respiratory therapist and supporter.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

COMPLETE UI ATLAS · CLEARAIR

Application screens 224–224



SCREEN 224 · CLEARAIR.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 225–225



SCREEN 225 · CLEARAIR.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · CLEARAIR

Application screens 226–226



SCREEN 226 · CLEARAIR.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never author a zone plan, change inhaler instructions, or let a breathing animation delay urgent care.

COMPLETE UI ATLAS · BALANCE

Application screens 227–227



SCREEN 227 · BALANCE.P01

Welcome

Purpose: Gentle routines can protect the care plan you have.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 228–228



SCREEN 228 · BALANCE.P02

Why it helps

Purpose: Follow clinician-recorded medicine, fluid, food, lab and appointment guidance.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 229–229



SCREEN 229 · BALANCE.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 230–230



SCREEN 230 · BALANCE.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 231–231



SCREEN 231 · BALANCE.P05

Baseline

Purpose: fluids within plan and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 232–232



SCREEN 232 · BALANCE.P06

Daily pattern

Purpose: meal salt pattern, medicine status.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 233–233



SCREEN 233 · BALANCE.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 234–234



SCREEN 234 · BALANCE.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 235–235



SCREEN 235 · BALANCE.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 236–236



SCREEN 236 · BALANCE.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 237–237



SCREEN 237 · BALANCE.P11

Set anchor

Purpose: Care-start week with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 238–238



SCREEN 238 · BALANCE.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 239–239



SCREEN 239 · BALANCE.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 240–240



SCREEN 240 · BALANCE.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 241–241



SCREEN 241 · BALANCE.P15

Prepare Home

Purpose: Care-start week: stay with today’s plan; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Steady Reset	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 242–242



SCREEN 242 · BALANCE.P16

Daily check-in

Purpose: Fluids within plan, Meal pattern, Medicines, Energy, Swelling/symptoms.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Steady Reset	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 243–243



SCREEN 243 · BALANCE.P17

Next step

Purpose: Prepare one lower-salt meal choice with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 244–244



SCREEN 244 · BALANCE.P18

Guided tool

Purpose: Review your recorded guidance and choose the next safe action.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 245–245



SCREEN 245 · BALANCE.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 246–246

SCREEN 246 · BALANCE.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

COMPLETE UI ATLAS · BALANCE

Application screens 247–247



SCREEN 247 · BALANCE.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

COMPLETE UI ATLAS · BALANCE

Application screens 248–248



SCREEN 248 · BALANCE.P22

Rescue active

Purpose: Review your recorded guidance and choose the next safe action; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

COMPLETE UI ATLAS · BALANCE

Application screens 249–249



SCREEN 249 · BALANCE.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

COMPLETE UI ATLAS · BALANCE

Application screens 250–250



SCREEN 250 · BALANCE.P24

Rescue result

Purpose: Confidence 5 to 8; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

COMPLETE UI ATLAS · BALANCE

Application screens 251–251



SCREEN 251 · BALANCE.P25

Active Home

Purpose: Care-start week: stay with today’s plan; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today’s step	P17	Open recommendation
Open Steady Reset	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 252–252



SCREEN 252 · BALANCE.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 253–253



SCREEN 253 · BALANCE.P27

Plan center

Purpose: Clinician fluid guidance, Clinician sodium guidance, Recorded medicines.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 254–254



SCREEN 254 · BALANCE.P28

Plan detail

Purpose: Labs, Appointments and questions.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 255–255



SCREEN 255 · BALANCE.P29

Progress

Purpose: Medicines on time, Care visits, Habit streaks.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 256–256



SCREEN 256 · BALANCE.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 257–257



SCREEN 257 · BALANCE.P31

Learn

Purpose: Kidneys and liver plainly, Sodium smarts, Fluid guidance.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 258–258



SCREEN 258 · BALANCE.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 259–259



SCREEN 259 · BALANCE.P33

Support

Purpose: Nephrologist or hepatologist, primary care, dietitian, pharmacist and supporter.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

COMPLETE UI ATLAS · BALANCE

Application screens 260–260



SCREEN 260 · BALANCE.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 261–261



SCREEN 261 · BALANCE.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · BALANCE

Application screens 262–262



SCREEN 262 · BALANCE.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never create fluid/sodium limits, interpret or grade labs, or recommend medicine changes.

COMPLETE UI ATLAS · STEADYMIND

Application screens 263–263



SCREEN 263 · STEADYMIND.P01

Welcome

Purpose: Your mind deserves the same care.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 264–264



SCREEN 264 · STEADYMIND.P02

Why it helps

Purpose: Check in safely, practice coping tools, notice patterns and reach a person quickly.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 265–265



SCREEN 265 · STEADYMIND.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 266–266



SCREEN 266 · STEADYMIND.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 267–267



SCREEN 267 · STEADYMIND.P05

Baseline

Purpose: mood and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 268–268



SCREEN 268 · STEADYMIND.P06

Daily pattern

Purpose: stress, sleep.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 269–269



SCREEN 269 · STEADYMIND.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 270–270



SCREEN 270 · STEADYMIND.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 271–271



SCREEN 271 · STEADYMIND.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 272–272



SCREEN 272 · STEADYMIND.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 273–273



SCREEN 273 · STEADYMIND.P11

Set anchor

Purpose: Reset week with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 274–274



SCREEN 274 · STEADYMIND.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 275–275



SCREEN 275 · STEADYMIND.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 276–276



SCREEN 276 · STEADYMIND.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 277–277

SCREEN 277 · STEADYMIND.P15

Prepare Home

Purpose: Reset week: one gentle step today; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Tough-moment Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 278–278



SCREEN 278 · STEADYMIND.P16

Daily check-in

Purpose: Mood, Stress, Sleep, Coping used, Need support now?.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Tough-moment Rescue	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 279–279



SCREEN 279 · STEADYMIND.P17

Next step

Purpose: Try a 60-second grounding check with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 280–280



SCREEN 280 · STEADYMIND.P18

Guided tool

Purpose: 5-4-3-2-1 grounding, breathing, journal, or reach out.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 281–281



SCREEN 281 · STEADYMIND.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 282–282



SCREEN 282 · STEADYMIND.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

COMPLETE UI ATLAS · STEADYMIND

Application screens 283–283



SCREEN 283 · STEADYMIND.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

COMPLETE UI ATLAS · STEADYMIND

Application screens 284–284



SCREEN 284 · STEADYMIND.P22

Rescue active

Purpose: 5-4-3-2-1 grounding, breathing, journal, or reach out; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

COMPLETE UI ATLAS · STEADYMIND

Application screens 285–285

SCREEN 285 · STEADYMIND.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

COMPLETE UI ATLAS · STEADYMIND

Application screens 286–286



SCREEN 286 · STEADYMIND.P24

Rescue result

Purpose: Distress 8 to 5; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

COMPLETE UI ATLAS · STEADYMIND

Application screens 287–287



SCREEN 287 · STEADYMIND.P25

Active Home

Purpose: Reset week: one gentle step today; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today’s step	P17	Open recommendation
Open Tough-moment Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 288–288



SCREEN 288 · STEADYMIND.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 289–289



SCREEN 289 · STEADYMIND.P27

Plan center

Purpose: Coping toolkit, Private journal, Therapy reminders.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 290–290



SCREEN 290 · STEADYMIND.P28

Plan detail

Purpose: Recorded medicine education, Trusted contacts.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 291–291



SCREEN 291 · STEADYMIND.P29

Progress

Purpose: Mood trend, Tools tried, Helpfulness.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 292–292



SCREEN 292 · STEADYMIND.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 293–293



SCREEN 293 · STEADYMIND.P31

Learn

Purpose: Understanding emotions, Stress physiology, Sleep and mood.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 294–294



SCREEN 294 · STEADYMIND.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 295–295



SCREEN 295 · STEADYMIND.P33

Support

Purpose: Therapist, primary care, trusted supporter and jurisdiction-specific crisis resources.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

COMPLETE UI ATLAS · STEADYMIND

Application screens 296–296



SCREEN 296 · STEADYMIND.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 297–297



SCREEN 297 · STEADYMIND.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · STEADYMIND

Application screens 298–298



SCREEN 298 · STEADYMIND.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never share by default, score crisis use, infer diagnosis, or upload journal text to analytics.

COMPLETE UI ATLAS · AHEAD

Application screens 299–299



SCREEN 299 · AHEAD.P01

Welcome

Purpose: Stay ahead of what matters, one appointment at a time.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 300–300



SCREEN 300 · AHEAD.P02

Why it helps

Purpose: Organize age- and context-appropriate preventive actions with reviewed guidance and reminders.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 301–301



SCREEN 301 · AHEAD.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 302–302



SCREEN 302 · AHEAD.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 303–303



SCREEN 303 · AHEAD.P05

Baseline

Purpose: items due and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 304–304



SCREEN 304 · AHEAD.P06

Daily pattern

Purpose: appointments confirmed, one healthy action.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 305–305



SCREEN 305 · AHEAD.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 306–306



SCREEN 306 · AHEAD.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 307–307



SCREEN 307 · AHEAD.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 308–308



SCREEN 308 · AHEAD.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 309–309



SCREEN 309 · AHEAD.P11

Set anchor

Purpose: Checkup season with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 310–310



SCREEN 310 · AHEAD.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 311–311



SCREEN 311 · AHEAD.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 312–312



SCREEN 312 · AHEAD.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 313–313



SCREEN 313 · AHEAD.P15

Prepare Home

Purpose: 3 due, 5 complete; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Calm-visit Tool	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 314–314



SCREEN 314 · AHEAD.P16

Daily check-in

Purpose: Anything due?, Appointment confirmed, Healthy action, Question for clinician.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Calm-visit Tool	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 315–315



SCREEN 315 · AHEAD.P17

Next step

Purpose: Confirm your annual visit with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 316–316



SCREEN 316 · AHEAD.P18

Guided tool

Purpose: What-to-expect, question builder, or slow breathing.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 317–317



SCREEN 317 · AHEAD.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 318–318



SCREEN 318 · AHEAD.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

COMPLETE UI ATLAS · AHEAD

Application screens 319–319



SCREEN 319 · AHEAD.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

COMPLETE UI ATLAS · AHEAD

Application screens 320–320



SCREEN 320 · AHEAD.P22

Rescue active

Purpose: What-to-expect, question builder, or slow breathing; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

COMPLETE UI ATLAS · AHEAD

Application screens 321–321



SCREEN 321 · AHEAD.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

COMPLETE UI ATLAS · AHEAD

Application screens 322–322



SCREEN 322 · AHEAD.P24

Rescue result

Purpose: Worry 7 to 3; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

COMPLETE UI ATLAS · AHEAD

Application screens 323–323



SCREEN 323 · AHEAD.P25

Active Home

Purpose: 3 due, 5 complete; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today's step	P17	Open recommendation
Open Calm-visit Tool	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 324–324



SCREEN 324 · AHEAD.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 325–325



SCREEN 325 · AHEAD.P27

Plan center

Purpose: Reviewed screening list, Vaccination log, Appointments.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 326–326



SCREEN 326 · AHEAD.P28

Plan detail

Purpose: Questions, Care contact.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 327–327



SCREEN 327 · AHEAD.P29

Progress

Purpose: Completed vs due, Appointments kept, Rescheduled items.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 328–328



SCREEN 328 · AHEAD.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 329–329



SCREEN 329 · AHEAD.P31

Learn

Purpose: Why screenings matter, Vaccines plainly, Preparing for results.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 330–330



SCREEN 330 · AHEAD.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 331–331



SCREEN 331 · AHEAD.P33

Support

Purpose: Primary care, pharmacist, community health resources and supporter.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

COMPLETE UI ATLAS · AHEAD

Application screens 332–332



SCREEN 332 · AHEAD.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 333–333



SCREEN 333 · AHEAD.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · AHEAD

Application screens 334–334



SCREEN 334 · AHEAD.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never diagnose from checklist status, invent eligibility, or present a missed visit as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 335–335



SCREEN 335 · EVERWELL.P01

Welcome

Purpose: Strength for the years you want.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 336–336

SCREEN 336 · EVERWELL.P02

Why it helps

Purpose: Support safe movement, balance, cognition, connection, sleep and medication review.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 337–337



SCREEN 337 · EVERWELL.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 338–338



SCREEN 338 · EVERWELL.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 339–339



SCREEN 339 · EVERWELL.P05

Baseline

Purpose: movement and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 340–340



SCREEN 340 · EVERWELL.P06

Daily pattern

Purpose: balance practice, mood.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 341–341



SCREEN 341 · EVERWELL.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 342–342



SCREEN 342 · EVERWELL.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 343–343



SCREEN 343 · EVERWELL.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 344–344



SCREEN 344 · EVERWELL.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 345–345



SCREEN 345 · EVERWELL.P11

Set anchor

Purpose: Strong-start week with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 346–346



SCREEN 346 · EVERWELL.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 347–347



SCREEN 347 · EVERWELL.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 348–348



SCREEN 348 · EVERWELL.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 349–349



SCREEN 349 · EVERWELL.P15

Prepare Home

Purpose: Strong-start week: 3 steady days; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Gentle-day Tool	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 350–350



SCREEN 350 · EVERWELL.P16

Daily check-in

Purpose: Movement, Balance, Mood, Social moment, Pain/stiffness.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Gentle-day Tool	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 351–351



SCREEN 351 · EVERWELL.P17

Next step

Purpose: Do your 5-minute chair-safe routine with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 352–352



SCREEN 352 · EVERWELL.P18

Guided tool

Purpose: Chair-safe movement, rest, call your person, or fall checklist.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 353–353



SCREEN 353 · EVERWELL.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 354–354



SCREEN 354 · EVERWELL.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

COMPLETE UI ATLAS · EVERWELL

Application screens 355–355



SCREEN 355 · EVERWELL.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

COMPLETE UI ATLAS · EVERWELL

Application screens 356–356



SCREEN 356 · EVERWELL.P22

Rescue active

Purpose: Chair-safe movement, rest, call your person, or fall checklist; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

COMPLETE UI ATLAS · EVERWELL

Application screens 357–357



SCREEN 357 · EVERWELL.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

COMPLETE UI ATLAS · EVERWELL

Application screens 358–358



SCREEN 358 · EVERWELL.P24

Rescue result

Purpose: Confidence 4 to 7; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

COMPLETE UI ATLAS · EVERWELL

Application screens 359–359



SCREEN 359 · EVERWELL.P25

Active Home

Purpose: Strong-start week: 3 steady days; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today’s step	P17	Open recommendation
Open Gentle-day Tool	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 360–360



SCREEN 360 · EVERWELL.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 361–361



SCREEN 361 · EVERWELL.P27

Plan center

Purpose: Safe movement, Balance practice, Brain activity.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 362–362



SCREEN 362 · EVERWELL.P28

Plan detail

Purpose: Social plan, Medication-review reminder.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 363–363



SCREEN 363 · EVERWELL.P29

Progress

Purpose: Movement days, Balance practice, Social moments.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 364–364



SCREEN 364 · EVERWELL.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 365–365



SCREEN 365 · EVERWELL.P31

Learn

Purpose: Balance basics, Fall-proofing, Medicine safety.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 366–366



SCREEN 366 · EVERWELL.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 367–367



SCREEN 367 · EVERWELL.P33

Support

Purpose: Primary care, physical therapist, pharmacist, family or buddy.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

COMPLETE UI ATLAS · EVERWELL

Application screens 368–368



SCREEN 368 · EVERWELL.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 369–369



SCREEN 369 · EVERWELL.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · EVERWELL

Application screens 370–370



SCREEN 370 · EVERWELL.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never assume caregiver access, recommend unsafe exercise, or treat rest as failure.

COMPLETE UI ATLAS · PRESENT

Application screens 371–371



SCREEN 371 · PRESENT.P01

Welcome

Purpose: Take back your attention.

BUTTON	DESTINATION	STATE EFFECT
Get started	P02	Create local draft
Choose later	Program picker	No enrollment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 372–372



SCREEN 372 · PRESENT.P02

Why it helps

Purpose: Reduce compulsive use, protect sleep and rebuild intentional offline time without connecting social accounts.

BUTTON	DESTINATION	STATE EFFECT
Continue	P03	Advance onboarding
Back	P01	Keep draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 373–373



SCREEN 373 · PRESENT.P03

Privacy choices

Purpose: Required data, optional choices and program-scoped sharing.

BUTTON	DESTINATION	STATE EFFECT
Save choices	P04	Version consent
Privacy details	Security sheet	No state change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 374–374



SCREEN 374 · PRESENT.P04

Assessment intro

Purpose: What will be asked, why, duration and skip rules.

BUTTON	DESTINATION	STATE EFFECT
Start assessment	P05	Open first question
Skip optional items	P09	Record skipped state

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 375–375



SCREEN 375 · PRESENT.P05

Baseline

Purpose: screen time vs goal and current routine.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P06	Save answer locally
Prefer not to answer	P06	Save declined value

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 376–376



SCREEN 376 · PRESENT.P06

Daily pattern

Purpose: pickups, mood after scrolling.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P07	Save answer locally
Back	P05	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 377–377



SCREEN 377 · PRESENT.P07

Confidence/need

Purpose: Confidence, goals and preferred support.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P08	Save confidence
Back	P06	Keep current draft

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 378–378



SCREEN 378 · PRESENT.P08

Triggers/barriers

Purpose: Program-specific triggers, barriers and custom option.

BUTTON	DESTINATION	STATE EFFECT
Save and continue	P09	Save barriers
Add my own	Inline field	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 379–379



SCREEN 379 · PRESENT.P09

Starting point

Purpose: Reflection plus a user-controlled path.

BUTTON	DESTINATION	STATE EFFECT
Choose my path	P10	Accept reflection
Edit answers	P05	Return to assessment

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 380–380



SCREEN 380 · PRESENT.P10

Choose path

Purpose: Start now, prepare gradually, or explore first.

BUTTON	DESTINATION	STATE EFFECT
Use this path	P11	Save selected path
Explore first	P31	Open Learn

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 381–381



SCREEN 381 · PRESENT.P11

Set anchor

Purpose: Digital reset week with editable reminder.

BUTTON	DESTINATION	STATE EFFECT
Save anchor	P12	Save date/rhythm
Change reminder	Picker	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 382–382



SCREEN 382 · PRESENT.P12

Reasons

Purpose: Private reasons; one may be pinned.

BUTTON	DESTINATION	STATE EFFECT
Save my reason	P13	Pin chosen reason
Keep private	P13	Do not share reason

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 383–383



SCREEN 383 · PRESENT.P13

Support preparation

Purpose: Support person, environment and care-team preparation.

BUTTON	DESTINATION	STATE EFFECT
Review support	P14	Save selected preparation
Skip for now	P14	No supporter created

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 384–384



SCREEN 384 · PRESENT.P14

Review plan

Purpose: Editable summary before activation.

BUTTON	DESTINATION	STATE EFFECT
Start my plan	P15	Activate enrollment
Edit plan	P11	Return to anchor

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 385–385



SCREEN 385 · PRESENT.P15

Prepare Home

Purpose: Digital sunset begins at 9:00 PM; one next step and rescue.

BUTTON	DESTINATION	STATE EFFECT
Complete next step	P17	Open recommendation
Open Urge-surf Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 386–386



SCREEN 386 · PRESENT.P16

Daily check-in

Purpose: Screen time (self-report), Pickups, Mood after scrolling, Sleep, Offline activity.

BUTTON	DESTINATION	STATE EFFECT
Save check-in	P17	Write local observation
Open Urge-surf Rescue	P20	Keep check-in draft

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 387–387



SCREEN 387 · PRESENT.P17

Next step

Purpose: Move one distracting app off your Home screen with explanation and alternative.

BUTTON	DESTINATION	STATE EFFECT
Do it now	P18	Start guided tool
Choose another	Alternative sheet	Keep recommendation

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 388–388



SCREEN 388 · PRESENT.P18

Guided tool

Purpose: 2-minute urge surf plus an offline alternative.

BUTTON	DESTINATION	STATE EFFECT
Pause	P18 paused	Persist elapsed time
End safely	P19	Record partial session

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 389–389



SCREEN 389 · PRESENT.P19

Tool complete

Purpose: Duration, helpfulness, before/after and save.

BUTTON	DESTINATION	STATE EFFECT
Save result	P25	Write tool result
Try again	P18	Start new session

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 390–390



SCREEN 390 · PRESENT.P20

Rescue start

Purpose: Current intensity, optional trigger and person route.

BUTTON	DESTINATION	STATE EFFECT
Find a tool	P21	Save starting intensity
Contact a person	P33	Keep rescue active

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

COMPLETE UI ATLAS · PRESENT

Application screens 391–391



SCREEN 391 · PRESENT.P21

Rescue match

Purpose: Best-match approved tool plus alternatives.

BUTTON	DESTINATION	STATE EFFECT
Start	P22	Start selected tool
See alternatives	Tool sheet	Stay in rescue

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

COMPLETE UI ATLAS · PRESENT

Application screens 392–392



SCREEN 392 · PRESENT.P22

Rescue active

Purpose: 2-minute urge surf plus an offline alternative; pause, switch, person, end.

BUTTON	DESTINATION	STATE EFFECT
Pause	P22 paused	Persist timer
Choose a person	P33	Keep rescue state

Offline
Core tool and saved routes remain available offline.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

COMPLETE UI ATLAS · PRESENT

Application screens 393–393

SCREEN 393 · PRESENT.P23

Rescue recheck

Purpose: Self-recheck plus program-specific escalation.

BUTTON	DESTINATION	STATE EFFECT
Continue	P24	Save recheck
Urgent help	Approved external route	Show preview first

Offline
Core tool and saved routes remain available offline.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

COMPLETE UI ATLAS · PRESENT

Application screens 394–394



SCREEN 394 · PRESENT.P24

Rescue result

Purpose: Urge 8 to 4; next step, repeat or person.

BUTTON	DESTINATION	STATE EFFECT
Save and return home	P25	Close rescue
Try another tool	P21	Start another tool

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

COMPLETE UI ATLAS · PRESENT

Application screens 395–395



SCREEN 395 · PRESENT.P25

Active Home

Purpose: Digital sunset begins at 9:00 PM; essentials, reason and support.

BUTTON	DESTINATION	STATE EFFECT
Complete today's step	P17	Open recommendation
Open Urge-surf Rescue	P20	Start rescue

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 396–396



SCREEN 396 · PRESENT.P26

Recovery

Purpose: Sustain language; preserve prior progress.

BUTTON	DESTINATION	STATE EFFECT
Save my next step	P25	Preserve history; update plan
Talk with someone	P33	Open support

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 397–397



SCREEN 397 · PRESENT.P27

Plan center

Purpose: Screen-time goal, Digital sunset, OS app limits.

BUTTON	DESTINATION	STATE EFFECT
Edit plan	P28	Open selected domain
Back to Home	P25	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 398–398



SCREEN 398 · PRESENT.P28

Plan detail

Purpose: Notification hygiene, Private reflection.

BUTTON	DESTINATION	STATE EFFECT
Save changes	P27	Version plan field
Discard	P27	Confirm if dirty

Offline
Save encrypted locally; show Pending sync.

Error
Inline error; preserve every entered value and focus the first issue.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 399–399



SCREEN 399 · PRESENT.P29

Progress

Purpose: Sunsets kept, Offline hours, Mood trend.

BUTTON	DESTINATION	STATE EFFECT
View details	P30	Open selected metric
Change range	Range sheet	Stay on screen

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 400–400



SCREEN 400 · PRESENT.P30

Metric detail

Purpose: Source, unit, history, missing-value and edit rules.

BUTTON	DESTINATION	STATE EFFECT
Edit my entry	Edit sheet	Preserve audit
Back to Progress	P29	No data change

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 401–401



SCREEN 401 · PRESENT.P31

Learn

Purpose: How feeds hook attention, Sleep and screens, FOMO.

BUTTON	DESTINATION	STATE EFFECT
Open featured lesson	P32	Open versioned content
Download	Offline queue	Show progress

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 402–402



SCREEN 402 · PRESENT.P32

Lesson

Purpose: Reviewed lesson, audio/transcript, version and offline status.

BUTTON	DESTINATION	STATE EFFECT
Play audio	Inline player	Stay on screen
Read transcript	Transcript sheet	Stay on screen

Offline
Open downloaded content; label unavailable items.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 403–403



SCREEN 403 · PRESENT.P33

Support

Purpose: Private supporter or counselor when use feels compulsive.

BUTTON	DESTINATION	STATE EFFECT
Choose support	Destination preview	No external action yet
Urgent help	Approved urgent route	Show destination

Offline
Core tool and saved routes remain available offline.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

COMPLETE UI ATLAS · PRESENT

Application screens 404–404



SCREEN 404 · PRESENT.P34

Supporter detail

Purpose: Exact visibility, preview, expiry and revoke.

BUTTON	DESTINATION	STATE EFFECT
Preview access	Preview sheet	No share yet
Revoke access	Confirm sheet	Invalidate grant

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 405–405



SCREEN 405 · PRESENT.P35

Security center

Purpose: Lock, sharing audit, export, delete and consent history.

BUTTON	DESTINATION	STATE EFFECT
Review security	Selected control	Step-up if sensitive
View audit	Audit log	Read-only

Offline
Keep navigation and saved content usable; never blank the screen.

Error
Explain what failed; do not imply a call, share, export, or delete succeeded.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

COMPLETE UI ATLAS · PRESENT

Application screens 406–406



SCREEN 406 · PRESENT.P36

Program settings

Purpose: Reminders, accessibility, data controls and leave program.

BUTTON	DESTINATION	STATE EFFECT
Save settings	P25	Persist program settings
Leave program	Confirmation	Do not delete automatically

Offline
Save encrypted locally; show Pending sync.

Error
Show a plain recovery action and preserve the safe previous state.

Non-negotiable: Never request social login, contacts, feeds or posting permission; social sharing stays off.

CLINICAL-DEPTH EXTENSION · 300 ADDITIONAL SCREENS

The ten non-tobacco programs now extend beyond the 406-screen core

406
Core routes
Shared shell and equal 36-screen program pattern.

300
Depth routes
Thirty additional screens for each of the ten non-tobacco programs.

706
Total routes
Production review scope after this extension.

BreatheFree remains the visual reference, not the clinical template. Every other program now has a complete evaluation, preparation, daily-care, concern-response, recovery and review sequence with exact buttons and safety boundaries.

DIABETES & METABOLIC HEALTH · 30-SCREEN DEPTH EXTENSION

Steady adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to diabetes & metabolic health.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, glucose entry and how you feel, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · SCOPE AND RECOVERY

Steady covers the important problems without pretending to diagnose

Health problem areas represented

- Steadier glucose patterns
- Meals and energy
- Medicines and supplies
- Movement, sleep and stress
- Low reading or symptoms
- High reading or symptoms
- Missed medicine
- Meal or energy crash

Care-team routes

- Primary-care clinician
- Diabetes educator
- Pharmacist
- Registered dietitian

Urgent-state content

- Confusion, fainting or seizure
- Unable to keep fluids down
- Very high or low value with severe symptoms
- Clinician-defined urgent threshold

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Stabilize using the recorded care plan → Protect the next meal and medicine window → Note context without blame → Review recurring patterns with the care team

DIABETES & METABOLIC HEALTH · EVALUATE

Steady depth screen D01



SCREEN 407 · STEADY.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Steadier glucose patterns
- Meals and energy
- Medicines and supplies
- Movement, sleep and stress

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · EVALUATE

Steady depth screen D02



SCREEN 408 · STEADY.D02

Describe the last seven days

Purpose: Energy and glucose patterns over the last seven days.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · EVALUATE

Steady depth screen D03



SCREEN 409 · STEADY.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Morning readings
- After-meal patterns
- Missed meals
- Low-energy periods

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · EVALUATE

Steady depth screen D04



SCREEN 410 · STEADY.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Clinician-provided target range
- Recorded medicines
- Meter or sensor method
- A1C and visit dates

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · EVALUATE

Steady depth screen D05



SCREEN 411 · STEADY.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Cost or supply access
- Meal timing
- Medicine routine
- Stress or sleep

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · EVALUATE

Steady depth screen D06



SCREEN 412 · STEADY.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Confusion, fainting or seizure
- Unable to keep fluids down
- Very high or low value with severe symptoms
- Clinician-defined urgent threshold

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

DIABETES & METABOLIC HEALTH · PREPARE

Steady depth screen D07



SCREEN 413 · STEADY.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Choose one balanced meal
- Prepare medicine reminder
- Schedule a 10-minute walk

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · PREPARE

Steady depth screen D08



SCREEN 414 · STEADY.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · PREPARE

Steady depth screen D09



SCREEN 415 · STEADY.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Keep supplies together
- Add a water prompt
- Plan an easy meal option

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · PREPARE

Steady depth screen D10



SCREEN 416 · STEADY.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Primary-care clinician
- Diabetes educator
- Pharmacist
- Registered dietitian

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · PREPARE

Steady depth screen D11



SCREEN 417 · STEADY.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Meal-planning partner
- Walking partner
- Appointment reminder
- Emergency contact only

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · PREPARE

Steady depth screen D12



SCREEN 418 · STEADY.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Choose one balanced meal
- Prepare medicine reminder
- Clinician-provided target range
- Confusion, fainting or seizure

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · DAILY CARE

Steady depth screen D13



SCREEN 419 · STEADY.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- In my recorded range
- Above my range
- Below my range
- Not checked today

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · DAILY CARE

Steady depth screen D14



SCREEN 420 · STEADY.D14

Record glucose entry and how you feel

Purpose: Keep source, time and user-entered context visible.

Required content:

- In my recorded range
- Above my range
- Below my range
- Not checked today

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · DAILY CARE

Steady depth screen D15



SCREEN 421 · STEADY.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Choose one balanced meal
- Prepare medicine reminder
- Schedule a 10-minute walk

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · DAILY CARE

Steady depth screen D16



SCREEN 422 · STEADY.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · DAILY CARE

Steady depth screen D17



SCREEN 423 · STEADY.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Keep the same small habit
- Adjust reminder timing
- Ask clinician about a pattern

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · CONCERN RESPONSE

Steady depth screen D18



SCREEN 424 · STEADY.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Low reading or symptoms
- High reading or symptoms
- Missed medicine
- Meal or energy crash

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · CONCERN RESPONSE

Steady depth screen D19



SCREEN 425 · STEADY.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · CONCERN RESPONSE

Steady depth screen D20



SCREEN 426 · STEADY.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Confusion, fainting or seizure
- Unable to keep fluids down
- Very high or low value with severe symptoms
- Clinician-defined urgent threshold

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

DIABETES & METABOLIC HEALTH · CONCERN RESPONSE

Steady depth screen D21

SCREEN 427 · STEADY.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Follow my recorded low-reading plan
- Use my clinician-approved correction plan
- Have water and review symptoms
- Contact my care team

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

DIABETES & METABOLIC HEALTH · CONCERN RESPONSE

Steady depth screen D22



SCREEN 428 · STEADY.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

DIABETES & METABOLIC HEALTH · CONCERN RESPONSE

Steady depth screen D23



SCREEN 429 · STEADY.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Stabilize using the recorded care plan
- Protect the next meal and medicine window
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

DIABETES & METABOLIC HEALTH · RECOVERY

Steady depth screen D24



SCREEN 430 · STEADY.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Low reading or symptoms
- High reading or symptoms
- Missed medicine
- Meal or energy crash

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · RECOVERY

Steady depth screen D25

SCREEN 431 · STEADY.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Stabilize using the recorded care plan
- Protect the next meal and medicine window
- Note context without blame
- Review recurring patterns with the care team

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · RECOVERY

Steady depth screen D26



SCREEN 432 · STEADY.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Keep the same small habit
- Adjust reminder timing
- Ask clinician about a pattern

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · RECOVERY

Steady depth screen D27



SCREEN 433 · STEADY.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- In my recorded range
- Above my range
- Below my range
- Not checked today

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: High/low readings are data; show clinician-approved urgent guidance without diagnosing.

DIABETES & METABOLIC HEALTH · REVIEW

Steady depth screen D28



SCREEN 434 · STEADY.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Entries with context
- Medicines taken as planned
- Balanced-meal moments
- Movement and sleep pattern

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · REVIEW

Steady depth screen D29



SCREEN 435 · STEADY.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Glucose pattern summary
- Medicine and supply questions
- Foot or vision concerns
- Lab and appointment list

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

DIABETES & METABOLIC HEALTH · REVIEW

Steady depth screen D30



SCREEN 436 · STEADY.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Keep the same small habit
- Adjust reminder timing
- Ask clinician about a pattern

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set glucose targets, calculate a dose, or treat a missing entry as zero.

CANCER SUPPORT · 30-SCREEN DEPTH EXTENSION

WithYou adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to cancer support.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, symptoms and energy today, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · SCOPE AND RECOVERY

WithYou covers the important problems without pretending to diagnose

Health problem areas represented

- Prepare for treatment
- Manage symptoms
- Protect energy and nutrition
- Coordinate support
- Fever or infection concern
- Nausea or vomiting
- Pain, bleeding or swelling
- Severe fatigue or breathing change

Care-team routes

- Oncology nurse line
- Oncologist
- Social worker
- Nutrition specialist

Urgent-state content

- Fever at the care-team threshold
- New trouble breathing
- Uncontrolled pain or bleeding
- Confusion or sudden weakness

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Reduce today to essentials → Record what helped → Update the next treatment-day plan → Share a concise summary with the care team

CANCER SUPPORT · EVALUATE

WithYou depth screen D01



SCREEN 437 · WITHYOU.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Prepare for treatment
- Manage symptoms
- Protect energy and nutrition
- Coordinate support

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · EVALUATE

WithYou depth screen D02



SCREEN 438 · WITHYOU.D02

Describe the last seven days

Purpose: Treatment rhythm, current symptoms and support needs.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · EVALUATE

WithYou depth screen D03



SCREEN 439 · WITHYOU.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Treatment days
- Recovery days
- Energy windows
- Hardest symptom periods

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · EVALUATE

WithYou depth screen D04



SCREEN 440 · WITHYOU.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Care-team contacts
- Treatment calendar
- Recorded medicines
- Clinician urgent instructions

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · EVALUATE

WithYou depth screen D05



SCREEN 441 · WITHYOU.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Fatigue
- Nausea or appetite
- Transportation
- Too many instructions

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · EVALUATE

WithYou depth screen D06



SCREEN 442 · WITHYOU.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Fever at the care-team threshold
- New trouble breathing
- Uncontrolled pain or bleeding
- Confusion or sudden weakness

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

CANCER SUPPORT · PREPARE

WithYou depth screen D07



SCREEN 443 · WITHYOU.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Prepare next-visit questions
- Pack treatment-day essentials
- Choose one recovery-day support

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · PREPARE

WithYou depth screen D08



SCREEN 444 · WITHYOU.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · PREPARE

WithYou depth screen D09



SCREEN 445 · WITHYOU.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Set a rest station
- Keep care numbers visible
- Prepare simple food and fluids

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · PREPARE

WithYou depth screen D10



SCREEN 446 · WITHYOU.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Oncology nurse line
- Oncologist
- Social worker
- Nutrition specialist

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · PREPARE

WithYou depth screen D11



SCREEN 447 · WITHYOU.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Ride coordinator
- Meal support
- Check-in person
- Caregiver with limited access

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · PREPARE

WithYou depth screen D12



SCREEN 448 · WITHYOU.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Prepare next-visit questions
- Pack treatment-day essentials
- Care-team contacts
- Fever at the care-team threshold

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · DAILY CARE

WithYou depth screen D13



SCREEN 449 · WITHYOU.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Manageable
- Needs a plan adjustment
- Call care team today
- Urgent help now

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · DAILY CARE

WithYou depth screen D14



SCREEN 450 · WITHYOU.D14

Record symptoms and energy today

Purpose: Keep source, time and user-entered context visible.

Required content:

- Manageable
- Needs a plan adjustment
- Call care team today
- Urgent help now

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · DAILY CARE

WithYou depth screen D15



SCREEN 451 · WITHYOU.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Prepare next-visit questions
- Pack treatment-day essentials
- Choose one recovery-day support

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · DAILY CARE

WithYou depth screen D16



SCREEN 452 · WITHYOU.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · DAILY CARE

WithYou depth screen D17



SCREEN 453 · WITHYOU.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Keep one helpful recovery routine
- Change the support request
- Add a question for the next visit

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · CONCERN RESPONSE

WithYou depth screen D18



SCREEN 454 · WITHYOU.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Fever or infection concern
- Nausea or vomiting
- Pain, bleeding or swelling
- Severe fatigue or breathing change

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · CONCERN RESPONSE

WithYou depth screen D19



SCREEN 455 · WITHYOU.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · CONCERN RESPONSE

WithYou depth screen D20



SCREEN 456 · WITHYOU.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Fever at the care-team threshold
- New trouble breathing
- Uncontrolled pain or bleeding
- Confusion or sudden weakness

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

CANCER SUPPORT · CONCERN RESPONSE

WithYou depth screen D21



SCREEN 457 · WITHYOU.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Use the recorded symptom plan
- Contact the oncology nurse line
- Ask a supporter for practical help
- Follow urgent care-team instructions

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

CANCER SUPPORT · CONCERN RESPONSE

WithYou depth screen D22



SCREEN 458 · WITHYOU.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

CANCER SUPPORT · CONCERN RESPONSE

WithYou depth screen D23



SCREEN 459 · WITHYOU.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Reduce today to essentials
- Record what helped
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

CANCER SUPPORT · RECOVERY

WithYou depth screen D24



SCREEN 460 · WITHYOU.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Fever or infection concern
- Nausea or vomiting
- Pain, bleeding or swelling
- Severe fatigue or breathing change

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · RECOVERY

WithYou depth screen D25

SCREEN 461 · WITHYOU.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Reduce today to essentials
- Record what helped
- Update the next treatment-day plan
- Share a concise summary with the care team

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · RECOVERY

WithYou depth screen D26



SCREEN 462 · WITHYOU.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Keep one helpful recovery routine
- Change the support request
- Add a question for the next visit

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · RECOVERY

WithYou depth screen D27



SCREEN 463 · WITHYOU.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Manageable
- Needs a plan adjustment
- Call care team today
- Urgent help now

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Severe or unexpected symptoms route to the oncology team or emergency guidance.

CANCER SUPPORT · REVIEW

WithYou depth screen D28



SCREEN 464 · WITHYOU.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Symptom pattern
- Energy windows
- Appointments prepared
- Support requests completed

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · REVIEW

WithYou depth screen D29



SCREEN 465 · WITHYOU.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Symptom timeline
- Medicine questions
- Side-effect concerns
- Practical support needs

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CANCER SUPPORT · REVIEW

WithYou depth screen D30



SCREEN 466 · WITHYOU.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Keep one helpful recovery routine
- Change the support request
- Add a question for the next visit

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never predict outcomes, interpret pathology, change treatment, or let a calming tool delay oncology contact.

CARDIOVASCULAR HEALTH · 30-SCREEN DEPTH EXTENSION

Heartwise adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to cardiovascular health.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, blood pressure and symptoms, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · SCOPE AND RECOVERY

Heartwise covers the important problems without pretending to diagnose

Health problem areas represented

Blood-pressure routine | Medicines | Heart-safe movement | Food, sleep and stress | Pressure outside recorded range | Chest discomfort | Breathing or swelling change | Missed medicine

Care-team routes

- Cardiologist
- Primary-care clinician
- Pharmacist
- Cardiac rehabilitation team

Urgent-state content

- Chest pain or pressure
- Severe breathing trouble
- Fainting or sudden weakness
- Stroke warning signs

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Stop and follow the recorded safety plan → Protect the next medicine and rest window → Capture context for review →

Ask the care team before increasing activity

CARDIOVASCULAR HEALTH · EVALUATE

Heartwise depth screen D01



SCREEN 467 · HEARTWISE.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Blood-pressure routine
- Medicines
- Heart-safe movement
- Food, sleep and stress

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · EVALUATE

Heartwise depth screen D02



SCREEN 468 · HEARTWISE.D02

Describe the last seven days

Purpose: Recorded heart plan, daily function and recent concerns.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · EVALUATE

Heartwise depth screen D03



SCREEN 469 · HEARTWISE.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Morning pressure routine
- Movement tolerance
- Medicine timing
- Salt, stress and sleep

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · EVALUATE

Heartwise depth screen D04



SCREEN 470 · HEARTWISE.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Clinician-provided BP range
- Recorded medicines
- Movement guidance
- Emergency instructions

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · EVALUATE

Heartwise depth screen D05



SCREEN 471 · HEARTWISE.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Cuff confidence
- Medicine timing
- Food environment
- Fear of activity

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · EVALUATE

Heartwise depth screen D06



SCREEN 472 · HEARTWISE.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Chest pain or pressure
- Severe breathing trouble
- Fainting or sudden weakness
- Stroke warning signs

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

CARDIOVASCULAR HEALTH · PREPARE

Heartwise depth screen D07



SCREEN 473 · HEARTWISE.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Check cuff setup
- Plan one heart-safe meal
- Choose clinician-approved movement

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · PREPARE

Heartwise depth screen D08



SCREEN 474 · HEARTWISE.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · PREPARE

Heartwise depth screen D09



SCREEN 475 · HEARTWISE.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Place cuff correctly
- Prepare medicine organizer
- Keep emergency route visible

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · PREPARE

Heartwise depth screen D10



SCREEN 476 · HEARTWISE.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Cardiologist
- Primary-care clinician
- Pharmacist
- Cardiac rehabilitation team

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · PREPARE

Heartwise depth screen D11



SCREEN 477 · HEARTWISE.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Walking partner
- Medicine reminder
- Ride to appointment
- Emergency contact only

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · PREPARE

Heartwise depth screen D12



SCREEN 478 · HEARTWISE.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Check cuff setup
- Plan one heart-safe meal
- Clinician-provided BP range
- Chest pain or pressure

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · DAILY CARE

Heartwise depth screen D13



SCREEN 479 · HEARTWISE.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Within recorded range
- Outside range, feel well
- Outside range with symptoms
- Emergency symptoms

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · DAILY CARE

Heartwise depth screen D14



SCREEN 480 · HEARTWISE.D14

Record blood pressure and symptoms

Purpose: Keep source, time and user-entered context visible.

Required content:

- Within recorded range
- Outside range, feel well
- Outside range with symptoms
- Emergency symptoms

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · DAILY CARE

Heartwise depth screen D15



SCREEN 481 · HEARTWISE.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Check cuff setup
- Plan one heart-safe meal
- Choose clinician-approved movement

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · DAILY CARE

Heartwise depth screen D16



SCREEN 482 · HEARTWISE.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · DAILY CARE

Heartwise depth screen D17



SCREEN 483 · HEARTWISE.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Repeat a reliable routine
- Adjust reminder timing
- Ask about a recurring symptom

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · CONCERN RESPONSE

Heartwise depth screen D18



SCREEN 484 · HEARTWISE.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Pressure outside recorded range
- Chest discomfort
- Breathing or swelling change
- Missed medicine

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · CONCERN RESPONSE

Heartwise depth screen D19



SCREEN 485 · HEARTWISE.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · CONCERN RESPONSE

Heartwise depth screen D20



SCREEN 486 · HEARTWISE.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Chest pain or pressure
- Severe breathing trouble
- Fainting or sudden weakness
- Stroke warning signs

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

CARDIOVASCULAR HEALTH · CONCERN RESPONSE

Heartwise depth screen D21



SCREEN 487 · HEARTWISE.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Repeat using correct cuff technique
- Follow the recorded clinician plan
- Contact the care team
- Call emergency services

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

CARDIOVASCULAR HEALTH · CONCERN RESPONSE

Heartwise depth screen D22



SCREEN 488 · HEARTWISE.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

CARDIOVASCULAR HEALTH · CONCERN RESPONSE

Heartwise depth screen D23



SCREEN 489 · HEARTWISE.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Stop and follow the recorded safety plan
- Protect the next medicine and rest window
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

CARDIOVASCULAR HEALTH · RECOVERY

Heartwise depth screen D24



SCREEN 490 · HEARTWISE.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Pressure outside recorded range
- Chest discomfort
- Breathing or swelling change
- Missed medicine

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · RECOVERY

Heartwise depth screen D25

SCREEN 491 · HEARTWISE.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Stop and follow the recorded safety plan
- Protect the next medicine and rest window
- Capture context for review
- Ask the care team before increasing activity

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · RECOVERY

Heartwise depth screen D26



SCREEN 492 · HEARTWISE.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Repeat a reliable routine
- Adjust reminder timing
- Ask about a recurring symptom

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · RECOVERY

Heartwise depth screen D27



SCREEN 493 · HEARTWISE.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Within recorded range
- Outside range, feel well
- Outside range with symptoms
- Emergency symptoms

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Persistent chest pain/pressure, severe breathing trouble or emergency symptoms route to emergency services.

CARDIOVASCULAR HEALTH · REVIEW

Heartwise depth screen D28



SCREEN 494 · HEARTWISE.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- BP entries with technique
- Medicine routine
- Movement minutes
- Sleep and stress pattern

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · REVIEW

Heartwise depth screen D29



SCREEN 495 · HEARTWISE.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- BP trend with context
- Symptoms and activity tolerance
- Medicine questions
- Cardiac rehab goals

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

CARDIOVASCULAR HEALTH · REVIEW

Heartwise depth screen D30



SCREEN 496 · HEARTWISE.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Repeat a reliable routine
- Adjust reminder timing
- Ask about a recurring symptom

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never diagnose, set a blood-pressure target, recommend exertion, or hide the emergency route.

OBESITY & NUTRITION · 30-SCREEN DEPTH EXTENSION

Nourish adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to obesity & nutrition.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, meal rhythm and body cues, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · SCOPE AND RECOVERY

Nourish covers the important problems without pretending to diagnose

Health problem areas represented

- Meal rhythm
- Hunger and fullness
- Energy and movement
- Food thoughts and emotions
- Strong urge to eat
- Skipped meals
- Body-image distress
- Eating feels unsafe or out of control

Care-team routes

- Registered dietitian
- Primary-care clinician
- Behavioral-health clinician
- Eating-disorder specialist

Urgent-state content

- Fainting or severe weakness
- Purging or compensating behavior
- Unable to eat or drink safely
- Immediate mental-health concern

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Remove compensation language → Protect the next ordinary meal → Name the trigger without judgment → Connect to specialist care when needed

OBESITY & NUTRITION · EVALUATE

Nourish depth screen D01



SCREEN 497 · NOURISH.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Meal rhythm
- Hunger and fullness
- Energy and movement
- Food thoughts and emotions

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · EVALUATE

Nourish depth screen D02



SCREEN 498 · NOURISH.D02

Describe the last seven days

Purpose: Eating rhythm, access, energy and relationship with food.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · EVALUATE

Nourish depth screen D03



SCREEN 499 · NOURISH.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Skipped or rushed meals
- Evening hunger
- Stress eating
- Sleep and energy dips

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · EVALUATE

Nourish depth screen D04



SCREEN 500 · NOURISH.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Chosen meal rhythm
- Gentle movement goal
- Sleep support
- Optional private weight preference

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · EVALUATE

Nourish depth screen D05



SCREEN 501 · NOURISH.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Food access or cost
- Time and preparation
- Emotional eating
- Pain or low energy

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · EVALUATE

Nourish depth screen D06



SCREEN 502 · NOURISH.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Fainting or severe weakness
- Purging or compensating behavior
- Unable to eat or drink safely
- Immediate mental-health concern

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

OBESITY & NUTRITION · PREPARE

Nourish depth screen D07



SCREEN 503 · NOURISH.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Add one steady meal
- Notice hunger before eating
- Choose enjoyable movement

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · PREPARE

Nourish depth screen D08



SCREEN 504 · NOURISH.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · PREPARE

Nourish depth screen D09

SCREEN 505 · NOURISH.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Prepare an easy meal
- Reduce moral labels on food
- Create a calm eating space

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · PREPARE

Nourish depth screen D10



SCREEN 506 · NOURISH.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Registered dietitian
- Primary-care clinician
- Behavioral-health clinician
- Eating-disorder specialist

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · PREPARE

Nourish depth screen D11



SCREEN 507 · NOURISH.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Meal companion
- Movement buddy
- Grocery support
- Encouragement without monitoring

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · PREPARE

Nourish depth screen D12



SCREEN 508 · NOURISH.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Add one steady meal
- Notice hunger before eating
- Chosen meal rhythm
- Fainting or severe weakness

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · DAILY CARE

Nourish depth screen D13



SCREEN 509 · NOURISH.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Steady enough
- Rushed
- Skipped
- Eating felt out of control

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · DAILY CARE

Nourish depth screen D14



SCREEN 510 · NOURISH.D14

Record meal rhythm and body cues

Purpose: Keep source, time and user-entered context visible.

Required content:

- Steady enough
- Rushed
- Skipped
- Eating felt out of control

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · DAILY CARE

Nourish depth screen D15



SCREEN 511 · NOURISH.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Add one steady meal
- Notice hunger before eating
- Choose enjoyable movement

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · DAILY CARE

Nourish depth screen D16



SCREEN 512 · NOURISH.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · DAILY CARE

Nourish depth screen D17



SCREEN 513 · NOURISH.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Keep one nourishing routine
- Reduce the goal
- Ask for specialist support

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · CONCERN RESPONSE

Nourish depth screen D18

SCREEN 514 · NOURISH.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Strong urge to eat
- Skipped meals
- Body-image distress
- Eating feels unsafe or out of control

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · CONCERN RESPONSE

Nourish depth screen D19



SCREEN 515 · NOURISH.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · CONCERN RESPONSE

Nourish depth screen D20

SCREEN 516 · NOURISH.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Fainting or severe weakness
- Purging or compensating behavior
- Unable to eat or drink safely
- Immediate mental-health concern

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

OBESITY & NUTRITION · CONCERN RESPONSE

Nourish depth screen D21



SCREEN 517 · NOURISH.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Pause and name the need
- Choose a gentle next meal
- Use the private urge-surf tool
- Reach a clinician or support person

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

OBESITY & NUTRITION · CONCERN RESPONSE

Nourish depth screen D22



SCREEN 518 · NOURISH.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

OBESITY & NUTRITION · CONCERN RESPONSE

Nourish depth screen D23



SCREEN 519 · NOURISH.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Remove compensation language
- Protect the next ordinary meal
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

OBESITY & NUTRITION · RECOVERY

Nourish depth screen D24



SCREEN 520 · NOURISH.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Strong urge to eat
- Skipped meals
- Body-image distress
- Eating feels unsafe or out of control

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · RECOVERY

Nourish depth screen D25

SCREEN 521 · NOURISH.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Remove compensation language
- Protect the next ordinary meal
- Name the trigger without judgment
- Connect to specialist care when needed

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · RECOVERY

Nourish depth screen D26



SCREEN 522 · NOURISH.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Keep one nourishing routine
- Reduce the goal
- Ask for specialist support

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · RECOVERY

Nourish depth screen D27



SCREEN 523 · NOURISH.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Steady enough
- Rushed
- Skipped
- Eating felt out of control

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If eating feels out of control or unsafe, offer appropriate professional and crisis support.

OBESITY & NUTRITION · REVIEW

Nourish depth screen D28



SCREEN 524 · NOURISH.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Steady meal moments
- Hunger/fullness awareness
- Energy trend
- Enjoyable movement

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · REVIEW

Nourish depth screen D29



SCREEN 525 · NOURISH.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Meal-pattern notes
- Access and medication questions
- Body-image or control concerns
- Support preference

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

OBESITY & NUTRITION · REVIEW

Nourish depth screen D30



SCREEN 526 · NOURISH.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Keep one nourishing routine
- Reduce the goal
- Ask for specialist support

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe calories, praise restriction, rank foods morally, or expose optional weight on Home.

RESPIRATORY HEALTH · 30-SCREEN DEPTH EXTENSION

ClearAir adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to respiratory health.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, breathing ease and recorded zone, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · SCOPE AND RECOVERY

ClearAir covers the important problems without pretending to diagnose

Health problem areas represented

- Know my action-plan zone
- Use inhalers correctly
- Reduce triggers
- Move and sleep more comfortably
- Cough or wheeze increase
- Chest tightness
- Night waking
- Rescue medicine used more often

Care-team routes

- Pulmonologist
- Primary-care clinician
- Pharmacist
- Respiratory therapist

Urgent-state content

- Severe trouble breathing
- Blue or gray lips or face
- Unable to speak normally
- Recorded red-zone sign

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Use the recorded zone action → Reduce triggers and activity safely → Record what changed → Review flare pattern with the care team

RESPIRATORY HEALTH · EVALUATE

ClearAir depth screen D01



SCREEN 527 · CLEARAIR.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Know my action-plan zone
- Use inhalers correctly
- Reduce triggers
- Move and sleep more comfortably

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · EVALUATE

ClearAir depth screen D02



SCREEN 528 · CLEARAIR.D02

Describe the last seven days

Purpose: Symptoms, triggers, technique confidence and existing action plan.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · EVALUATE

ClearAir depth screen D03



SCREEN 529 · CLEARAIR.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Morning symptoms
- Activity symptoms
- Night waking
- Rescue-use pattern

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · EVALUATE

ClearAir depth screen D04



SCREEN 530 · CLEARAIR.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Clinician-recorded green actions
- Yellow-zone actions
- Red-zone urgent actions
- Recorded inhaler schedule

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · EVALUATE

ClearAir depth screen D05



SCREEN 531 · CLEARAIR.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Technique uncertainty
- Medicine access
- Air or environmental triggers
- Action plan unavailable

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · EVALUATE

ClearAir depth screen D06



SCREEN 532 · CLEARAIR.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Severe trouble breathing
- Blue or gray lips or face
- Unable to speak normally
- Recorded red-zone sign

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

RESPIRATORY HEALTH · PREPARE

ClearAir depth screen D07



SCREEN 533 · CLEARAIR.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Record all three action zones
- Review inhaler technique
- Plan for one common trigger

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · PREPARE

ClearAir depth screen D08



SCREEN 534 · CLEARAIR.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · PREPARE

ClearAir depth screen D09



SCREEN 535 · CLEARAIR.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Keep inhaler accessible
- Save air-quality routine
- Share urgent plan with chosen person

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · PREPARE

ClearAir depth screen D10



SCREEN 536 · CLEARAIR.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Pulmonologist
- Primary-care clinician
- Pharmacist
- Respiratory therapist

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · PREPARE

ClearAir depth screen D11



SCREEN 537 · CLEARAIR.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Action-plan backup
- Appointment companion
- Trigger-reduction helper
- Emergency contact only

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · PREPARE

ClearAir depth screen D12



SCREEN 538 · CLEARAIR.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Record all three action zones
- Review inhaler technique
- Clinician-recorded green actions
- Severe trouble breathing

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · DAILY CARE

ClearAir depth screen D13



SCREEN 539 · CLEARAIR.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Green zone
- Yellow zone
- Red zone
- Not sure

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · DAILY CARE

ClearAir depth screen D14



SCREEN 540 · CLEARAIR.D14

Record breathing ease and recorded zone

Purpose: Keep source, time and user-entered context visible.

Required content:

- Green zone
- Yellow zone
- Red zone
- Not sure

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · DAILY CARE

ClearAir depth screen D15



SCREEN 541 · CLEARAIR.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Record all three action zones
- Review inhaler technique
- Plan for one common trigger

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · DAILY CARE

ClearAir depth screen D16



SCREEN 542 · CLEARAIR.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · DAILY CARE

ClearAir depth screen D17



SCREEN 543 · CLEARAIR.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Keep technique practice
- Update trigger preparation
- Ask clinician to clarify a zone

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · CONCERN RESPONSE

ClearAir depth screen D18



SCREEN 544 · CLEARAIR.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Cough or wheeze increase
- Chest tightness
- Night waking
- Rescue medicine used more often

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · CONCERN RESPONSE

ClearAir depth screen D19



SCREEN 545 · CLEARAIR.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · CONCERN RESPONSE

ClearAir depth screen D20



SCREEN 546 · CLEARAIR.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Severe trouble breathing
- Blue or gray lips or face
- Unable to speak normally
- Recorded red-zone sign

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

RESPIRATORY HEALTH · CONCERN RESPONSE

ClearAir depth screen D21

SCREEN 547 · CLEARAIR.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Follow recorded green-zone routine
- Follow recorded yellow-zone action
- Follow red-zone urgent action now
- Contact clinician to clarify the plan

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

RESPIRATORY HEALTH · CONCERN RESPONSE

ClearAir depth screen D22



SCREEN 548 · CLEARAIR.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

RESPIRATORY HEALTH · CONCERN RESPONSE

ClearAir depth screen D23



SCREEN 549 · CLEARAIR.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Use the recorded zone action
- Reduce triggers and activity safely
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

RESPIRATORY HEALTH · RECOVERY

ClearAir depth screen D24



SCREEN 550 · CLEARAIR.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Cough or wheeze increase
- Chest tightness
- Night waking
- Rescue medicine used more often

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · RECOVERY

ClearAir depth screen D25

SCREEN 551 · CLEARAIR.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Use the recorded zone action
- Reduce triggers and activity safely
- Record what changed
- Review flare pattern with the care team

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · RECOVERY

ClearAir depth screen D26



SCREEN 552 · CLEARAIR.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Keep technique practice
- Update trigger preparation
- Ask clinician to clarify a zone

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · RECOVERY

ClearAir depth screen D27



SCREEN 553 · CLEARAIR.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Green zone
- Yellow zone
- Red zone
- Not sure

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Red-zone symptoms show the recorded urgent action and emergency route on every relevant screen.

RESPIRATORY HEALTH · REVIEW

ClearAir depth screen D28



SCREEN 554 · CLEARAIR.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Easier-breathing days
- Technique practices
- Activity tolerance
- Trigger and rescue-use pattern

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · REVIEW

ClearAir depth screen D29



SCREEN 555 · CLEARAIR.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Zone history
- Technique questions
- Trigger pattern
- Action-plan updates

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

RESPIRATORY HEALTH · REVIEW

ClearAir depth screen D30



SCREEN 556 · CLEARAIR.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Keep technique practice
- Update trigger preparation
- Ask clinician to clarify a zone

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent action-plan steps, alter inhaler instructions, or let an exercise delay red-zone care.

KIDNEY & LIVER HEALTH · 30-SCREEN DEPTH EXTENSION

Balance adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to kidney & liver health.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, energy, swelling and plan adherence, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · SCOPE AND RECOVERY

Balance covers the important problems without pretending to diagnose

Health problem areas represented

- Medicines and appointments
- Food, sodium and fluids
- Energy and swelling
- Alcohol and medicine safety
- Swelling or breathing change
- Confusion or severe sleepiness
- Missed medicine
- Fluid, sodium or alcohol concern

Urgent-state content

- New confusion
- Severe breathing trouble
- Vomiting blood or black stool
- Rapid swelling or clinician urgent sign

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Care-team routes

- Nephrologist or hepatologist
- Primary-care clinician
- Pharmacist
- Renal or liver dietitian

Recovery ladder

Return to recorded guidance → Protect the next medicine and meal window → Write a concise symptom note → Contact the care team for recurring change

KIDNEY & LIVER HEALTH · EVALUATE

Balance depth screen D01



SCREEN 557 · BALANCE.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Medicines and appointments
- Food, sodium and fluids
- Energy and swelling
- Alcohol and medicine safety

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · EVALUATE

Balance depth screen D02



SCREEN 558 · BALANCE.D02

Describe the last seven days

Purpose: Diagnosis context, clinician guidance, symptoms and care access.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · EVALUATE

Balance depth screen D03



SCREEN 559 · BALANCE.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Fluid routine
- Meal sodium pattern
- Medicine timing
- Energy or swelling changes

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · EVALUATE

Balance depth screen D04



SCREEN 560 · BALANCE.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Clinician fluid guidance
- Clinician sodium guidance
- Recorded medicines
- Lab and appointment schedule

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · EVALUATE

Balance depth screen D05



SCREEN 561 · BALANCE.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Conflicting advice
- Food access
- Medicine side effects
- Appointment burden

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · EVALUATE

Balance depth screen D06



SCREEN 562 · BALANCE.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- New confusion
- Severe breathing trouble
- Vomiting blood or black stool
- Rapid swelling or clinician urgent sign

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

KIDNEY & LIVER HEALTH · PREPARE

Balance depth screen D07



SCREEN 563 · BALANCE.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Record clinician guidance
- Prepare one lower-sodium option
- Set lab or medicine reminder

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · PREPARE

Balance depth screen D08



SCREEN 564 · BALANCE.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · PREPARE

Balance depth screen D09



SCREEN 565 · BALANCE.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Keep guidance card visible
- Check medicine list
- Plan appointment transport

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · PREPARE

Balance depth screen D10



SCREEN 566 · BALANCE.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Nephrologist or hepatologist
- Primary-care clinician
- Pharmacist
- Renal or liver dietitian

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · PREPARE

Balance depth screen D11



SCREEN 567 · BALANCE.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Appointment companion
- Meal support
- Medicine reminder
- Emergency contact only

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · PREPARE

Balance depth screen D12



SCREEN 568 · BALANCE.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Record clinician guidance
- Prepare one lower-sodium option
- Clinician fluid guidance
- New confusion

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · DAILY CARE

Balance depth screen D13



SCREEN 569 · BALANCE.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Stable for me
- Small change
- Call care team
- Urgent symptoms

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · DAILY CARE

Balance depth screen D14



SCREEN 570 · BALANCE.D14

Record energy, swelling and plan adherence

Purpose: Keep source, time and user-entered context visible.

Required content:

- Stable for me
- Small change
- Call care team
- Urgent symptoms

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · DAILY CARE

Balance depth screen D15



SCREEN 571 · BALANCE.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Record clinician guidance
- Prepare one lower-sodium option
- Set lab or medicine reminder

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · DAILY CARE

Balance depth screen D16



SCREEN 572 · BALANCE.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · DAILY CARE

Balance depth screen D17



SCREEN 573 · BALANCE.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Keep one protective habit
- Clarify guidance
- Prepare the next care visit

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · CONCERN RESPONSE

Balance depth screen D18



SCREEN 574 · BALANCE.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Swelling or breathing change
- Confusion or severe sleepiness
- Missed medicine
- Fluid, sodium or alcohol concern

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · CONCERN RESPONSE

Balance depth screen D19



SCREEN 575 · BALANCE.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · CONCERN RESPONSE

Balance depth screen D20



SCREEN 576 · BALANCE.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- New confusion
- Severe breathing trouble
- Vomiting blood or black stool
- Rapid swelling or clinician urgent sign

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

KIDNEY & LIVER HEALTH · CONCERN RESPONSE

Balance depth screen D21

SCREEN 577 · BALANCE.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Review recorded clinician guidance
- Contact pharmacist about medicines
- Contact specialist team
- Follow urgent-care instruction

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

KIDNEY & LIVER HEALTH · CONCERN RESPONSE

Balance depth screen D22



SCREEN 578 · BALANCE.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

KIDNEY & LIVER HEALTH · CONCERN RESPONSE

Balance depth screen D23



SCREEN 579 · BALANCE.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Return to recorded guidance
- Protect the next medicine and meal window
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

KIDNEY & LIVER HEALTH · RECOVERY

Balance depth screen D24



SCREEN 580 · BALANCE.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Swelling or breathing change
- Confusion or severe sleepiness
- Missed medicine
- Fluid, sodium or alcohol concern

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · RECOVERY

Balance depth screen D25



SCREEN 581 · BALANCE.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Return to recorded guidance
- Protect the next medicine and meal window
- Write a concise symptom note
- Contact the care team for recurring change

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · RECOVERY

Balance depth screen D26



SCREEN 582 · BALANCE.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Keep one protective habit
- Clarify guidance
- Prepare the next care visit

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · RECOVERY

Balance depth screen D27



SCREEN 583 · BALANCE.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Stable for me
- Small change
- Call care team
- Urgent symptoms

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Unexpected swelling or symptoms show “contact your care team” guidance; urgent signs route appropriately.

KIDNEY & LIVER HEALTH · REVIEW

Balance depth screen D28



SCREEN 584 · BALANCE.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Medicine routine
- Appointments and labs completed
- Guidance followed
- Energy and swelling notes

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · REVIEW

Balance depth screen D29



SCREEN 585 · BALANCE.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Symptom timeline
- Medicine and supplement list
- Lab questions
- Food, fluid and alcohol concerns

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

KIDNEY & LIVER HEALTH · REVIEW

Balance depth screen D30



SCREEN 586 · BALANCE.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Keep one protective habit
- Clarify guidance
- Prepare the next care visit

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never set fluid, sodium, protein or alcohol limits, grade lab values, or merge kidney and liver advice.

MENTAL & BEHAVIORAL HEALTH · 30-SCREEN DEPTH EXTENSION

SteadyMind adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to mental & behavioral health.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, mood, stress and need for support, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · SCOPE AND RECOVERY

SteadyMind covers the important problems without pretending to diagnose

Health problem areas represented

- Mood and stress
- Sleep
- Coping tools
- Connection and professional support
- Panic or intense stress
- Low mood or shutdown
- Racing thoughts or agitation
- Safety concern

Care-team routes

- Therapist or counselor
- Primary-care clinician
- Psychiatry clinician
- Crisis service

Urgent-state content

- Thoughts of self-harm
- Cannot stay safe
- Immediate danger from another person
- Severe confusion or loss of reality

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Reduce the next step → Choose connection or rest without guilt → Note what helped privately → Update the safety plan with a professional

MENTAL & BEHAVIORAL HEALTH · EVALUATE

SteadyMind depth screen D01



SCREEN 587 · STEADYMIND.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Mood and stress
- Sleep
- Coping tools
- Connection and professional support

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · EVALUATE

SteadyMind depth screen D02



SCREEN 588 · STEADYMIND.D02

Describe the last seven days

Purpose: Private starting point, immediate support need and care preferences.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · EVALUATE

SteadyMind depth screen D03



SCREEN 589 · STEADYMIND.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Morning mood
- Stress peaks
- Night thoughts
- Isolation or connection

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · EVALUATE

SteadyMind depth screen D04



SCREEN 590 · STEADYMIND.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Personal coping tools
- Trusted contacts
- Therapy reminders
- Private safety plan

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · EVALUATE

SteadyMind depth screen D05



SCREEN 591 · STEADYMIND.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Low energy
- Privacy concern
- Cost or care access
- Tool feels too hard

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · EVALUATE

SteadyMind depth screen D06



SCREEN 592 · STEADYMIND.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Thoughts of self-harm
- Cannot stay safe
- Immediate danger from another person
- Severe confusion or loss of reality

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

MENTAL & BEHAVIORAL HEALTH · PREPARE

SteadyMind depth screen D07



SCREEN 593 · STEADYMIND.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Choose one grounding tool
- Add a trusted contact
- Set one gentle sleep cue

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · PREPARE

SteadyMind depth screen D08



SCREEN 594 · STEADYMIND.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · PREPARE

SteadyMind depth screen D09



SCREEN 595 · STEADYMIND.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Create a calm corner
- Reduce triggering notifications
- Keep crisis route available

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · PREPARE

SteadyMind depth screen D10



SCREEN 596 · STEADYMIND.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Therapist or counselor
- Primary-care clinician
- Psychiatry clinician
- Crisis service

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · PREPARE

SteadyMind depth screen D11



SCREEN 597 · STEADYMIND.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Listen without fixing
- Check-in person
- Ride or appointment help
- Crisis contact with consent

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · PREPARE

SteadyMind depth screen D12



SCREEN 598 · STEADYMIND.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Choose one grounding tool
- Add a trusted contact
- Personal coping tools
- Thoughts of self-harm

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · DAILY CARE

SteadyMind depth screen D13



SCREEN 599 · STEADYMIND.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Managing
- Need a coping tool
- Need a person today
- Need urgent help now

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · DAILY CARE

SteadyMind depth screen D14



SCREEN 600 · STEADYMIND.D14

Record mood, stress and need for support

Purpose: Keep source, time and user-entered context visible.

Required content:

- Managing
- Need a coping tool
- Need a person today
- Need urgent help now

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · DAILY CARE

SteadyMind depth screen D15



SCREEN 601 · STEADYMIND.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Choose one grounding tool
- Add a trusted contact
- Set one gentle sleep cue

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · DAILY CARE

SteadyMind depth screen D16



SCREEN 602 · STEADYMIND.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · DAILY CARE

SteadyMind depth screen D17



SCREEN 603 · STEADYMIND.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Keep one effective tool
- Change the check-in time
- Connect to professional support

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · CONCERN RESPONSE

SteadyMind depth screen D18



SCREEN 604 · STEADYMIND.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Panic or intense stress
- Low mood or shutdown
- Racing thoughts or agitation
- Safety concern

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · CONCERN RESPONSE

SteadyMind depth screen D19



SCREEN 605 · STEADYMIND.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · CONCERN RESPONSE

SteadyMind depth screen D20



SCREEN 606 · STEADYMIND.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Thoughts of self-harm
- Cannot stay safe
- Immediate danger from another person
- Severe confusion or loss of reality

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

MENTAL & BEHAVIORAL HEALTH · CONCERN RESPONSE

SteadyMind depth screen D21



SCREEN 607 · STEADYMIND.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Use 5-4-3-2-1 grounding
- Open the personal coping list
- Contact a trusted person or clinician
- Open crisis support now

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

MENTAL & BEHAVIORAL HEALTH · CONCERN RESPONSE

SteadyMind depth screen D22



SCREEN 608 · STEADYMIND.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

MENTAL & BEHAVIORAL HEALTH · CONCERN RESPONSE

SteadyMind depth screen D23

SCREEN 609 · STEADYMIND.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Reduce the next step
- Choose connection or rest without guilt
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

MENTAL & BEHAVIORAL HEALTH · RECOVERY

SteadyMind depth screen D24



SCREEN 610 · STEADYMIND.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Panic or intense stress
- Low mood or shutdown
- Racing thoughts or agitation
- Safety concern

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · RECOVERY

SteadyMind depth screen D25

SCREEN 611 · STEADYMIND.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Reduce the next step
- Choose connection or rest without guilt
- Note what helped privately
- Update the safety plan with a professional

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · RECOVERY

SteadyMind depth screen D26



SCREEN 612 · STEADYMIND.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Keep one effective tool
- Change the check-in time
- Connect to professional support

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · RECOVERY

SteadyMind depth screen D27

SCREEN 613 · STEADYMIND.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Managing
- Need a coping tool
- Need a person today
- Need urgent help now

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Crisis help stays visible on every screen; in the US include call/text 988 and Crisis Text Line according to approved routing.

MENTAL & BEHAVIORAL HEALTH · REVIEW

SteadyMind depth screen D28



SCREEN 614 · STEADYMIND.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Mood pattern
- Coping tools tried
- Self-rated helpfulness
- Sleep and connection

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · REVIEW

SteadyMind depth screen D29



SCREEN 615 · STEADYMIND.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Mood and sleep pattern
- Tool helpfulness
- Medicine questions
- Safety or access concerns

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

MENTAL & BEHAVIORAL HEALTH · REVIEW

SteadyMind depth screen D30



SCREEN 616 · STEADYMIND.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Keep one effective tool
- Change the check-in time
- Connect to professional support

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never hide crisis access, share by default, upload journal text, or turn crisis use into a score.

PREVENTIVE HEALTH · 30-SCREEN DEPTH EXTENSION

Ahead adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to preventive health.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, due items and appointment readiness, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

> **Clinical boundary:** Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · SCOPE AND RECOVERY

Ahead covers the important problems without pretending to diagnose

Health problem areas represented

- Annual care visit
- Screenings
- Vaccinations
- Dental, vision and medication review
- Procedure worry
- Results worry
- Cost or access
- Missed appointment

Care-team routes

- Primary-care clinician
- Pharmacist
- Dentist or eye clinician
- Community health navigator

Urgent-state content

- A new concerning symptom
- Abnormal result with urgent instruction
- Immediate medicine reaction
- Emergency warning sign

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Reschedule without penalty → Break preparation into one step → Ask for access support → Refresh the reviewed checklist

PREVENTIVE HEALTH · EVALUATE

Ahead depth screen D01



SCREEN 617 · AHEAD.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Annual care visit
- Screenings
- Vaccinations
- Dental, vision and medication review

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · EVALUATE

Ahead depth screen D02



SCREEN 618 · AHEAD.D02

Describe the last seven days

Purpose: Age, context, records, access and reviewed eligibility inputs.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · EVALUATE

Ahead depth screen D03



SCREEN 619 · AHEAD.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Items due soon
- Scheduling barriers
- Result anxiety
- Care gaps

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · EVALUATE

Ahead depth screen D04



SCREEN 620 · AHEAD.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Reviewed recommendation list
- Vaccination record
- Appointment calendar
- Questions for clinician

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · EVALUATE

Ahead depth screen D05



SCREEN 621 · AHEAD.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Cost or insurance
- Finding a clinician
- Time or transportation
- Fear of procedure or results

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · EVALUATE

Ahead depth screen D06



SCREEN 622 · AHEAD.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- A new concerning symptom
- Abnormal result with urgent instruction
- Immediate medicine reaction
- Emergency warning sign

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

PREVENTIVE HEALTH · PREPARE

Ahead depth screen D07



SCREEN 623 · AHEAD.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Confirm one appointment
- Collect one record
- Write one question

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · PREPARE

Ahead depth screen D08



SCREEN 624 · AHEAD.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · PREPARE

Ahead depth screen D09



SCREEN 625 · AHEAD.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Gather insurance details
- Save clinic contact
- Arrange transportation or support

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · PREPARE

Ahead depth screen D10



SCREEN 626 · AHEAD.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Primary-care clinician
- Pharmacist
- Dentist or eye clinician
- Community health navigator

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · PREPARE

Ahead depth screen D11



SCREEN 627 · AHEAD.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Ride support
- Reminder only
- Visit note-taker
- Childcare or practical help

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · PREPARE

Ahead depth screen D12



SCREEN 628 · AHEAD.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Confirm one appointment
- Collect one record
- Reviewed recommendation list
- A new concerning symptom

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · DAILY CARE

Ahead depth screen D13



SCREEN 629 · AHEAD.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Nothing due now
- Planning needed
- Appointment scheduled
- Need help accessing care

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · DAILY CARE

Ahead depth screen D14



SCREEN 630 · AHEAD.D14

Record due items and appointment readiness

Purpose: Keep source, time and user-entered context visible.

Required content:

- Nothing due now
- Planning needed
- Appointment scheduled
- Need help accessing care

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · DAILY CARE

Ahead depth screen D15



SCREEN 631 · AHEAD.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Confirm one appointment
- Collect one record
- Write one question

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · DAILY CARE

Ahead depth screen D16



SCREEN 632 · AHEAD.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · DAILY CARE

Ahead depth screen D17



SCREEN 633 · AHEAD.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Complete one due item
- Move one reminder
- Confirm next review date

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · CONCERN RESPONSE

Ahead depth screen D18



SCREEN 634 · AHEAD.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Procedure worry
- Results worry
- Cost or access
- Missed appointment

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · CONCERN RESPONSE

Ahead depth screen D19



SCREEN 635 · AHEAD.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · CONCERN RESPONSE

Ahead depth screen D20



SCREEN 636 · AHEAD.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- A new concerning symptom
- Abnormal result with urgent instruction
- Immediate medicine reaction
- Emergency warning sign

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

PREVENTIVE HEALTH · CONCERN RESPONSE

Ahead depth screen D21



SCREEN 637 · AHEAD.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Review what to expect
- Use the question builder
- Contact a navigator
- Follow the clinician urgent instruction

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

PREVENTIVE HEALTH · CONCERN RESPONSE

Ahead depth screen D22



SCREEN 638 · AHEAD.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

PREVENTIVE HEALTH · CONCERN RESPONSE

Ahead depth screen D23



SCREEN 639 · AHEAD.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Reschedule without penalty
- Break preparation into one step
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

PREVENTIVE HEALTH · RECOVERY

Ahead depth screen D24



SCREEN 640 · AHEAD.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Procedure worry
- Results worry
- Cost or access
- Missed appointment

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · RECOVERY

Ahead depth screen D25

SCREEN 641 · AHEAD.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Reschedule without penalty
- Break preparation into one step
- Ask for access support
- Refresh the reviewed checklist

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · RECOVERY

Ahead depth screen D26



SCREEN 642 · AHEAD.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Complete one due item
- Move one reminder
- Confirm next review date

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · RECOVERY

Ahead depth screen D27



SCREEN 643 · AHEAD.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Nothing due now
- Planning needed
- Appointment scheduled
- Need help accessing care

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Eligibility guidance must be jurisdiction- and guideline-version aware and direct interpretation to clinicians.

PREVENTIVE HEALTH · REVIEW

Ahead depth screen D28



SCREEN 644 · AHEAD.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Items completed
- Appointments kept or rescheduled
- Records collected
- Questions answered

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · REVIEW

Ahead depth screen D29



SCREEN 645 · AHEAD.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Medication and vaccine list
- Family-history updates
- Screening questions
- Access and cost concerns

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

PREVENTIVE HEALTH · REVIEW

Ahead depth screen D30



SCREEN 646 · AHEAD.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Complete one due item
- Move one reminder
- Confirm next review date

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never invent eligibility, diagnose from a checklist, grade prevention, or present old guidance as current.

HEALTHY AGING · 30-SCREEN DEPTH EXTENSION

Everwell adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to healthy aging.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, movement, balance and daily function, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · SCOPE AND RECOVERY

Everwell covers the important problems without pretending to diagnose

Health problem areas represented

- Strength and balance
- Medicines and appointments
- Memory and daily function
- Connection and independence
- Low energy or stiffness
- Unsteady moment
- Loneliness
- Memory or medicine concern

Care-team routes

- Primary-care clinician
- Physical therapist
- Pharmacist
- Community aging service

Urgent-state content

- Fall with possible injury
- Sudden weakness or speech change
- New severe confusion
- Chest pain or severe breathing trouble

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

Pause without losing progress → Choose the safer variation → Ask a person for practical help → Review recurring change with clinician

HEALTHY AGING · EVALUATE

Everwell depth screen D01



SCREEN 647 · EVERWELL.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Strength and balance
- Medicines and appointments
- Memory and daily function
- Connection and independence

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · EVALUATE

Everwell depth screen D02



SCREEN 648 · EVERWELL.D02

Describe the last seven days

Purpose: Personal goals, mobility, fall concerns, cognition concerns and support choices.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · EVALUATE

Everwell depth screen D03



SCREEN 649 · EVERWELL.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Energy and stiffness
- Balance moments
- Medicine complexity
- Social connection

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · EVALUATE

Everwell depth screen D04



SCREEN 650 · EVERWELL.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Chair-safe movement plan
- Balance practice
- Medicine review
- Consent-based supporter plan

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · EVALUATE

Everwell depth screen D05



SCREEN 651 · EVERWELL.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Pain or fatigue
- Fear of falling
- Hearing or vision
- Transportation or isolation

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · EVALUATE

Everwell depth screen D06



SCREEN 652 · EVERWELL.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Fall with possible injury
- Sudden weakness or speech change
- New severe confusion
- Chest pain or severe breathing trouble

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

HEALTHY AGING · PREPARE

Everwell depth screen D07



SCREEN 653 · EVERWELL.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Try one chair-safe routine
- Check one fall hazard
- Schedule medicine review

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · PREPARE

Everwell depth screen D08



SCREEN 654 · EVERWELL.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · PREPARE

Everwell depth screen D09



SCREEN 655 · EVERWELL.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Improve lighting
- Clear a walking path
- Keep essentials within reach

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · PREPARE

Everwell depth screen D10



SCREEN 656 · EVERWELL.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Primary-care clinician
- Physical therapist
- Pharmacist
- Community aging service

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · PREPARE

Everwell depth screen D11



SCREEN 657 · EVERWELL.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Movement buddy
- Ride or appointment help
- Medicine-list helper
- Caregiver with revocable access

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · PREPARE

Everwell depth screen D12



SCREEN 658 · EVERWELL.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Try one chair-safe routine
- Check one fall hazard
- Chair-safe movement plan
- Fall with possible injury

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · DAILY CARE

Everwell depth screen D13



SCREEN 659 · EVERWELL.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Steady for me
- A little harder
- Need help today
- Urgent change

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · DAILY CARE

Everwell depth screen D14



SCREEN 660 · EVERWELL.D14

Record movement, balance and daily function

Purpose: Keep source, time and user-entered context visible.

Required content:

- Steady for me
- A little harder
- Need help today
- Urgent change

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · DAILY CARE

Everwell depth screen D15



SCREEN 661 · EVERWELL.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Try one chair-safe routine
- Check one fall hazard
- Schedule medicine review

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · DAILY CARE

Everwell depth screen D16



SCREEN 662 · EVERWELL.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · DAILY CARE

Everwell depth screen D17



SCREEN 663 · EVERWELL.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Repeat the safer routine
- Reduce intensity
- Ask for professional review

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · CONCERN RESPONSE

Everwell depth screen D18



SCREEN 664 · EVERWELL.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Low energy or stiffness
- Unsteady moment
- Loneliness
- Memory or medicine concern

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · CONCERN RESPONSE

Everwell depth screen D19



SCREEN 665 · EVERWELL.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · CONCERN RESPONSE

Everwell depth screen D20



SCREEN 666 · EVERWELL.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Fall with possible injury
- Sudden weakness or speech change
- New severe confusion
- Chest pain or severe breathing trouble

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

HEALTHY AGING · CONCERN RESPONSE

Everwell depth screen D21



SCREEN 667 · EVERWELL.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Choose the chair-safe option
- Use the fall-prevention checklist
- Contact a chosen person
- Follow emergency guidance

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

HEALTHY AGING · CONCERN RESPONSE

Everwell depth screen D22



SCREEN 668 · EVERWELL.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

HEALTHY AGING · CONCERN RESPONSE

Everwell depth screen D23



SCREEN 669 · EVERWELL.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- Pause without losing progress
- Choose the safer variation
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

HEALTHY AGING · RECOVERY

Everwell depth screen D24



SCREEN 670 · EVERWELL.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Low energy or stiffness
- Unsteady moment
- Loneliness
- Memory or medicine concern

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · RECOVERY

Everwell depth screen D25



SCREEN 671 · EVERWELL.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- Pause without losing progress
- Choose the safer variation
- Ask a person for practical help
- Review recurring change with clinician

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · RECOVERY

Everwell depth screen D26



SCREEN 672 · EVERWELL.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Repeat the safer routine
- Reduce intensity
- Ask for professional review

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · RECOVERY

Everwell depth screen D27



SCREEN 673 · EVERWELL.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Steady for me
- A little harder
- Need help today
- Urgent change

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: A fall, new severe symptom or acute confusion routes to appropriate urgent or emergency help.

HEALTHY AGING · REVIEW

Everwell depth screen D28



SCREEN 674 · EVERWELL.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Strength and balance practice
- Social moments
- Steady weeks
- Appointments and medicine review

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · REVIEW

Everwell depth screen D29



SCREEN 675 · EVERWELL.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Falls or near-falls
- Function changes
- Medicine list
- Memory and connection concerns

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

HEALTHY AGING · REVIEW

Everwell depth screen D30



SCREEN 676 · EVERWELL.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Repeat the safer routine
- Reduce intensity
- Ask for professional review

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never prescribe exercise intensity, infer dementia, require caregiver access, or hide revocation controls.

SOCIAL MEDIA ADDICTION · 30-SCREEN DEPTH EXTENSION

Present adds a complete condition-specific care journey

The approved BreatheFree interaction grammar remains: one clear question, one primary action, visible progress, a five-step concern flow and nonpunitive recovery. The content below is native to social media addiction.

1 · EVALUATE · D01-D06
Priority, baseline, pattern, existing care, barriers and urgent signs.

2 · PREPARE · D07-D12
First week, reminders, environment, care team, supporter scope and activation.

3 · DAILY CARE · D13-D17
Status, urge, mood and screen-use context, one action, reflection and recommendation.

4 · CONCERN RESPONSE · D18-D23
Condition-specific concern, impact, urgent check, approved action, recheck and escalation.

5 · RECOVERY · D24-D27
Context without blame, protect the next hour, adjust the plan and follow up.

6 · REVIEW · D28-D30
Pattern review, visit preparation and next care cycle.

Clinical boundary: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · SCOPE AND RECOVERY

Present covers the important problems without pretending to diagnose

Health problem areas represented

- Sleep and digital sunset
- Fewer automatic pickups
- Focused work or study
- More meaningful offline time
- Strong urge to check
- Lost time in a feed
- Late-night scrolling
- Distressing content or harassment

Care-team routes

- Private supporter
- Counselor
- Sleep clinician when appropriate
- Crisis service when needed

Urgent-state content

- Scrolling linked to self-harm distress
- Harassment or immediate safety risk
- Severe sleep loss affecting safety
- Immediate mental-health crisis

Release requirement

Urgent copy, thresholds, jurisdiction routing and external destinations require clinical and legal approval. The UI never asserts that the person is safe.

Recovery ladder

End the session without shame → Protect the next ten minutes offline → Change one cue or notification → Review distress with a counselor

SOCIAL MEDIA ADDICTION · EVALUATE

Present depth screen D01



SCREEN 677 · PRESENT.D01

Choose the care area to start with

Purpose: Name the user's first priority without labeling the person.

Required content:

- Sleep and digital sunset
- Fewer automatic pickups
- Focused work or study
- More meaningful offline time

BUTTON	DESTINATION	STATE EFFECT
Save priority	D02	Save only after visible confirmation
See all areas	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · EVALUATE

Present depth screen D02



SCREEN 678 · PRESENT.D02

Describe the last seven days

Purpose: Self-reported use pattern, triggers, mood, sleep and attention goals.

Required content:

- Better than usual
- Typical for me
- Harder than usual
- Not sure yet

BUTTON	DESTINATION	STATE EFFECT
Save starting point	D03	Save only after visible confirmation
Prefer not to answer	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · EVALUATE

Present depth screen D03



SCREEN 679 · PRESENT.D03

Map when the pattern happens

Purpose: Identify timing so the plan can fit real life.

Required content:

- Morning checking
- Work or study interruption
- Evening scrolling
- Night use

BUTTON	DESTINATION	STATE EFFECT
Save pattern	D04	Save only after visible confirmation
Add my own	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · EVALUATE

Present depth screen D04



SCREEN 680 · PRESENT.D04

Record the care plan already in use

Purpose: Capture existing guidance; the app does not create medical instructions.

Required content:

- Digital sunset
- OS app limits
- Notification hygiene
- Offline alternatives

BUTTON	DESTINATION	STATE EFFECT
Save recorded plan	D05	Save only after visible confirmation
I do not have one	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · EVALUATE

Present depth screen D05



SCREEN 681 · PRESENT.D05

Choose what makes care harder

Purpose: Make access and practical barriers part of the plan.

Required content:

- Fear of missing out
- Boredom or stress
- Work requirements
- Habitual pickups

BUTTON	DESTINATION	STATE EFFECT
Save barriers	D06	Save only after visible confirmation
Add another barrier	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · EVALUATE

Present depth screen D06



SCREEN 682 · PRESENT.D06

Know when the normal flow must stop

Purpose: Present approved urgent signs before activation.

Required content:

- Scrolling linked to self-harm distress
- Harassment or immediate safety risk
- Severe sleep loss affecting safety
- Immediate mental-health crisis

BUTTON	DESTINATION	STATE EFFECT
I understand	D07	Save only after visible confirmation
Review with care team	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

SOCIAL MEDIA ADDICTION · PREPARE

Present depth screen D07



SCREEN 683 · PRESENT.D07

Build the first seven days

Purpose: Choose small, concrete actions for the first week.

Required content:

- Set one digital sunset
- Move one app off Home
- Choose one offline alternative

BUTTON	DESTINATION	STATE EFFECT
Use this first week	D08	Save only after visible confirmation
Make it smaller	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · PREPARE

Present depth screen D08



SCREEN 684 · PRESENT.D08

Set reminders that protect privacy

Purpose: Choose timing and lock-screen wording for health reminders.

Required content:

- Morning check-in
- Care-plan reminder
- Evening reflection
- No lock-screen detail

BUTTON	DESTINATION	STATE EFFECT
Save reminders	D09	Save only after visible confirmation
Not now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · PREPARE

Present depth screen D09



SCREEN 685 · PRESENT.D09

Prepare the environment

Purpose: Reduce friction before the first difficult moment.

Required content:

- Charge phone outside bedroom
- Turn off nonessential alerts
- Prepare a visible offline activity

BUTTON	DESTINATION	STATE EFFECT
Save preparation	D10	Save only after visible confirmation
Choose later	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · PREPARE

Present depth screen D10



SCREEN 686 · PRESENT.D10

Add the care team

Purpose: Store roles and approved contact routes without implying enrollment.

Required content:

- Private supporter
- Counselor
- Sleep clinician when appropriate
- Crisis service when needed

BUTTON	DESTINATION	STATE EFFECT
Save care contacts	D11	Save only after visible confirmation
Skip for now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · PREPARE

Present depth screen D11



SCREEN 687 · PRESENT.D11

Define one supporter role

Purpose: Share only the chosen task, never the whole program by default.

Required content:

- Sunset accountability
- Offline activity buddy
- Listen without monitoring
- Professional support

BUTTON	DESTINATION	STATE EFFECT
Preview supporter access	D12	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · PREPARE

Present depth screen D12



SCREEN 688 · PRESENT.D12

Review and activate the detailed plan

Purpose: Confirm the first week, recorded care guidance and safety route.

Required content:

- Set one digital sunset
- Move one app off Home
- Digital sunset
- Scrolling linked to self-harm distress

BUTTON	DESTINATION	STATE EFFECT
Start detailed plan	D13	Save only after visible confirmation
Edit a section	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · DAILY CARE

Present depth screen D13



SCREEN 689 · PRESENT.D13

Morning status

Purpose: Capture a quick status before showing a recommendation.

Required content:

- Intentional use
- Automatic checking
- Binge scrolling
- Use linked to distress

BUTTON	DESTINATION	STATE EFFECT
Save morning status	D14	Save only after visible confirmation
Open support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · DAILY CARE

Present depth screen D14



SCREEN 690 · PRESENT.D14

Record urge, mood and screen-use context

Purpose: Keep source, time and user-entered context visible.

Required content:

- Intentional use
- Automatic checking
- Binge scrolling
- Use linked to distress

BUTTON	DESTINATION	STATE EFFECT
Save entry	D15	Save only after visible confirmation
Skip today	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · DAILY CARE

Present depth screen D15



SCREEN 691 · PRESENT.D15

Complete today’s care action

Purpose: Offer one action from the active plan, not a generic wellness task.

Required content:

- Set one digital sunset
- Move one app off Home
- Choose one offline alternative

BUTTON	DESTINATION	STATE EFFECT
Mark complete	D16	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · DAILY CARE

Present depth screen D16



SCREEN 692 · PRESENT.D16

Evening reflection

Purpose: Capture what helped and what needs changing without grading the day.

Required content:

- What helped
- What was difficult
- What I need tomorrow
- Keep this private

BUTTON	DESTINATION	STATE EFFECT
Save reflection	D17	Save only after visible confirmation
Skip reflection	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · DAILY CARE

Present depth screen D17



SCREEN 693 · PRESENT.D17

Choose the next best step

Purpose: Explain why the recommendation fits today and offer an alternative.

Required content:

- Keep one boundary
- Make the goal smaller
- Ask a person for support

BUTTON	DESTINATION	STATE EFFECT
Use this step	D18	Save only after visible confirmation
Choose another	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · CONCERN RESPONSE

Present depth screen D18



SCREEN 694 · PRESENT.D18

What is happening right now?

Purpose: Start the condition-specific concern flow with plain choices.

Required content:

- Strong urge to check
- Lost time in a feed
- Late-night scrolling
- Distressing content or harassment

BUTTON	DESTINATION	STATE EFFECT
Continue	D19	Save only after visible confirmation
Contact a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · CONCERN RESPONSE

Present depth screen D19



SCREEN 695 · PRESENT.D19

How much is this affecting you?

Purpose: Record impact without diagnosing severity.

Required content:

- Mild; I can continue
- Moderate; I need support
- Severe; normal tasks are hard
- I am not sure

BUTTON	DESTINATION	STATE EFFECT
Continue safely	D20	Save only after visible confirmation
Go back	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · CONCERN RESPONSE

Present depth screen D20

SCREEN 696 · PRESENT.D20

Check urgent signs first

Purpose: Interrupt self-management when an approved urgent sign is selected.

Required content:

- Scrolling linked to self-harm distress
- Harassment or immediate safety risk
- Severe sleep loss affecting safety
- Immediate mental-health crisis

BUTTON	DESTINATION	STATE EFFECT
Open urgent route	D21	Save only after visible confirmation
None of these	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

SOCIAL MEDIA ADDICTION · CONCERN RESPONSE

Present depth screen D21



SCREEN 697 · PRESENT.D21

Use only the approved next action

Purpose: Match to recorded guidance or a human route; never improvise treatment.

Required content:

- Use the two-minute urge surf
- Start an offline alternative
- Open OS limit settings
- Contact a person for support

BUTTON	DESTINATION	STATE EFFECT
Use this action	D22	Save only after visible confirmation
Choose a person	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

SOCIAL MEDIA ADDICTION · CONCERN RESPONSE

Present depth screen D22



SCREEN 698 · PRESENT.D22

Recheck after the action

Purpose: Ask what changed and keep escalation visible.

Required content:

- Improved
- About the same
- Worse
- New urgent sign

BUTTON	DESTINATION	STATE EFFECT
Save recheck	D23	Save only after visible confirmation
Get help now	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

SOCIAL MEDIA ADDICTION · CONCERN RESPONSE

Present depth screen D23



SCREEN 699 · PRESENT.D23

Close or escalate the concern

Purpose: End only with a clear next step and preserved context.

Required content:

- End the session without shame
- Protect the next ten minutes offline
- Contact care team
- Follow urgent route

BUTTON	DESTINATION	STATE EFFECT
Save next step	D24	Save only after visible confirmation
Return to action	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

SOCIAL MEDIA ADDICTION · RECOVERY

Present depth screen D24



SCREEN 700 · PRESENT.D24

Name what changed without blame

Purpose: Turn a hard day or flare into useful context.

Required content:

- Strong urge to check
- Lost time in a feed
- Late-night scrolling
- Distressing content or harassment

BUTTON	DESTINATION	STATE EFFECT
Save context	D25	Save only after visible confirmation
Keep private	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · RECOVERY

Present depth screen D25

SCREEN 701 · PRESENT.D25

Protect the next hour

Purpose: Reduce the plan to the safest useful action.

Required content:

- End the session without shame
- Protect the next ten minutes offline
- Change one cue or notification
- Review distress with a counselor

BUTTON	DESTINATION	STATE EFFECT
Choose recovery step	D26	Save only after visible confirmation
Contact support	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · RECOVERY

Present depth screen D26



SCREEN 702 · PRESENT.D26

Adjust the plan, not the person

Purpose: Change timing, reminders or support without deleting history.

Required content:

- Keep one boundary
- Make the goal smaller
- Ask a person for support

BUTTON	DESTINATION	STATE EFFECT
Update my plan	D27	Save only after visible confirmation
Keep current plan	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · RECOVERY

Present depth screen D27

SCREEN 703 · PRESENT.D27

Check in after recovery

Purpose: Confirm current status and whether a human follow-up is needed.

Required content:

- Intentional use
- Automatic checking
- Binge scrolling
- Use linked to distress

BUTTON	DESTINATION	STATE EFFECT
Complete recovery	D28	Save only after visible confirmation
Contact care team	Support or alternate action	Preserve every entered value

Offline
Save encrypted locally and show Pending sync.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: If distress or self-harm concerns surface, route to mental-health crisis resources without converting this into social sharing.

SOCIAL MEDIA ADDICTION · REVIEW

Present depth screen D28



SCREEN 704 · PRESENT.D28

Review the week as patterns, not grades

Purpose: Summarize source and missing data honestly.

Required content:

- Digital sunsets kept
- Offline time
- Pickups self-reported
- Mood and sleep pattern

BUTTON	DESTINATION	STATE EFFECT
Open a pattern	D29	Save only after visible confirmation
Change date range	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · REVIEW

Present depth screen D29



SCREEN 705 · PRESENT.D29

Prepare a concise care visit summary

Purpose: Put user-selected concerns and questions into a preview.

Required content:

- Use and sleep pattern
- Mood after scrolling
- Work or school needs
- Compulsive-use concern

BUTTON	DESTINATION	STATE EFFECT
Preview visit summary	D30	Save only after visible confirmation
Add a question	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

SOCIAL MEDIA ADDICTION · REVIEW

Present depth screen D30



SCREEN 706 · PRESENT.D30

Choose the next care cycle

Purpose: Keep, change or pause the plan with no loss of history.

Required content:

- Keep one boundary
- Make the goal smaller
- Ask a person for support

BUTTON	DESTINATION	STATE EFFECT
Start next cycle	P25 Home	Save only after visible confirmation
Pause this program	Support or alternate action	Preserve every entered value

Offline
Keep the current plan and all saved safety content available.

Error
Preserve input, identify what failed, and provide a safe retry or human route.

Non-negotiable: Never request social login, contacts, feed access or posting permission; social sharing stays off.

ENGINEERING HANDOFF

Claude can start with this implementation checklist

First pull request

- ✓ Create design_system package and token tests.
- ✓ Create typed RouteId and ProgramCode enums.
- ✓ Implement shared TetherScaffold and bottom navigation.
- ✓ Implement program picker with all eleven programs.
- ✓ Implement four authentication entry paths behind an AuthRepository.
- ✓ Add secure-session interface and demo adapter.
- ✓ Add accessibility semantics and 200% text-scale tests.

Before feature expansion

- ✓ Build one complete vertical slice from each program before scaling route families.
- ✓ Approve golden comparisons on target devices.
- ✓ Implement encrypted local repository and idempotent outbox.
- ✓ Add consent, sharing, and audit interfaces.
- ✓ Encode hard-rule tests for all eleven programs.
- ✓ Confirm backend, legal, clinical, localization, and accessibility owners.
- ✓ Replace demo actions only after production services pass review.

> **Open decisions:** final app name and identifiers; production backend and hosting; identity provider configuration; supported countries/languages; clinical content owners; device and OS support floor; EHR/care-team integration; data retention; analytics vendor; launch availability by program.

RELEASE ACCEPTANCE

Definition of done is evidence, not screen count

Product

- 706 routes resolve
- All actions have outcomes
- Program switching isolates data
- Offline critical flows work
- Copy is clinically approved

Design

- Reference hierarchy matched
- All component states present
- 200% text reflows
- VoiceOver/TalkBack pass
- No color-only meaning

Security

- Threat model approved
- No PHI in telemetry/logs
- Authorization tests pass
- Export/delete verified
- Penetration issues resolved

Engineering

- Analyze/test clean
- API contract verified
- Sync replay safe
- Crash-free external intents
- Signed release artifacts

Clinical

- Safety routes verified
- Jurisdiction data current
- Content versions traceable
- Medication boundaries clear
- No unsupported claims

Operations

- Monitoring and alerts
- Incident playbook
- Vendor agreements
- Store disclosures
- Support ownership

One application. Eleven distinct plans. One calm, secure language.