

MANAV GHADI

FE6-B2

ROLL NO. 635

PRACTICAL 02


TITLE: To study input function scanf() and output function printf().

AIM: To implement a program to accept no. of days from the user and convert it into years, months and days.

PROGRAM:

```
#include<stdio.h>
#include<conio.h>
int main()
{
    int n,y,m,d,rem;
    printf("Enter no. of days\n");
    scanf("%d",&n);
    y=n/365;
    rem=n%365;
    m=rem/30;
    d=rem%30;
    printf("Years:%d\n Months:%d\n Days:%d\n",y,m,d);
    getch();
    return 0;
}
```

OUTPUT:

A screenshot of a terminal window with a black background and white text. It shows the execution of the program. The prompt 'Enter no. of days' is followed by the user input '676'. The program then outputs 'Years:1', 'Months:10', and 'Days:11' on separate lines.

```
Enter no. of days
676
Years:1
Months:10
Days:11
```

MANAV GHADI

FE6-B2

ROLL NO. 635

PRACTICAL 03

TITLE: To study the use of ternary operator.

AIM: To find the greatest of three numbers using ternary operator.

PROGRAM:

```
#include<stdio.h>
#include<conio.h>
int main()
{
    int a,b,c,x;
    printf("Enter values:");
    scanf("%d %d %d",&a,&b,&c);
    x=(a>b)?((a>c)?a:c):((b>c)?b:c);
    printf("%d is largest",x);
    getch();
    return 0;
}
```

OUTPUT:

```
Enter values:12 56 32
56 is largest
```

MANAV GHADI

FE6-B2

ROLL NO. 635

PRACTICAL 04

TITLE: To study the use of unary operator.

AIM: To write a program to show unary operator workings with example.

PROGRAM:

```
#include<stdio.h>
#include<conio.h>
int main()
{
    int a=10,b,c,d;
    d=c=b=a;
    printf("Original values of all variable is 10\n");
    b--a;
    printf("b when decrement is %d\n",b);
    c=a++;
    printf("c when increment is %d\n",c);
    a--c-c;
    printf("a when pre-decrement of c minus c is %d\n",a);
    d=-d;
    printf("d when putting negation is %d\n",d);
    return 0;
}
```

OUTPUT:

```
Original values of all variable is 10
b when decrement is 9
c when increment is 9
a when pre-decrement of c minus c is 0
d when putting negation is -10
```

MANAV GHADI

FE6-B2

ROLL NO. 635

PRACTICAL 05

TITLE: To study if-else statement.

AIM: To display grades of students using else-if.

PROGRAM:

```
#include<stdio.h>
#include<conio.h>
int main()
{
    int n;
    printf("Enter marks:\n");
    scanf("%d",&n);
    if(n>0 && n<=50)
        printf("Grade F");
    else if(n>50 && n<=60)
        printf("Grade C");
    else if(n>60 && n<=70)
        printf("Grade B");
    else if(n>70 && n<=80)
        printf("Grade A");
    else if(n>80 && n<=90)
        printf("Grade E");
    else if(n>90 && n<=100)
        printf("Grade O");
    else
        printf("Invalid Marks");
```

```
return 0;  
}
```

OUTPUT:

```
Enter marks:  
89  
Grade A
```

MANAV GHADI

FE6-B2

ROLL NO. 635

PRACTICAL 06

TITLE: To study use of bitwise operators.

AIM: To perform menu driven program using switch case to demonstrate bitwise operators.

PROGRAM:

```
#include<stdio.h>

#include<conio.h>

int main()
{
    int a,b,c,d,x,ch;
    printf("Enter two values:\n");
    scanf("%d %d",&a,&b);

    printf("Enter your choice:\n 1.AND\n 2.OR\n 3.EX-OR\n 4.Negation\n 5.Left Shift\n 6.Right Shift\n");
    scanf("%d",&ch);
    switch(ch)
    {
        case 1:
            x=a&b;
            printf("AND=%d",x);
            break;

        case 2:
            x=a|b;
            printf("OR=%d",x);
```

```
break;
```

```
case 3:
```

```
x=a^b;
```

```
printf("EX-OR=%d",x);
```

```
break;
```

```
case 4:
```

```
c=~a;
```

```
d=~b;
```

```
printf("NOT of a=%d\nNOT of b=%d",c,d);
```

```
break;
```

```
case 5:
```

```
c=a<<2;
```

```
d=b<<2;
```

```
printf("Left Shift of a=%d\nLeft Shift of b=%d",c,d);
```

```
break;
```

```
case 6:
```

```
c=a>>2;
```

```
d=b>>2;
```

```
printf("Right Shift of a=%d\nRight Shift of b=%d",c,d);
```

```
break;
```

```
}
```

```
return 0;
```

```
}
```

OUTPUT:

```
Enter two values:  
4 5  
Enter your choice:  
1.AND  
2.OR  
3.EX-OR  
4.Negation  
5.Left Shift  
6.Right Shift  
4  
NOT of a=-5  
NOT of b=-6
```