

```

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git init
Reinitialized existing Git repository in C:/Users/TUF GAMING/Desktop/git_643020628_2/.git/

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git add .

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git commit -m "Initialize repository"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Startfile.txt

nothing added to commit but untracked files present (use "git add" to track)

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git add Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ echo "Author: พระโพลส อ้นมา อึ้ง" >> Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Startfile.txt

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git add Startfile.txt
warning: in the working copy of 'Startfile.txt', LF will be replaced by CRLF the
next time Git touches it

```

```

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git commit -m "Create Startfile.txt with author's name."
[master (root-commit) cccad80] Create Startfile.txt with author's name.
1 file changed, 1 insertion(+)
create mode 100644 Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ echo "My personal quote: ไม่เห็นงานไม่เห็นผลไม่เห็นเงินก็ดูสบาย" >> Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Startfile.txt

no changes added to commit (use "git add" and/or "git commit -a")

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git add Startfile.txt
warning: in the working copy of 'Startfile.txt', LF will be replaced by CRLF the
next time Git touches it

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git commit -m "Add personal quote to Startfile.txt"
[master ce8b531] Add personal quote to Startfile.txt
1 file changed, 1 insertion(+)

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ echo "Don't wait for something outside of yourself to make your dream comes tr
ue." >> git_รชัศนัฏฐัฎกษเฐา/Startfile.txt
bash: git_รชัศนัฏฐัฎกษเฐา/Startfile.txt: No such file or directory

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ $ echo "Don't wait for something outside of yourself to make your dream comes
true." >> git_643020628_2/Startfile.txt
bash: git_643020628_2/Startfile.txt: No such file or directory

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ echo "Don't wait for something outside of yourself to make your dream comes tr
ue." >> Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   Startfile.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Secondfile.html

no changes added to commit (use "git add" and/or "git commit -a")

```

```
TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (master)
$ git add Secondfile.html Startfile.txt
warning: in the working copy of 'Startfile.txt', LF will be replaced by CRLF the
next time Git touches it
commit b3120345c2829221021a7e012629fd26005552d3 (HEAD -> master)
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:29:32 2023 +0700
```

Create Thirdfile.log which is a git ignore file

```
commit be6a718c75d3fec5114e556a37af01a86fe3333
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:25:39 2023 +0700
```

Create Secondfile.html and add note to Startfile.txt

```
commit ce8b531efe2bd931941c282be3e0eefeb7b9ef0a
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:21:15 2023 +0700
```

Add personal quote to Startfile.txt

```
commit cccad80e5d9cf17adb7db740dcc38834455ad9bf
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:19:53 2023 +0700
```

Create Startfile.txt with author's name.

```
...skipping...
commit b3120345c2829221021a7e012629fd26005552d3 (HEAD -> master)
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:29:32 2023 +0700
```

Create Thirdfile.log which is a git ignore file

```
commit be6a718c75d3fec5114e556a37af01a86fe3333
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:25:39 2023 +0700
```

Create Secondfile.html and add note to Startfile.txt

```
commit ce8b531efe2bd931941c282be3e0eefeb7b9ef0a
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:21:15 2023 +0700
```

Add personal quote to Startfile.txt

```
commit cccad80e5d9cf17adb7db740dcc38834455ad9bf
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:19:53 2023 +0700
```

Create Startfile.txt with author's name.

```
~
~
~
~
~
~
```

```
TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ git branch MyBranch
fatal: a branch named 'MyBranch' already exists

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ git checkout MyBranch
Already on 'MyBranch'
D    Forthfile.css
M    Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ echo. > Forthfile.css
bash: echo.: command not found

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ echo "Semester 2/2566" >> Startfile.txt

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ git add Forthfile.css Startfile.txt
warning: in the working copy of 'Startfile.txt', LF will be replaced by CRLF the
next time Git touches it

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ git commit -m "Created Forthfile.css and add the semester to Startfile.txt"
[MyBranch 89ca241] Created Forthfile.css and add the semester to Startfile.txt
1 file changed, 2 insertions(+), 1 deletion(-)

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ git checkout main
error: pathspec 'main' did not match any file(s) known to git

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ git merge MyBranch
Already up to date.

TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$
```

```
TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (MyBranch)
$ git log
commit 89ca2414cd9ce9a61fa0db7bdc7f5183bb0c7001 (HEAD -> MyBranch)
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:47:56 2023 +0700
```

Created Forthfile.css and add the semester to Startfile.txt

```
commit 7959ca242df06e21e02634d9fa9e19546efcffb1
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:43:56 2023 +0700
```

Created Forthfile.css and add the semester to Startfile.txt

```
commit 44844417c6ddc789ab3fb00c0a11d291b2a49069
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:36:16 2023 +0700
```

Created Forthfile.css and add the semester to Startfile.txt

```
commit b3120345c2829221021a7e012629fd26005552d3 (master)
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:29:32 2023 +0700
```

Create Thirdfile.log which is a git ignore file

```
commit be6a718c75d3feca5114e556a37af01a86fe3333
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:25:39 2023 +0700
```

Create Secondfile.html and add note to Startfile.txt

```
commit ce8b531efe2bd931941c282be3e0eefeb7b9ef0a
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:21:15 2023 +0700
```

Add personal quote to Startfile.txt

```
commit cccad80e5d9cf17adb7db740dcc38834455ad9bf
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:19:53 2023 +0700
```

Create Startfile.txt with author's name.

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! <https://aka.ms/PSWindows>

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> echo "# Lab1_643020628_2" >> README.md
```

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> git init
Reinitialized existing Git repository in C:/Users/TUF GAMING/Desktop/git_643020628_2/.git/
```

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> git add README.md
```

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> git commit -m "first commit"
[MyBranch bc57af1] first commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 README.md
```

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> git branch -M main
```

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> git remote add origin https://github.com/Tew56789/Lab1_643020628_2.git
git remote add origin https://github.com/Tew56789/Lab1_643020628_2.git
```

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> git push -u origin main
```

Enumerating objects: 25, done.

Counting objects: 100% (25/25), done.

Delta compression using up to 8 threads

Compressing objects: 100% (20/20), done.

Writing objects: 100% (25/25), 2.19 KiB | 747.00 KiB/s, done.

Total 25 (delta 11), reused 0 (delta 0), pack-reused 0

remote: Resolving deltas: 100% (11/11), done.

To https://github.com/Tew56789/Lab1\_643020628\_2.git

\* [new branch] main -> main

branch 'main' set up to track 'origin/main'.

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2>
```

```
PS C:\Users\TUF GAMING\Desktop\git_643020628_2> |
```

```
TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (main)
$ git remote add origin https://github.com/Tew56789/Lab1_643020628_2.git
error: remote origin already exists.
```

```
TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (main)
$ git push -u origin main
Everything up-to-date
branch 'main' set up to track 'origin/main'.
```



```
TUF GAMING@LAPTOP-8CUITM5G MINGW64 ~/Desktop/git_643020628_2 (main)
$ git log
commit bc57af14f5012dd3b8e83cf1d43e284be032565f (HEAD -> main, origin/main)
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 17:08:27 2023 +0700

    first commit

commit 89ca2414cd9ce9a61fa0db7bdc7f5183bb0c7001
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:47:56 2023 +0700

    Created Forthfile.css and add the semester to Startfile.txt

commit 7959ca242df06e21e02634d9fa9e19546efcffb1
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:43:56 2023 +0700

    Created Forthfile.css and add the semester to Startfile.txt

commit 44844417c6ddc789ab3fb00c0a11d291b2a49069
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:36:16 2023 +0700

    Created Forthfile.css and add the semester to Startfile.txt

commit b3120345c2829221021a7e012629fd26005552d3 (master)
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:29:32 2023 +0700

    Create Thirdfile.log which is a git ignore file

commit be6a718c75d3fec5114e556a37af01a86fe3333
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:25:39 2023 +0700

    Create Secondfile.html and add note to Startfile.txt

commit ce8b531efe2bd931941c282be3e0eeFeb7b9ef0a
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:21:15 2023 +0700

    Add personal quote to Startfile.txt

commit cccad80e5d9cf17adb7db740dcc38834455ad9bf
Author: Tew56789 <137163198+Tew56789@users.noreply.github.com>
Date: Thu Dec 14 12:19:53 2023 +0700

    Create Startfile.txt with author's name.
```