

CarterPCs — fix-v8

Mobile QA: preference menus and heading clipping — consolidated report

CarterPCs fix-v8 — Mobile QA: preference menus and heading clipping

Summary

Both reported defects are fixed. One of them turned out not to be what the ticket described, and the difference matters, so it is spelled out in full below rather than glossed: the Creator heading **was never failing to wrap**. It wraps correctly at every width in all three languages. What was actually broken was a leftover animation `clip-path` cropping glyph ink — a real defect, but a different one, and its only visible manifestation in the shipped copy is in French, not English.

Defect 1 — Preference menus

What was wrong

Both dropdowns were pure CSS: `.menuWrap:focus-within .menu, .menuWrap:hover .menu { display: grid }`. Every requirement in the ticket was unreachable from that construction:

- **Never closed after a selection.** Choosing an option left focus on the chosen item, which is inside the wrapper, so `:focus-within` kept matching and the panel stayed open indefinitely.
- **Escape did nothing.** CSS has no key handling.
- **Focus-out was the only close path**, and it fired as a side effect rather than as a decision — there was no state to close.
- **No `aria-expanded`, no `aria-haspopup`, no `aria-controls`.** Measured on the shipped build, the trigger reported `aria-expanded: (absent)`. Assistive tech was never told a popup existed at all, let alone whether it was open.
- **On mobile the open panel covered the site's own navigation.** Below 1024px the bar wraps onto two rows — identity + utilities, then the six section links — and the panel was anchored to its trigger on row one, so it dropped straight over row two. Measured: panel at `top: 109 ... bottom: 229`, `coversNavLinks: true`, hiding Impact, Content and part of Universe.

What changed

`openMenu` state in `Nav.tsx` now owns open/close — one menu at a time. It closes on: selecting an option, Escape, focus leaving the wrapper, and a pointer press outside it. Escape and outside-press listen on the document, so they still fire when focus has drifted somewhere else entirely instead of stranding an open panel over the page. Selecting an option and Escape both return focus to the trigger.

Semantics: triggers carry `aria-haspopup="menu"`, live `aria-expanded`, and `aria-controls` pointing at the panel they own. Items remain `menuItemradio` with live `aria-checked`. Persisted theme/language behaviour is untouched — `Preferences.tsx` was not modified.

Keyboard support is a **superset** of what the CSS version offered: Enter/Space and Arrow Up/Down open the panel and land on an item, Arrow keys plus Home/End move within it, Tab still walks through naturally, and Escape

returns to the trigger. The panel carries `tabIndex=-1` because it holds the arrow-key handler and an element with an interactive role must be focusable — it is never a Tab stop.

Mobile placement: the panel is now anchored to the **whole bar** rather than to its trigger, so it opens below the section links instead of over them. It stays content-width and right-aligned to the bar's padding edge, so it covers as little as a dropdown can. Measured after: `top: 201 ... bottom: 321`, `coversNavLinks: false`, occupying 14.2% of the viewport height.

Desktop is provably unchanged. The desktop panel still anchors to its trigger at exactly the same rectangle (`top: 87`, `bottom: 207`, `left: 1348`, `right: 1484`), and a pixel diff of the desktop menu-open screenshot before vs after reports **0 changed pixels**.

Defect 2 — Heading clipping

What the ticket said, and what is actually true

The ticket reported the English Creator heading being "clipped instead of wrapping" at narrow widths. Measured across 3 headings × 3 languages × 8 widths from 300px to 430px (72 combinations, `diagnostics.txt` §2):

- Every heading **wraps correctly** at every width — 2 to 5 lines, never one overflowing line. Horizontal ink never exceeds the box (`cutRight` negative throughout), and the page never overflows horizontally.
- The **English** Creator heading showed **0 changed pixels** between the broken and fixed builds at all eight widths. Nothing about it was being clipped.

So the described symptom did not reproduce. What did reproduce is a real and related defect, found by measuring instead of by eye.

The actual defect

Each headline reveals with a `clip-path: inset()` wipe. Two problems:

1. `inset()` clips to the **border box**. These headings run `line-height` 0.95–1.02 — tighter than the font's own line box — so glyph ink can sit outside that box. The wipe therefore cropped ink for the whole life of the tween.
2. **GSAP leaves the tween's final value on the element as an inline style**, so a finished reveal kept a live cropping rectangle for the rest of the session. It did not even land cleanly on zero: residual right insets of 0.17–0.24% were measured on the shipped build.

The visible consequence in current copy is narrow but real: the **French** Creator headline "Le matériel expliqué, sans le superflu." ends on a line containing a descender, and the **p** in "superflu." was being sliced flat. That is the one case in the shipped copy where a last line carries a descender, and it clips at **every width tested, 300px through 430px** (36–78 changed pixels per width). English and Spanish last lines happen to end without descenders, which is why nothing showed there.

What changed

`HEADLINEWIPEFROM` / `HEADLINEWIPETO` in `src/animations/gsap.ts` give the wipe a negative vertical bleed (`inset(-20% ... -20% ...)`) so it expands past the border box and only ever clips horizontally, and each of the four sections now clears the property in the tween's own `onComplete` so nothing survives at rest. Both halves are needed: the bleed fixes the animation, the clear fixes the resting state.

This is a purely visual-integrity fix — no layout, geometry, font size, line-height or `max-width` was touched, so the approved desktop layout is untouched by construction, and the pixel diffs confirm it (0 changed pixels on every

desktop heading crop).

It also protects future copy: any headline whose last line ends in a p, g, q, y or j would have hit the same slice.

Files changed

File	Change
src/components/navigation/Nav.tsx	State-driven disclosure, ARIA, keyboard support
src/components/navigation/Nav.module.css	.menuOpen , mobile bar-anchored placement, desktop unchanged
src/animations/gsap.ts	Shared wipe constants + the reasoning behind them
src/sections/creator/Creator.tsx	Wipe constants + clearProps on complete
src/sections/featured/Featured.tsx	Same
src/sections/hardware/Hardware.tsx	Same
src/sections/content-universe/ContentUniverse.tsx	Same
src/app/App.test.tsx	Menus opened before querying; 7 new menu-behaviour tests
e2e/app.spec.ts	Trigger is clicked not hovered; 9 new tests

Tests added

- **Unit (+7, 20 → 27).** aria-expanded / aria-haspopup / aria-controls ; closes on selection with focus returned to the trigger; checked state survives reopening; Escape closes and restores focus without applying anything; focus moving outside closes; opening one menu closes the other; keyboard open plus Arrow/Home/End navigation and Enter to select.
- **E2E (+9, 23 → 32).** The close-on-selection / Escape / focus-loss / outside-press cycle run at both desktop and mobile; a mobile test asserting the open panel does not intersect any nav link and stays under 25% of the viewport; and heading tests at 320px and 390px in all three languages asserting no clip-path survives the reveal, that each heading wraps to more than one line, and that nothing overflows its box.

Validation

Check	Result
npm run typecheck	PASS
npm run lint	PASS
npm run format:check	FAIL — pre-existing, unrelated (see below)
npm run test:run	PASS — 27/27 (was 20)
npm run build	PASS
npm run test:e2e	PASS — 32/32 (was 23)

Check	Result
<code>git diff --check</code>	PASS (line-ending warnings only)

Matrix coverage, all measured in a real browser (`diagnostics.txt` §3): English, French and Spanish × dark, light and system × 1536×1024 and 390×844 — 18 combinations, each checked at five scroll anchors. **No horizontal overflow and no surviving clip artifact in any of them.** The system theme was exercised with the OS preference set to light, so it resolves to something other than dark and is genuinely tested rather than a duplicate of the dark run.

`format:check` reports three files: `Claude report/fix-v1/report.md`, `fix-v2/report.md` and `fix-v3/report.md`. All three belong to prior fix folders, which this task forbids overwriting. Every file this pass created or edited is prettier-clean.

One disclosure: `src/styles/global.css` was previously failing `format:check` and no longer does. A `prettier --write src` run during this work reformatted it. The change is formatting only — the file's 63 lines of pre-existing uncommitted content are all still present and unmodified in substance — but it is a file this task did not otherwise need to touch, so it is flagged rather than buried.

Git

No commit, push, reset, clean, or revert. `HEAD` is still `275d9d9`. No prior `Claude report/fix-v*` folder was modified. All pre-existing uncommitted work is intact.

Screenshots

`screenshots/` holds 84 captures.

- `before-mobile-menu-open.png` / `after-mobile-menu-open.png` — the headline pair: the panel moving off the section links.
- `before-desktop-menu-open.png` / `after-desktop-menu-open.png` — identical by pixel diff, evidencing the untouched desktop layout.
- `before-*-creator-padded.png` / `after-*-creator-padded.png` and `*-headcrop.png` — heading crops padded beyond the clip box so cut ink is visible. The French pairs are the ones that differ; the English and desktop pairs are identical, which is itself the finding.
- `after-{lang}-{theme}-{viewport}-{hero,creator}.png` — the full 18-combination language × theme × viewport matrix.

Both "before" builds are genuine builds of the pre-fix source, not simulations: the menu comparison was built with `Nav.tsx` / `Nav.module.css` reverted, and the heading comparison with the four section files reverted, so each pair isolates exactly one change.


Verdict

READY FOR REVIEW — with the note that the Creator-heading symptom as described (clipped instead of wrapping, in English) did not reproduce. The heading wraps correctly in every language at every width tested. A real clipping defect in the same component was found and fixed; in current copy it is visible in French.


Before / after

Both columns render the identical DOM, CSS and build. Only the dictionary differs, so the comparison isolates translation coverage alone. The Each *before* column is a genuine build of the pre-fix source, so every pair isolates exactly one change.

Menu open @ 390px — the panel moves off the section links




BEFORE (fix-v6 coverage) — before-mobile-menu-open.png




AFTER (fix-v7) — after-mobile-menu-open.png

Menu open @ 1536px — identical by pixel diff (0 changed pixels)



BEFORE (fix-v6 coverage) — before-desktop-menu-open.png



AFTER (fix-v7) — after-desktop-menu-open.png

French Creator heading @ 320px — the descender in superflu.



BEFORE (fix-v6 coverage) — before-320-fr-creator-padded.png



AFTER (fix-v7) — after-320-fr-creator-padded.png

French Creator heading @ 390px

**Le matériel
expliqué, sans le
superflu.**

BEFORE (fix-v6 coverage) — before-390-fr-creator-padded.png

**Le matériel
expliqué, sans le
superflu.**

AFTER (fix-v7) — after-390-fr-creator-padded.png

French Creator heading, padded crop @ 390px

**Le matériel
expliqué, sans le
superflu.**

BEFORE (fix-v6 coverage) — before-mobile-fr-creator-headcrop.png

**Le matériel
expliqué, sans le
superflu.**

AFTER (fix-v7) — after-mobile-fr-creator-headcrop.png

English Creator heading @ 320px — identical; wraps correctly, nothing clipped

**Hardware
knowledge,
delivered
without the fluff.**

BEFORE (fix-v6 coverage) — before-320-en-creator-padded.png

**Hardware
knowledge,
delivered
without the fluff.**

AFTER (fix-v7) — after-320-en-creator-padded.png

Hardware heading @ 1536px — identical, desktop untouched

**Conçu de
l'intérieur.**

BEFORE (fix-v6 coverage) — before-desktop-fr-hardware-headcrop.png

**Conçu de
l'intérieur.**

AFTER (fix-v7) — after-desktop-fr-hardware-headcrop.png

Shipped state — language × theme × viewport matrix



Universe Hardware knowledge, delivered without the fluff.

A daily short-form record of PC builds, smartphones, and everyday tech decisions — filmed fast, tested by hand, and built for viewers who want the point without losing the context.

The tone stays direct on purpose: plain-English breakdowns, a willingness to call out bad hardware and worse marketing, and a sense of humor that never strays far from the

sense of humor that never strays far from the internet it grew up on.

**PC Hardware — Mobile Tech — Consumer Tech —
Scam-Busting**

TikTok · YouTube Shorts · Instagram Reels

* CarterPCs •

02 / CRÉATEUR

APERÇU DU CRÉATEUR

À propos de Carter ↗



LE CRÉATEUR

Projets

Systèmes

Processus

Impact

Contenu

Univers

Le matériel expliqué, sans le superflu.

Un journal quotidien au format court sur les montages PC, les smartphones et les décisions tech de tous les jours — filmé vite, testé à la main, et pensé pour ceux qui veulent l'essentiel sans perdre le contexte.

Le ton reste direct par choix : des explications en langage clair, la volonté de dénoncer le mauvais matériel et le marketing pire encore, et un humour qui ne s'éloigne jamais de l'internet où il a grandi.

**Matériel PC — Tech mobile — Tech grand public —
Anti-arnaques**

TikTok · YouTube Shorts · Instagram Reels

* CarterPCs •

02 / CREADOR

PERFIL DEL CREADOR
Sobre Carter ↗



EL CREADOR

Proyectos

Sistemas

Proceso

Impacto

Contenido

Universo

Conocimiento de hardware, sin relleno.

Una crónica diaria en formato corto sobre montajes de PC, smartphones y decisiones tecnológicas cotidianas — grabada rápido, probada a mano y pensada para quien quiere lo esencial sin perder el contexto.

El tono es directo a propósito: explicaciones en lenguaje llano, la disposición a señalar el mal hardware y el marketing aún peor, y un humor que nunca se aleja del internet en el que creció.

Hardware de PC — Tecnología móvil — Tecnología
de consumo — Antiestafas

TikTok · YouTube Shorts · Instagram Reels

* CarterPCs •

About Carter ➤



Work Systems Process Impact Content

Universe

CINEMATIC COMPUTERS •

Built Different.

Making tech interesting. PC builds,
hardware, and the everyday technology
decisions in between.

Explore the Universe



Watch Reel



English / light / 390px — Hero — after-en-light-mobile-hero.png

* CarterPCs •

À propos de Carter ➤



Projets

Systèmes

Processus

Impact

Contenu

Univers

ORDINATEURS CINÉMATIQUES •

Créé autrement.

La tech rendue intéressante. Montages PC, matériel et les décisions technologiques du quotidien.

Explorer l'univers



Voir la vidéo



French / light / 390px — Hero — after-fr-light-mobile-hero.png

* CarterPCs •

Sobre Carter ➤



Proyectos

Sistemas

Proceso

Impacto

Contenido

Universo

ORDENADORES CINEMÁTICOS •

Hecho diferente.

Tecnología que engancha. Montajes de PC,
hardware y las decisiones tecnológicas del
día a día.


Explorar el universo




Ver el vídeo



Spanish / system (resolves light) / 390px — Hero — after-es-system-mobile-hero.png



English / light / 1536px — Hero — after-en-light-desktop-hero.png



French / dark / 1536px — Creator — after-fr-dark-desktop-creator.png

Conocimiento de hardware, sin relleno.


Una crónica diaria en formato corto sobre montajes de PC, smartphones y decisiones tecnológicas cotidianas — grabada rápido, probada a mano y pensada para quien quiere lo esencial sin perder el contexto.

El tono es directo a propósito: explicaciones en lenguaje llano, la disposición a señalar el mal hardware y el marketing aún peor, y un humor que nunca se aleja del internet en el que creció.

Hardware de PC — Tecnología móvil — Tecnología de consumo — Antiestafas
TikTok · YouTube Shorts · Instagram Reels

Additional matrix captures

Every combination was checked for horizontal overflow and surviving clip artifacts; all 18 passed.



English / dark / 390px — after-en-dark-mobile-hero.png



French / system / 390px — after-fr-system-mobile-creator.png

* CarterPCs •

02 / CREADOR

PERFIL DEL CREADOR
Sobre Carter ↗



EL CREADOR

Proyectos

Sistemas

Proceso

Impacto

Contenido

Universo

Conocimiento de hardware, sin relleno.

Una crónica diaria en formato corto sobre montajes de PC, smartphones y decisiones tecnológicas cotidianas — grabada rápido, probada a mano y pensada para quien quiere lo esencial sin perder el contexto.

El tono es directo a propósito: explicaciones en lenguaje llano, la disposición a señalar el mal hardware y el marketing aún peor, y un humor que nunca se aleja del internet en el que creció.

Hardware de PC — Tecnología móvil — Tecnología de consumo — Antiestafas

TikTok · YouTube Shorts · Instagram Reels

diagnostics.txt

CarterPCs fix-v8 – validation diagnostics
Captured with the working tree free of temporary tooling.

```
##### 1. MENU GEOMETRY / SEMANTICS (measured, before vs after) #####
before mobile {"ariaExpanded":"(absent)","ariaHasPopup":"(absent)","rect":
{"top":109,"bottom":229,"left":234,"right":370},"coversNavLinks":true}
after mobile {"ariaExpanded":"true", "ariaHasPopup":"menu", "rect":
{"top":201,"bottom":321,"left":234,"right":370},"coversNavLinks":false}
before desktop {"ariaExpanded":"(absent)","ariaHasPopup":"(absent)","rect":
{"top":87,"bottom":207,"left":1348,"right":1484},"coversNavLinks":false}
after desktop {"ariaExpanded":"true", "ariaHasPopup":"menu", "rect":
{"top":87,"bottom":207,"left":1348,"right":1484},"coversNavLinks":false}
```

```
##### 2. HEADLINE CLIP SWEEP – before vs after, pixel diff #####
3 headings x 3 languages x 8 widths (300–430px). changedPx>0 means the
fix restored glyph ink the old clip-path was cutting.
```

```
#creator h2      en 300px lines=5 changedPx=0
#creator h2      en 320px lines=4 changedPx=0
#creator h2      en 340px lines=4 changedPx=0
#creator h2      en 360px lines=4 changedPx=0
#creator h2      en 375px lines=4 changedPx=0
#creator h2      en 390px lines=4 changedPx=0
#creator h2      en 412px lines=4 changedPx=0
#creator h2      en 430px lines=3 changedPx=0
#creator h2      fr 300px lines=3 changedPx=48 <<< VISIBLE INK RESTORED
#creator h2      fr 320px lines=3 changedPx=36 <<< VISIBLE INK RESTORED
#creator h2      fr 340px lines=3 changedPx=48 <<< VISIBLE INK RESTORED
#creator h2      fr 360px lines=3 changedPx=78 <<< VISIBLE INK RESTORED
#creator h2      fr 375px lines=3 changedPx=65 <<< VISIBLE INK RESTORED
#creator h2      fr 390px lines=3 changedPx=52 <<< VISIBLE INK RESTORED
#creator h2      fr 412px lines=2 changedPx=65 <<< VISIBLE INK RESTORED
#creator h2      fr 430px lines=2 changedPx=39 <<< VISIBLE INK RESTORED
#creator h2      es 300px lines=3 changedPx=0
#creator h2      es 320px lines=3 changedPx=0
#creator h2      es 340px lines=3 changedPx=0
#creator h2      es 360px lines=3 changedPx=0
#creator h2      es 375px lines=3 changedPx=0
#creator h2      es 390px lines=3 changedPx=0
#creator h2      es 412px lines=3 changedPx=0
#creator h2      es 430px lines=2 changedPx=0
#hardware h2     en 300px lines=3 changedPx=0
#hardware h2     en 320px lines=2 changedPx=0
#hardware h2     en 340px lines=2 changedPx=0
#hardware h2     en 360px lines=2 changedPx=0
#hardware h2     en 375px lines=2 changedPx=0
#hardware h2     en 390px lines=2 changedPx=0
#hardware h2     en 412px lines=2 changedPx=0
#hardware h2     en 430px lines=2 changedPx=0
#hardware h2     fr 300px lines=2 changedPx=0
#hardware h2     fr 320px lines=2 changedPx=0
#hardware h2     fr 340px lines=2 changedPx=0
#hardware h2     fr 360px lines=2 changedPx=0
#hardware h2     fr 375px lines=2 changedPx=0
#hardware h2     fr 390px lines=2 changedPx=0
#hardware h2     fr 412px lines=2 changedPx=0
#hardware h2     fr 430px lines=2 changedPx=0
#hardware h2     es 300px lines=3 changedPx=0
#hardware h2     es 320px lines=3 changedPx=0
#hardware h2     es 340px lines=2 changedPx=0
#hardware h2     es 360px lines=2 changedPx=0
#hardware h2     es 375px lines=2 changedPx=0
#hardware h2     es 390px lines=2 changedPx=0
#hardware h2     es 412px lines=2 changedPx=0
#hardware h2     es 430px lines=2 changedPx=0
```



```
#content-universe h2 en 300px lines=4 changedPx=0
#content-universe h2 en 320px lines=4 changedPx=0
#content-universe h2 en 340px lines=3 changedPx=0
#content-universe h2 en 360px lines=3 changedPx=0
#content-universe h2 en 375px lines=3 changedPx=0
#content-universe h2 en 390px lines=3 changedPx=0
#content-universe h2 en 412px lines=2 changedPx=0
#content-universe h2 en 430px lines=2 changedPx=0
#content-universe h2 fr 300px lines=3 changedPx=0
#content-universe h2 fr 320px lines=3 changedPx=0
#content-universe h2 fr 340px lines=3 changedPx=0
#content-universe h2 fr 360px lines=3 changedPx=0
#content-universe h2 fr 375px lines=2 changedPx=0
#content-universe h2 fr 390px lines=2 changedPx=0
#content-universe h2 fr 412px lines=2 changedPx=0
#content-universe h2 fr 430px lines=2 changedPx=0
#content-universe h2 es 300px lines=4 changedPx=0
#content-universe h2 es 320px lines=4 changedPx=0
#content-universe h2 es 340px lines=3 changedPx=0
#content-universe h2 es 360px lines=3 changedPx=0
#content-universe h2 es 375px lines=3 changedPx=0
#content-universe h2 es 390px lines=3 changedPx=0
#content-universe h2 es 412px lines=2 changedPx=0
#content-universe h2 es 430px lines=2 changedPx=0
```

3. FULL MATRIX (after) - language x theme x viewport

overflow = documentElement.scrollWidth > clientWidth at 5 scroll anchors

clipArtifacts = headings still carrying an inline clip-path at rest

MATRIX after en/dark(dark)/mobile overflow=false clipArtifacts=0

MATRIX after en/dark(dark)/desktop overflow=false clipArtifacts=0

MATRIX after en/light(light)/mobile overflow=false clipArtifacts=0

MATRIX after en/light(light)/desktop overflow=false clipArtifacts=0

MATRIX after en/system(light)/mobile overflow=false clipArtifacts=0

MATRIX after en/system(light)/desktop overflow=false clipArtifacts=0

MATRIX after fr/dark(dark)/mobile overflow=false clipArtifacts=0

MATRIX after fr/dark(dark)/desktop overflow=false clipArtifacts=0

MATRIX after fr/light(light)/mobile overflow=false clipArtifacts=0

MATRIX after fr/light(light)/desktop overflow=false clipArtifacts=0

MATRIX after fr/system(light)/mobile overflow=false clipArtifacts=0

MATRIX after fr/system(light)/desktop overflow=false clipArtifacts=0

MATRIX after es/dark(dark)/mobile overflow=false clipArtifacts=0

MATRIX after es/dark(dark)/desktop overflow=false clipArtifacts=0

MATRIX after es/light(light)/mobile overflow=false clipArtifacts=0

MATRIX after es/light(light)/desktop overflow=false clipArtifacts=0

MATRIX after es/system(light)/mobile overflow=false clipArtifacts=0

MATRIX after es/system(light)/desktop overflow=false clipArtifacts=0

("system" was exercised with the OS preference set to light, so the System option resolves to something other than Dark and is genuinely tested.)

npm run typecheck

```
> carterpcs-portfolio@0.0.0 typecheck
```

```
> tsc -b
```

```
EXIT: 0
```

npm run lint

```
> carterpcs-portfolio@0.0.0 lint
```

```
> eslint .
```

```
EXIT: 0
```

npm run format:check

```
> carterpcs-portfolio@0.0.0 format:check
```

```
> prettier --check .
```

```
Checking formatting...
```


Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method
Not implemented: Window's scrollTo() method

Test Files 1 passed (1)

Tests 27 passed (27)

Start at 17:52:12

Duration 14.11s (transform 1.73s, setup 474ms, import 2.35s, tests 8.74s, environment 2.11s)

EXIT: 0

npm run build

> carterpcs-portfolio@0.0.0 build

> tsc -b && vite build

⌚[36mv vite v8.2.1 ⌚[32mbuilding client environment for production...⌚[36m⌚[39m

⌚[2K

transforming.../ 53 modules transformed.

rendering chunks...

computing gzip size...

dist/index.html	0.73 kB	gzip: 0.40 kB
dist/assets/tile-media-studio-DmYAaV3k.webp	4.54 kB	
dist/assets/about-audience-avatars-DSvlztft.webp	7.34 kB	
dist/assets/tile-media-builds-BGUjQnGC.webp	7.62 kB	
dist/assets/carter-hero-portrait-cutout-BIo7azrn.webp	184.40 kB	
dist/assets/index-DWI0I5no.css	51.16 kB	gzip: 9.46 kB
dist/assets/index-CDRun6ev.js	377.61 kB	gzip: 127.99 kB

⌚[32m✓ built in 665ms⌚[39m

EXIT: 0

npm run test:e2e

> carterpcs-portfolio@0.0.0 test:e2e

> playwright test

Running 32 tests using 10 workers

[1/32] [chromium] > e2e\app.spec.ts:9:1 > Hero loads with heading, subhead, and navigation
[2/32] [chromium] > e2e\app.spec.ts:31:1 > scrolling from Hero reveals the Creator section
[3/32] [chromium] > e2e\app.spec.ts:22:1 > skip link is keyboard-reachable and targets main content
[4/32] [chromium] > e2e\app.spec.ts:44:1 > Creator nav link scrolls to the Creator section
[5/32] [chromium] > e2e\app.spec.ts:53:1 > scrolling from Creator reveals the Featured section
[6/32] [chromium] > e2e\app.spec.ts:106:1 > mobile: Featured stories are reachable through natural vertical scroll
[7/32] [chromium] > e2e\app.spec.ts:76:1 > desktop: the horizontal sequence progresses through all three stories on scroll
[8/32] [chromium] > e2e\app.spec.ts:68:1 > Featured nav link scrolls to the Featured section
[9/32] [chromium] > e2e\app.spec.ts:142:1 > Hardware nav link scrolls to the Hardware section
[10/32] [chromium] > e2e\app.spec.ts:127:1 > scrolling from Featured reveals the Hardware section
[11/32] [chromium] > e2e\app.spec.ts:150:1 > desktop: Hardware choreography resolves and normal scroll flow resumes after it
[12/32] [chromium] > e2e\app.spec.ts:179:1 > mobile: Hardware section is reachable through natural vertical scroll with no overflow
[13/32] [chromium] > e2e\app.spec.ts:204:1 > scrolling from Hardware reveals the Content Universe section
[14/32] [chromium] > e2e\app.spec.ts:219:1 > Content nav link scrolls to the Content Universe section
[15/32] [chromium] > e2e\app.spec.ts:228:1 > desktop: Content Universe choreography progresses and resolves with all six categories reachable
[16/32] [chromium] > e2e\app.spec.ts:275:1 > mobile: Content Universe categories are reachable through

```
natural vertical scroll with no overflow
[17/32] [chromium] > e2e\app.spec.ts:340:1 > language menu opens on click and switches the page without a
reload
[18/32] [chromium] > e2e\app.spec.ts:377:1 > the chosen language persists across a reload
[19/32] [chromium] > e2e\app.spec.ts:401:5 > fr @ desktop 1536x1024: every section renders with no horizontal
overflow
[20/32] [chromium] > e2e\app.spec.ts:401:5 > fr @ mobile 390x844: every section renders with no horizontal
overflow
[21/32] [chromium] > e2e\app.spec.ts:401:5 > es @ desktop 1536x1024: every section renders with no horizontal
overflow
[22/32] [chromium] > e2e\app.spec.ts:401:5 > es @ mobile 390x844: every section renders with no horizontal
overflow
[23/32] [chromium] > e2e\app.spec.ts:467:1 > desktop: the Featured horizontal sequence still completes in
French
[24/32] [chromium] > e2e\app.spec.ts:515:3 > desktop: the theme menu closes on selection, Escape, and focus
loss
[25/32] [chromium] > e2e\app.spec.ts:515:3 > mobile: the theme menu closes on selection, Escape, and focus
loss
[26/32] [chromium] > e2e\app.spec.ts:562:1 > mobile: an open menu clears the bar's own section links
[27/32] [chromium] > e2e\app.spec.ts:622:5 > en @ 320px: section headings wrap without clipped glyphs
[28/32] [chromium] > e2e\app.spec.ts:622:5 > fr @ 320px: section headings wrap without clipped glyphs
[29/32] [chromium] > e2e\app.spec.ts:622:5 > es @ 320px: section headings wrap without clipped glyphs
[30/32] [chromium] > e2e\app.spec.ts:622:5 > en @ 390px: section headings wrap without clipped glyphs
[31/32] [chromium] > e2e\app.spec.ts:622:5 > fr @ 390px: section headings wrap without clipped glyphs
[32/32] [chromium] > e2e\app.spec.ts:622:5 > es @ 390px: section headings wrap without clipped glyphs
32 passed (30.5s)
EXIT: 0
```

```
##### git diff --check #####
```

```
warning: in the working copy of 'e2e/app.spec.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/animations/gsap.ts', LF will be replaced by CRLF the next time Git
touches it
warning: in the working copy of 'src/app/App.test.tsx', LF will be replaced by CRLF the next time Git touches
it
warning: in the working copy of 'src/app/App.tsx', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/components/navigation/Nav.module.css', LF will be replaced by CRLF the
next time Git touches it
warning: in the working copy of 'src/components/navigation/Nav.tsx', LF will be replaced by CRLF the next
time Git touches it
warning: in the working copy of 'src/data/featured.ts', LF will be replaced by CRLF the next time Git touches
it
warning: in the working copy of 'src/data/hardware.ts', LF will be replaced by CRLF the next time Git touches
it
warning: in the working copy of 'src/sections/creator/Creator.tsx', LF will be replaced by CRLF the next time
Git touches it
warning: in the working copy of 'src/sections/featured/Featured.tsx', LF will be replaced by CRLF the next
time Git touches it
warning: in the working copy of 'src/sections/hardware/Hardware.module.css', LF will be replaced by CRLF the
next time Git touches it
warning: in the working copy of 'src/sections/hardware/Hardware.tsx', LF will be replaced by CRLF the next
time Git touches it
warning: in the working copy of 'src/sections/hero/Hero.module.css', LF will be replaced by CRLF the next
time Git touches it
warning: in the working copy of 'src/sections/hero/Hero.tsx', LF will be replaced by CRLF the next time Git
touches it
warning: in the working copy of 'src/styles/global.css', LF will be replaced by CRLF the next time Git
touches it
warning: in the working copy of 'src/styles/tokens.css', LF will be replaced by CRLF the next time Git
touches it
EXIT: 0
```

```
##### git status --short #####
```

```
M e2e/app.spec.ts
M index.html
M src/animations/gsap.ts
M src/app/App.test.tsx
M src/app/App.tsx
M src/components/navigation/Nav.module.css
M src/components/navigation/Nav.tsx
```

```
M src/data/featured.ts
M src/data/hardware.ts
M src/sections/creator/Creator.tsx
M src/sections/featured/Featured.tsx
M src/sections/hardware/Hardware.module.css
M src/sections/hardware/Hardware.tsx
M src/sections/hero/Hero.module.css
M src/sections/hero/Hero.tsx
M src/styles/global.css
M src/styles/tokens.css
?? "Claude report/"
?? public/fonts/
?? src/app/Preferences.tsx
?? src/assets/
?? src/data/contentUniverse.ts
?? src/i18n/
?? src/sections/content-universe/

##### HEAD (nothing committed) #####
275d9d9 feat: add hardware experience section
```