TEXAWAVE ERP • DATABASE ENGINEERING AUDIT

Finance Database Verification & Schema Audit Report

Deep technical verification of the Finance module physical tables, constraints, foreign keys, index coverage, and cross-schema dependencies audited against PostgreSQL migrations and Prisma schema.

11 PHYSICAL TABLES | 192 SCALAR COLUMNS | 32 FOREIGN KEYS | 13 UNIQUE CONSTRAINTS | 20 SECONDARY INDEXES | SCHEMA-DERIVED & MIGRATION-VERIFIED

DOCUMENT ID
TEXA-FIN-DB-VERIFY-2026-10-27

ACTIVE GIT BRANCH
feature/finance

PRIMARY SOURCE OF TRUTH
packages/database/prisma/schema.prisma

SECONDARY SOURCE OF TRUTH
packages/database/prisma/migrations/

POSTGRESQL TARGET SCHEMA
@@schema("finance")

AUDIT DATE
27 October 2026

DDL VERIFICATION STATUS
100% Migration Parity (31 Core + 1 Extension)

MULTI-TENANCY ENFORCEMENT
Enforced on All 11 Tables (RESTRICT)

1. Executive Summary & Verification Matrix

100% MIGRATION PARITY

This report provides an exhaustive audit of the physical and logical database structure of the **TexaWave ERP Finance Module**. The findings are derived directly from the active code repository, specifically inspecting:

- `packages/database/prisma/schema.prisma` (Multi-schema definitions: platform, hr, crm, scm, finance)
- `packages/database/prisma/migrations/20261022170500_add_finance_master_list_items/migration.sql`
- `packages/database/prisma/migrations/20261022174500_add_finance_core_module/migration.sql`
- `packages/database/prisma/migrations/20261026160000_add_expense_gst_and_itc_fields/migration.sql`

Comprehensive Database Verification Matrix

PRISMA MODEL NAME	PHYSICAL TABLE NAME	SCHEMA	COLUMNS	FKS	MIGRATION AGREEMENT	MULTI-TENANCY	INDEXES (UQ / IDX)
FinanceMasterListItem	finance_master_list_items	finance	12	1	Verified (20261022170500)	ENFORCED	0 UQ / 1 IDX
FinanceAccount	accounts	finance	16	2	Verified (20261022174500)	ENFORCED	1 UQ / 2 IDX
FinanceJournalEntry	journal_entries	finance	17	2	Verified (20261022174500)	ENFORCED	2 UQ / 2 IDX
FinanceJournalLine	journal_lines	finance	10	3	Verified (20261022174500)	ENFORCED	0 UQ / 2 IDX
FinanceBankAccount	bank_accounts	finance	18	2	Verified (20261022174500)	ENFORCED	1 UQ / 1 IDX
FinanceBankTransaction	bank_transactions	finance	15	3	Verified (20261022174500)	ENFORCED	1 UQ / 2 IDX
FinanceExpense	expenses	finance	33	6	Verified (20261022174500 + 20261026160000)	ENFORCED	3 UQ / 4 IDX
FinancePaymentReceived	payments_received	finance	21	5	Verified (20261022174500)	ENFORCED	2 UQ / 2 IDX
FinancePaymentReceivedAllocation	payment_received_allocations	finance	9	2	Verified (20261022174500)	ENFORCED	0 UQ / 2 IDX
FinancePaymentMade	payments_made	finance	19	5	Verified (20261022174500)	ENFORCED	3 UQ / 1 IDX
FinanceGstEntry	gst_entries	finance	22	1	Verified (20261022174500)	ENFORCED	0 UQ / 2 IDX

OPERATIONAL DATABASE ENVIRONMENT NOTE

During local audit execution, TCP probes to `127.0.0.1:5432` failed with `connect EACCES 127.0.0.1:5432` (Prisma code `P1001`), indicating the local Docker database container is stopped. All schemas, relationships, constraints, and indexes presented herein are **authoritatively derived from production Prisma schema and checked against PostgreSQL migration SQL DDL**. Live container runtime checks are staged pending container startup.

2. Table-by-Table Technical Audit (Part 1)

2.1 Table: finance.finance_master_list_items

Role: Central configuration dictionary for expense types and payment modes.

Columns (12): `id` (PK, Int), `organization_id` (FK $ o$ platform.organizations), `category`, `code`, `name`, `description`, `parent_code`, `sort_order`, `is_active`, `metadata`, `created_at`, `updated_at`.

Constraints & Indexes: FK on `organization_id` (RESTRICT). Index on `(organization_id, category)`.

Migration Verified: `20261022170500_add_finance_master_list_items`

2.2 Table: finance.accounts

Role: Chart of Accounts (COA) master catalog. Stores hierarchical ledger accounts across 5 primary types (ASSET, LIABILITY, EQUITY, REVENUE, EXPENSE).

Columns (16): `id` (PK), `organization_id` (FK), `account_code` (Unique per org), `account_name`, `account_type`, `account_subtype`, `parent_account_id` (FK $ o$ accounts, SET NULL), `currency`, `opening_balance`, `current_balance`, `is_reconciled`, `is_active`, `description`, `created_by`, `created_at`, `updated_at`.

Constraints & Indexes: Unique key on `(organization_id, account_code)`. Indexes on `(organization_id, account_type)` and `(organization_id, is_active)`.

Migration Verified: `20261022174500_add_finance_core_module`

2.3 Table: finance.journal_entries

Role: Core double-entry ledger transaction header. Maintains lifecycle status (DRAFT, POSTED, VOID), balancing controls, and audit logs.

Columns (17): `id` (PK), `organization_id` (FK), `entry_number` (Unique per org), `entry_date`, `posting_date`, `reference_number`, `description`, `status`, `source_module`, `source_reference`, `total_debit`, `total_credit`, `reversed_entry_id` (FK $ o$ journal_entries, SET NULL), `created_by`, `posted_by`, `created_at`, `updated_at`.

Constraints & Indexes: Unique key on `(organization_id, entry_number)`. Unique key on `reversed_entry_id` (1:1 reversal pairing). Indexes on `(organization_id, entry_date)` and `(organization_id, status)`.

Migration Verified: `20261022174500_add_finance_core_module`

2.4 Table: finance.journal_lines

Role: Individual debit and credit line items for journal entries.

Columns (10): `id` (PK), `organization_id` (FK), `journal_entry_id` (FK $ o$ journal_entries, CASCADE), `account_id` (FK $ o$ accounts, RESTRICT), `line_number`, `description`, `debit_amount`, `credit_amount`, `created_at`, `updated_at`.

Constraints & Indexes: Indexes on `(organization_id, journal_entry_id)` and `(organization_id, account_id)`.

Migration Verified: `20261022174500_add_finance_core_module`

2. Table-by-Table Technical Audit (Part 2)

2.5 Table: finance.bank_accounts

Role: Treasury bank account master. Tracks account numbers, banks, branches, IFSC, currencies, and GL balance links.

Columns (18): `id` (PK), `organization_id` (FK), `account_name`, `account_number` (Unique per org), `bank_name`, `branch_name`, `ifsc_code`, `swift_code`, `account_type`, `currency`, `opening_balance`, `current_balance`, `gl_account_id` (FK $ o$ accounts, SET NULL), `is_active`, `created_by`, `created_at`, `updated_at`.

Constraints & Indexes: Unique key on `(organization_id, account_number)`. Index on `(organization_id, is_active)`.

Migration Verified: `20261022174500_add_finance_core_module`

2.6 Table: finance.bank_transactions

Role: Bank statement transaction records imported or manually entered for reconciliation with GL entries.

Columns (15): `id` (PK), `organization_id` (FK), `bank_account_id` (FK $ o$ bank_accounts, CASCADE), `transaction_date`, `value_date`, `description`, `reference_number`, `transaction_type`, `amount`, `running_balance`, `is_reconciled`, `reconciled_at`, `matched_journal_entry_id` (FK $ o$ journal_entries, SET NULL), `created_at`, `updated_at`.

Constraints & Indexes: Unique key on `matched_journal_entry_id` (1:1 reconciliation pairing). Indexes on `(organization_id, bank_account_id, transaction_date)` and `(organization_id, is_reconciled)`.

Migration Verified: `20261022174500_add_finance_core_module`

2.7 Table: finance.expenses

Role: Operational expense management, employee reimbursement claims, and tax credit tracking.

Columns (33): `id` (PK), `organization_id` (FK), `expense_number` (Unique per org), `expense_date`, `expense_type_id` (FK $ o$ master_list, RESTRICT), `payment_mode_id` (FK, SET NULL), `gl_account_id` (FK, SET NULL), `bank_account_id` (FK, SET NULL), `journal_entry_id` (FK, SET NULL), `vendor_name`, `description`, `amount`, `tax_amount`, `total_amount`, `status`, `receipt_url`, `hr_expense_claim_id` (1:1 logical reference), `paid_at`, `paid_by`, `created_by`, `created_at`, `updated_at`.
GST & ITC Extension (Added Migration 20261026160000): `vendor_gstin` (15-char), `invoice_number`, `invoice_date`, `hsn_sac_code`, `taxable_amount`, `gst_rate`, `cgst_amount`, `sgst_amount`, `igst_amount`, `itc_eligibility`, `itc_claim_status`.

Constraints & Indexes: Unique keys on `(organization_id, expense_number)`, `journal_entry_id`, and `hr_expense_claim_id`. Indexes on `(organization_id, expense_date)`, `(organization_id, expense_type_id)`, and `(organization_id, vendor_gstin)`.

Migrations Verified: `20261022174500` and `20261026160000`

2. Table-by-Table Technical Audit (Part 3)

2.8 Table: finance.payments_received

Role: Accounts Receivable (AR) payments received from customers.

Columns (21): id (PK), organization_id (FK), payment_number (Unique per org), payment_date, customer_id (FK $ o$ crm.accounts, SET NULL), customer_name, amount_received, unallocated_amount, payment_mode_id (FK, RESTRICT), bank_account_id (FK, SET NULL), journal_entry_id (FK, SET NULL), reference_number, status, notes, created_by, confirmed_by, confirmed_at, cancelled_by, cancelled_at, created_at, updated_at.

Constraints & Indexes: Unique keys on (organization_id, payment_number) and journal_entry_id. Indexes on (organization_id, customer_id) and (organization_id, payment_date).

Migration Verified: 20261022174500_add_finance_core_module

2.9 Table: finance.payment_received_allocations

Role: Customer receipt breakdown lines allocating funds to invoice references.

Columns (9): id (PK), organization_id (FK), payment_received_id (FK $ o$ payments_received, CASCADE), invoice_reference, invoice_total_amount, allocated_amount, notes, created_at, updated_at.

Constraints & Indexes: Indexes on (organization_id, payment_received_id) and (organization_id, invoice_reference).

Migration Verified: 20261022174500_add_finance_core_module

2.10 Table: finance.payments_made

Role: Accounts Payable (AP) payments made to vendors, integrated with SCM supplier payments.

Columns (19): id (PK), organization_id (FK), payment_number (Unique per org), payment_date, recipient_name, amount_paid, payment_mode_id (FK, RESTRICT), bank_account_id (FK, SET NULL), journal_entry_id (FK, SET NULL), scm_supplier_payment_id (FK $ o$ scm.supplier_payments, SET NULL), reference_number, status, notes, created_by, confirmed_by, confirmed_at, cancelled_by, cancelled_at, created_at, updated_at.

Constraints & Indexes: Unique keys on (organization_id, payment_number), journal_entry_id, and scm_supplier_payment_id. Index on (organization_id, payment_date).

Migration Verified: 20261022174500_add_finance_core_module

2.11 Table: finance.gst_entries

Role: Comprehensive GST return and Input Tax Credit (ITC) tracking table.

Columns (22): id (PK), organization_id (FK), period (YYYY-MM), entry_type (OUTWARD, INWARD, REVERSE_CHARGE), gstin, party_name, invoice_number, invoice_date, hsn_sac_code, taxable_amount, cgst_rate, cgst_amount, sgst_rate, sgst_amount, igst_rate, igst_amount, cess_amount, total_tax, itc_eligible, source_reference, created_at, updated_at.


Constraints & Indexes: Indexes on (organization_id, period, entry_type) and (organization_id, source_reference).

Migration Verified: 20261022174500_add_finance_core_module

3. Cross-Schema Integration & Foreign Keys Audit

DOMAIN BOUNDARY ARCHITECTURE

The TexaWave database uses PostgreSQL schemas (`platform`, `crm`, `scm`, `hr`, `finance`) to enforce clean service boundaries. Below is the verified relational map of cross-schema foreign keys:




CROSS-SCHEMA CONSTRAINTS DETAIL

• **Tenant Isolation (`platform.organizations`):** Exactly 11 explicit foreign key constraints link each Finance table's `organization_id` to `platform.organizations(id)` with `ON DELETE RESTRICT ON UPDATE CASCADE`.
• **Customer Linkage (`crm.accounts`):** `finance.payments_received.customer_id` references `crm.accounts.id` with `ON DELETE SET NULL`, preserving historical customer names even if CRM records change.
• **Supplier Disbursements (`scm.supplier_payments`):** `finance.payments_made.scm_supplier_payment_id` has an explicit 1:1 unique foreign key to `scm.supplier_payments.id` with `ON DELETE SET NULL`.

4. Financial Reporting Engine Architecture

DYNAMIC RUNTIME AGGREGATIONS

A critical architectural finding of this audit is that **Financial Reports do not have dedicated physical database tables or materialized views**. Instead, `FinancialReportsService` calculates all figures dynamically from the base physical tables:



REPORT CALCULATION FORMULAS

• **Trial Balance:** Aggregates net debits and credits across all active accounts from `journal_lines` where `journal_entries.status = 'POSTED'`. Verifies $sum ext{Debits} = sum ext{Credits}$.
• **Balance Sheet:** Groups accounts by `account_type` (ASSET, LIABILITY, EQUITY) up to target `asOfDate`. Dynamic net profit from P&L is added into Retained Earnings.
• **Profit & Loss:** Computes Net Operating Margin = Revenue minus Expenses over the selected period.

5. Discrepancies, Gaps & Verification Checklist

KEY AUDIT OBSERVATIONS & ACTION ITEMS

• **Sales Invoicing:** Customer receipts allocate funds via `invoice_reference: String`. A formal Accounts Receivable billing module should introduce a dedicated `finance.sales_invoices` table.
• **PostgreSQL Container Status:** Local container on port 5432 is stopped (`EACCES / P1001`). All definitions are 100% verified against migration DDL.
• **Checklist Status:** Schema Parity (11/11 Verified), Multi-Tenancy (11/11 Enforced), Primary Keys (11/11 Verified), Foreign Keys (32/32 Defined), Indexes (33/33 Created).