### **Database documentation**

Server name: serwer1887918.home.pl

Database name: 28891316\_z7

Documentation date: 28.11.2018

Database size: 0

Database description:

# (dbdesc unregistered)



#### klienci

<u>IFP</u>	Column name	<u>Data type</u>	<u>Nulls</u>	<u>Default</u>	<u>Description</u>
Pox.	id	int	NO		
	nazwisko	text (65535)	NO		
	haslo	text (65535)	NO		

#### 🐍 Indexes

<u>Index n</u>	<u>ame</u>	Column name	Sort direction	<u>Is unique</u>	<u>Index type</u>
PRIMARY	id		Ascending	Yes	BTRFF

#### **Table definition**

```
CREATE TABLE `klienci` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
  `nazwisko` text NOT NULL,
  `haslo` text NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO_INCREMENT=105 DEFAULT CHARSET=latin2
```

## (dbdesc unregistered)

#### logi

<u>IFP</u>	<u>Column name</u>	<u>Data type</u>	<u>Nulls</u>	<u>Default</u>	<u>Description</u>
Pox.	id	int	NO		
¶x₽k	idk	int	NO		
	udane	timestamp	YES	CURRENT_TIME	
	nieudane	timestamp	YES	CURRENT_TIME	
	address	text (65535)	NO		

#### 🖟 Indexes

<u>Index name</u>	<u>Cc</u>	<u>Solumn name</u>	ort direction	<u>ls unique</u>	<u>Index type</u>
PRIMARY	id		Ascending	Yes	BTREE
idk	idk		Ascending	No	BTREE

#### ห Foreign keys

Constraint name	Column name	<u>Reference</u>	<u>Description</u>
logi ibfk 1	idk	id (klienci)	

#### **Table definition**

```
CREATE TABLE `logi` (
   id` int(11) NOT NULL AUTO_INCREMENT,
   idk` int(11) NOT NULL,
   `udane` timestamp NULL DEFAULT CURRENT_TIMESTAMP,
   `nieudane` timestamp NULL DEFAULT CURRENT_TIMESTAMP,
   `address` text NOT NULL,
   PRIMARY KEY ('id`),
   KEY `idk` ('idk`),
   CONSTRAINT `logi_ibfk_1` FOREIGN KEY ('idk`) REFERENCES `klienci` ('id`)
   DENGINE=InnoDB AUTO_INCREMENT=177 DEFAULT CHARSET=latin2
```

### unregistered)