jQuery Validate

jQuery Validate 插件为表单提供了强大的验证功能,让客户端表单验证变得更简单,同时提供了大量的定制选项,满足应用程序各种需求。该插件捆绑了一套有用的验证方法,包括 URL 和电子邮件验证,同时提供了一个用来编写用户自定义方法的 API。所有的捆绑方法默认使用英语作为错误信息,且已翻译成其他 37 种语言。

导入 js 库

<script src="http://static.runoob.com/assets/jquery-validat
ion-1.14.0/lib/jquery.js"></script><script src="http://stat
ic.runoob.com/assets/jquery-validation-1.14.0/dist/jquery.v
alidate.min.js"></script>

messages: {

required: "This field is required.",

remote: "Please fix this field.",

email: "Please enter a valid email address.",

url: "Please enter a valid URL.",

date: "Please enter a valid date.",

dateISO: "Please enter a valid date ( ISO ).",

number: "Please enter a valid number.",

digits: "Please enter only digits.",

creditcard: "Please enter a valid credit card number.",

equalTo: "Please enter the same value again.",

```
{0} characters. "),
  minlength: $.validator.format("Please enter at least {0}
 characters. "),
  rangelength: $. validator. format("Please enter a value be
tween {0} and {1} characters long."),
  range: $. validator. format("Please enter a value between
\{0\} and \{1\}."),
  max: $. validator. format("Please enter a value less than
or equal to \{0\}."),
  min: $. validator. format("Please enter a value greater th
an or equal to \{0\}.")
jQuery Validate 提供了中文信息提示包,位于下载包的 dist/loca
lization/messages zh. js, 内容如下:
(function(factory) {
  if (typeof define === "function" && define.amd) {
    define( ["jquery", "../jquery.validate"], factory );
  } else {
    factory( jQuery );
  }}(function($) {
/*
```

maxlength: \$.validator.format("Please enter no more than

\* Translated default messages for the jQuery validation plugin.

\* Locale: ZH (Chinese, 中文 (Zhōngwén), 汉语, 漢語) \*/

\$. extend(\$. validator. messages, {

required: "这是必填字段",

remote: "请修正此字段",

email: "请输入有效的电子邮件地址",

url: "请输入有效的网址",

date: "请输入有效的日期",

dateISO: "请输入有效的日期 (YYYY-MM-DD)",

number: "请输入有效的数字",

digits: "只能输入数字",

creditcard: "请输入有效的信用卡号码",

equalTo: "你的输入不相同",

extension: "请输入有效的后缀",

maxlength: \$. validator. format("最多可以输入 {0} 个字符"),

minlength: \$. validator. format("最少要输入 {0} 个字符"),

rangelength: \$. validator. format("请输入长度在 {0} 到 {1} 之间的字符串"),

range: \$. validator. format("请输入范围在 {0} 到 {1} 之间的数值"),

max: \$. validator. format("请输入不大于 {0} 的数值"), min: \$. validator. format("请输入不小于 {0} 的数值")});

你可以将该本地化信息文件 dist/localization/messages\_zh.js 引入到页面:

<script src="http://static.runoob.com/assets/jquery-validat
ion-1.14.0/dist/localization/messages\_zh.js"></script>