LANTERNFIELD LABS

Project Keystone

MEMO

To Dr. Maya Okafor, Principal Investigator
From Daniel Reyes, Clinical Research Coordinator
CC Grace Lin, Regulatory Specialist; Sofia Marchetti, Project Manager
Date October 8, 2026
Subject **Proposed inclusion and exclusion criteria (Task #17)**

This memo proposes the eligibility criteria for the hydration sensor validation study. A decision is needed by October 16 so the consent form (Task #19) and screening script (Task #22) can be finalized before the protocol deadline.

Proposed inclusion criteria

1. Adults aged 18 to 65.
2. Able to wear the sensor on the upper arm for two hours.
3. Able to give informed consent in English or Spanish.

Proposed exclusion criteria

1. Known kidney disease or on dialysis.
2. Acute illness with fever or vomiting in the past 7 days.
3. Skin condition or wound at the sensor site.
4. Pregnancy (self-reported).
5. Implanted electronic medical device.

Open question for the PI

Raising the upper age limit to 75 would widen recruitment by an estimated 15 percent, but would add one blood pressure screening step. Recommendation: keep 18 to 65 for this study and note the older group as future work.

Approved: Dr. Maya Okafor _____ Date _____

Fictional sample document created to demonstrate the Project Keystone tracker. Not a real study.