

# Human-centric interoperability method for Greenhouse Digital Twins in Metaverse era

Tong Pang  
College of Engineering  
Huazhong Agricultural University  
Wuhan, China  
pangtong@webmail.hzau.edu.cn

Lin Yang *IEEE member*  
College of Engineering  
Huazhong Agricultural University  
Wuhan, China  
lin.yang@hzau.edu.cn

Giancarlo Fortino *IEEE Fellow*  
DIMES Dept.  
University of Calabria  
Rende, Italy  
giancarlo.fortino@unical.it

Qing Yang  
Department of IMES  
University of Calabria  
Rende, Italy  
yngqng81p14z210d@studenti.unical.it

Xin Yang  
Leibniz Centre for Agricultural  
Landscape Research  
Müncheberg, Germany  
isyang\_xin@163.com

Claudio Savaglio *IEEE Member*  
DIMES Dept.  
University of Calabria  
Rende, Italy  
csavaglio@dimes.unical.it

**Abstract**—With the emerging of Digital twins (DT) and Internet of Things (IoT) technologies in the field of smart agriculture, the agricultural metaverse (AM) is becoming a research hotspot currently. Massive networked and smart sensors and agricultural robots are deployed in greenhouses, and factory greenhouses have become one of the most promising AM application scenarios. Therefore, this paper explores a human-centric interoperability method for the greenhouse DT, in the era of the future AM. First, a smart greenhouse DT model is built, including greenhouse DTs, crop growth models, and facility control modules; Second, based on the greenhouse DT, a human-centered interoperability framework is proposed for socialized greenhouses. Finally, a prototype system of greenhouse DT is designed, to verify the feasibility of the human-centered interoperability method.

**Keywords**—Smart Agriculture, Greenhouse, Agricultural Metaverse, Human-centric interoperability, Digital Twin

## I. INTRODUCTION

The United Nations predicts that the global population will hit 9.6 billion by 2050. Addressing the increasing population's needs, agriculture will need to ramp up production by around 50% compared to current levels [1]. This presents a formidable challenge to the agriculture sector's scale and technological innovation. Meanwhile, the environment's continuous deterioration is adversely affecting agricultural growth. As consequence, there is an increasing need for efficient and reliable environmentally controlled agricultural production methods to sustain food and grain supply. Greenhouse production stands out as the most representative and promising method in terms of both efficacy and effectiveness. In such a scenario, the joint exploitation of Internet of Things (IoT) and digital twins (DTs) cite < Fortino, G., Savaglio, C. (2023). Integration of Digital Twins & Internet of Things. In: Crespi, N., Drobot, A.T., Minerva, R. (eds) The Digital Twin. Springer, Cham. [https://doi.org/10.1007/978-3-031-21343-4\\_8](https://doi.org/10.1007/978-3-031-21343-4_8)>enables to deploy large-scale networked, intelligent sensors and agricultural robots in smart greenhouses.

In latest months, to address large-scale sensing and interoperable control, the concepts of the DT and Agriculture Metaverse (AM) have been recently proposed

[2]. The AM facilitates virtual device coordination in greenhouses, leading to more intelligent management. Moreover, the AM involves processes such as social orders and logistics tracking that cannot be controlled by traditional technologies, requiring a change in greenhouse control strategies based on social factors. Indeed, multi-robot interoperations add complexity to the AM production system, such as self-organization and autonomous collaboration of greenhouse facilities and robots. On the one hand, in unmanned or less-manned greenhouse indoor production, it is needed the agricultural machines/robots controlling to match the crop growth rhythms. On the other hand, in greenhouse outdoor production, it is preferred crop production rhythms to match the social disturbances, such as dynamic social factors of agricultural product transportation, customer customization, and agricultural order changes in socialized greenhouses etc. Such rhythms and beat consistency problems are close related to the interoperability between humans and the IoT, necessitating a new theoretical framework to support human-centric interoperability of greenhouses. However, the current research of agricultural DT or AM rarely reports on these issues.

Upon these motivations, this paper proposes a human-centric interoperability method for greenhouse DTs in the AM era.

Indeed, Greenhouse production is a complex process that involves multiple inputs, outputs and factors across cyber-physical mixed environments. The interoperability of multiple robots further complicates greenhouse production systems, including the self-organization and autonomous collaboration of greenhouse facilities and robots. On one hand, in unmanned or minimally manned greenhouse production, it is necessary for agricultural machinery and robots to synchronize with the growth rhythm of crops. On the other hand, in outdoor greenhouse production, it is desirable for the production rhythm of crops to align with social disruptions, such as dynamic social factors in agricultural products transportations and customization, and dynamical changes in agricultural orders in socialized greenhouses.

Therefore, there is a need to propose a human-centric interoperability method that can adapt to the pacing of human society and enable the control and interaction of

Table 1 Related work on greenhouse metaverse

	Greenhouse Digitalization Progresses	Functional features				Technical Support		
		Remote Monitoring	Equipment Regulation	Intelligent Prediction	Social Management	Artificial intelligence	Virtual Reality	Blockchain
[6]2022	IoT for device connection and control	Y						
[8]2023		Y				Y		
[7]2022		Y	Y			Y		
[14]2022	DT for cyber devices	Y					Y	
[9]2022		Y		Y		Y	Y	
[10]2021		Y	Y	Y		Y	Y	
[11]2023								
[2]2022	AM for cyber-physical mixed							
[12]2022		Y			Y	Y	Y	Y
[13]2023								
This work		Y	Y	Y	Y	Y	Y	Y

multiple robots. Human-centric interoperability means placing human society in a more important position, while interoperability refers to the organizations and collaborations among humans and multiple agricultural robots, enabling greenhouse production to better serve society. The human-centric interoperability method has been proposed and applied in industries such as medicine [3], manufacturing [4], and urban planning [5]. However, in agriculture, there is no existing literature on the concept of human-centric interoperability. Greenhouse production needs to consider the influence of human factors and align with the operational pace of human society to address the issue of mismatch between greenhouse production and societal demands. According to this, the contribution of our paper focus on construction of a Human-centric interoperability method for Greenhouse Digital Twins to control greenhouse production adapts to social rhythms.

The remaining sections of this paper are organized as follows: Section II provides an overview of the current research status of greenhouse digital twins. Section III, the human-centric interoperability framework in the Metaverse proposed in this paper is presented, and the feasibility framework is validated. Section IV summarizes the work of this paper.

## II. RELATED WORK

The AM constructed with greenhouse is a complex system in which multiple technologies are integrated with each other, some work has been explored the key technologies listed in Table 1. IoT and DT are both the basic components of the future metaverse and also the different digitalization progresses for greenhouse intelligent control.

Smart greenhouse agriculture has already utilized IoT technology for remote monitoring of greenhouse operations [6], enabling device control [7]. In the field of agriculture, IoT can be combined with artificial intelligence to achieve precise monitoring and control

[7,8]. However, IoT alone cannot achieve virtual reality, blockchain integration, intelligent prediction, and social management capabilities, which require the implementation of DTs and the AM.

DTs built upon the foundation of IoT, enable the realization of virtual reality. By simulating and deducing in virtual spaces, more accurate environmental monitoring can be achieved [14]. Based on this, certain greenhouse digital twins combined with artificial intelligence, can enable intelligent prediction [9-11] and device control [10,11]. However, the virtual reality aspect of digital twins is limited to the agricultural production process, with users primarily being greenhouse managers. It does not encompass the entire industry chain and lacks the integration with blockchain for achieving social management.

The AM based with smart greenhouse is a real-time virtual world constructed based on actual agricultural environments, encompassing the entire process of agricultural production [15]. The AM goes beyond the scope of agricultural production alone; it combines blockchain technology to encompass the complete agricultural industry chain, including greenhouse management, agricultural product transportation, agricultural product trading, agricultural education, and inheritance processes [13,14,15]. In the AM, users experience an unprecedented level of immersion and enhanced sensory experience. While the AM has started to take shape, there is still a lack of research on using the Metaverse to build an AM with greenhouse production as its core, specifically exploring the application of AM in greenhouse equipment control.

In summary, the Metaverse, as a new concept in the field of agriculture, holds great potential for development. The Agriculture Metaverse encompasses social development and human activities, necessitating a human-centric method to interoperability. Furthermore, there is a lack of research on constructing the Metaverse with




Figure 1 A human-centric interoperability framework for greenhouse metaverse

greenhouses as the core focus. Therefore, the proposed human-centric interoperability method for greenhouse digital twins in the Metaverse era proposed in this paper is innovative.

### III. HUMAN-CENTRIC INTEROPERABILITY FRAMEWORK FOR THE AGRICULTURAL METAVERSE

As presented in Figure 1, the AM framework encompasses a physical greenhouse with smart multi-robots, greenhouse DTs, and human-centered interactions. The interaction between humans and the physical greenhouse and robots generates an IoT system along with dynamic social factors. The interaction between humans and greenhouse digital twins establishes a socialized greenhouse.

The physical greenhouse with smart multi-robots acts as the basis of the AM, encompassing the physical structures of the greenhouse and the robots and agricultural machinery inside. Physical greenhouse with smart multi-robots provides virtual representations of human knowledge models, crop models, and digital

devices inside the AM.

The greenhouse DT is an exact digital replica of the intelligent greenhouse. It comprises digital plants, digital facilities, and digital greenhouse scenes, as depicted in Figure 2. The digital plants are digitally modeled based on crop growth models, containing growth information and visual representation of the crops. The digital devices are digital twins of greenhouse robots or equipment, used to monitor the real-time operational status of the devices and generate control commands based on the environmental parameters of the digital greenhouse. The digital greenhouse model is a digital replica of the physical greenhouse, encompassing various environmental parameters of the greenhouse. The digital greenhouse, coupled with the digital crops and digital devices, simulates the operation of the intelligent greenhouse, enabling comprehensive greenhouse monitoring and identification of potential risks.

The concept of human-centric interoperability method is the core idea of the AM, permeating throughout the framework. In the Agriculture Metaverse, the interactive




Figure 2 Greenhouse digital twin

control of the digital and physical components of the greenhouse requires coordination with the working schedule of farmers. The integration of the Internet of Things and dynamic social elements must be in sync with human society's needs and patterns. The socialized greenhouse needs to consider consumer preferences and producer transportation conditions. Human-centric interoperability method serves as a guiding principle for these processes, providing guidance for the overall operation of the AM.

The AM serves as the central component of this framework, overseeing the operation of the entire system. On one hand, it receives inputs from the physical greenhouse with smart multi-robots, including Human Knowledge, crop models, and digital devices. Utilizing the human-centric interoperability method, it leverages the greenhouse's digital twin to control, tasks, risk assessment, and customization these inputs. On the other hand, the proposed Human Knowledge, crop models, and digital devices can also be evaluated and assessed through the control, tasks, risk assessment, and customization provided by the greenhouse's digital twin, forming a two-way control process. The AM collects data during the interaction between the digital and physical components, enabling real-time monitoring, intelligent prediction, and smart control of the intelligent greenhouse.


The Internet of Things (IoT) and dynamic social factors are created through the interaction between the physical greenhouse with smart multi-robots and humans. The IoT platform comprises: humans as operators who control the AM system while also being influenced by its control, resulting in a two-way auction within the IoT system; humans as consumers who generate automatic billings to purchase agricultural products; and product

tracking information that encompasses the entire process from production to sales of agricultural products. Dynamic social factors include: greenhouse address, product transportation, and order changes. The IoT and dynamic social factors provide data support for human-centric interoperability method, ensuring the collaborative control of the greenhouse and the implementation of a traceability system for agricultural products.


The socialized greenhouse is created through the interaction between humans and the greenhouse digital twin, which relies on blockchain technology. It comprises multiple greenhouse producers and social consumers, who form blocks based on their geographical location, allowing for direct peer-to-peer transactions. Consumers can visit designated virtual greenhouses and purchase agricultural products, gaining access to real and transparent information about the products and enjoying a highly immersive purchasing experience. Greenhouse producers can deliver products directly to consumers' doorsteps, reducing storage and logistics costs. The order information serves two purposes: personalized product offerings that cater to consumers' preferences and as a demand guide for the greenhouse's production activities, thereby improving the greenhouse's economic efficiency. The socialized greenhouse acts as a bridge between producers and consumers, reducing production costs and enhancing the value of agricultural products.

#### IV. A CASE STUDY OF GREENHOUSE ENVIRONMENTAL CONTROL

To validate the feasibility of the human-centric interoperability method framework, a greenhouse digital twin system was built in this study. This framework was applied at Huazhong Agricultural University to establish



(a)



(c)



(b)



(d)

Figure 3 A case study of greenhouse environmental control. (a) Interior view of the intelligent greenhouse digital twin model. (b) Greenhouse scene in real physical world. (c) Crop growth models. (d) Greenhouse equipment control.

an AM prototype system. The digital twin was constructed using the software tools of SolidWorks and Unity3D, as shown in Figure 3. Figure 3(a) depicts the intelligent greenhouse digital twin's interior, which allows greenhouse staff to remotely observe and manage the greenhouse operations, while consumers and learners can visit and learn about greenhouse management. Figure 3(b) shows the physical greenhouse equipped with smart multi-robots at the National Vegetable Improvement Center of Huazhong Agricultural University. Figure 3(c) represents the platform for displaying greenhouse sensor data and crop growth models, while Figure 3(d) displays the mobile platform for controlling greenhouse devices. The greenhouse digital twin system can be adapted to different end devices to suit various situations in greenhouse production.

## V. CONCLUSION

This paper proposed and validated a method for human-centered interoperability of DTs in the metaverse era. Firstly, based on a literature review, the paper offered a comprehensive comparison and summary of the IoT, DT, and AM, emphasizing the need for a human-centered approach to interoperability in the metaverse. Secondly, the paper presented a framework for achieving human-centric interoperability in the metaverse. Finally, a prototype system of a DT for a greenhouse is designed and implemented to validate the feasibility of the human-centered interoperability method.

This research offered a practical approach to the construction of AM and, as future research direction, intends to optimize and improve human-centric interoperability method to better meet evolving needs. This could include using natural language processing techniques to enable voice interaction and designing intelligent agent systems to automatically adapt to the needs of users.

In conclusion, a human-centric interoperability method holds great promise and potential in the metaverse era. Through continuous research and innovation, we can further advance metaverse technologies to create richer, immersive and personalized interactive experiences for people, as well as smarter and more sustainable social development.

## ACKNOWLEDGMENT

This work is supported by the Key Technologies Research and Development Programs of Hubei Province [2021BBA239] and Shannan [SNSBJKJJHXM2023004]. It has been carried out by the research group of the Connected and Intelligent Laboratory (CIA Lab) at the College of Engineering, Huazhong Agricultural University. Additionally, we would like to express our gratitude to Zhiling Bie, Yuan Huang, Wentao Song, and Can Deng for their valuable contributions to the experiments and their solid advice.

## REFERENCES

- [1] Peñuelas, Josep, and Jordi Sardans. "The global nitrogen-phosphorus imbalance." *Science* 375.6578 (2022): 266-267.
- [2] Tao, Fei, and Qinglin Qi. "Make more digital twins." *Nature* 573.7775 (2019): 490-491.
- [3] Wang, Haoqi, et al. "A safety management approach for Industry 5.0's human-centered manufacturing based on digital twin." *Journal of Manufacturing Systems* 66 (2023): 1-12.
- [4] McDevitt, Sam, et al. "Wearables for biomechanical performance optimization and risk assessment in industrial and sports applications." *Bioengineering* 9.1 (2022): 33.
- [5] Ahmad, Kashif, et al. "Developing future human-centered smart cities: Critical analysis of smart city security, Data management, and Ethical challenges." *Computer Science Review* 43 (2022): 100452.
- [6] Maraveas, C., et al. "Applications of IoT for optimized greenhouse environment and resources management." *Computers and Electronics in Agriculture* 198 (2022): 106993.
- [7] Jamil, Faisal, et al. "Optimal smart contract for autonomous greenhouse environment based on IoT blockchain network in agriculture." *Computers and Electronics in Agriculture* 192 (2022): 106573.
- [8] Contreras-Castillo, Juan, et al. "SAgric-IoT: An IoT-Based Platform and Deep Learning for Greenhouse Monitoring." *Applied Sciences* 13.3 (2023): 1961.
- [9] Gök, Akın Emrecan, et al. "Productivity forecast with digital greenhouse automation system for sustainable agriculture." *Journal of Mechatronics and Artificial Intelligence in Engineering* 3.1 (2022): 40-46.
- [10] Howard, Daniel Anthony, et al. "Greenhouse industry 4.0—digital twin technology for commercial greenhouses." *Energy Informatics* 4.2 (2021): 1-13.
- [11] Ariesen-Verschuur, Natasja, Cor Verdouw, and Bedir Tekinerdogan. "Digital Twins in greenhouse horticulture: A review." *Computers and Electronics in Agriculture* 199 (2022): 107183.
- [12] Mowdoudi, Arash, Mohammad Nasser Modoodi, and Ebrahim Jahangir Dehborzoui. "The Possible Future for Agricultural Products and Medicinal plants in Metaverse." *Journal of Medicinal Plants Biotechnology* 7.2 (2022): 36-46.
- [13] Wang, Xiujuan, et al. "DeCASA in agriVerse: Parallel agriculture for smart villages in Metaverses." *IEEE/CAA Journal of Automatica Sinica* 9.12 (2022): 2055-2062.
- [14] Slob, Naftali, et al. "Virtual reality-based digital twins for greenhouses: A focus on human interaction." *Computers and Electronics in Agriculture* 208 (2023): 107815.
- [15] Kang, Mengzhen, et al. "The Development of AgriVerse: Past, Present, and Future." *IEEE Transactions on Systems, Man, and Cybernetics: Systems* (2023).