

OSINT-Based Threat Intelligence Assessment

SHOPIFY INC. (shopify.com)

E-COMMERCE PLATFORM

by

AWODIMIBOLA, TOSIN FUNKE

May 2026, Cohort

14TH AUGUST, 2026

Confidentiality Notice

This report contains defensive cyber threat intelligence derived exclusively from publicly available open-source information (OSINT). It is prepared strictly for educational and analytical purposes and does not include exploitation, intrusion, or unauthorized access activities.

Table of Contents

1. Executive Summary
2. Organization Profile
 - 2.1 Organization Overview
 - 2.2 Digital Footprint Summary
3. Intelligence Requirements & Scope
 - 3.1 Intelligence Objectives
 - 3.2 Scope & Limitations
4. Methodology & Tools Used
 - 4.1 OSINT Methodology
 - 4.2 Tools Utilized
5. OSINT Collection Summary
6. Key Findings & Exposures
 - 6.1 Phishing & Brand Impersonation
 - 6.2 Infrastructure Exposure
 - 6.3 Data Leakage Indicators
7. Threat Analysis & Risk Assessment
 - 7.1 Threat Actor Perspective
 - 7.2 Business Risk Impact
8. Evidence Log
9. Mitigation & Recommendations
10. Conclusion
11. Ethical Considerations & Disclaimer
12. References
13. Appendices (Optional)
 - A. Screenshots of Findings
 - B. OSINT Tool Outputs
 - C. IOC Summary (Domains, URLs, IP Addresses)

1. Executive Summary

This engagement was conducted to perform a defensive Open-Source Intelligence (OSINT) and threat intelligence assessment of Shopify.com,

For this threat intelligence assessment, Shopify.com was selected as the organization under investigation. Shopify is a globally recognized e-commerce technology company with a significant digital footprint, making it a relevant case study for understanding how publicly available information can contribute to an organization's cyber-risk exposure, with the purpose of identifying publicly exposed information and potential security risks that could be exploited by threat actors for phishing, brand impersonation, credential harvesting, and social engineering.

This assessment adopts a passive and ethical OSINT methodology. The investigation relies exclusively on publicly accessible information and does not involve active scanning, exploitation, unauthorized access, credential testing, or direct interaction with Shopify's infrastructure. The objective is to understand what an external threat actor could potentially discover about Shopify using legitimate open-source intelligence techniques.

The assessment focuses on areas such as domain and subdomain intelligence, DNS and email security posture, publicly exposed technologies, certificate information, threat indicators, phishing and brand-impersonation risks, historical web information, and publicly reported data exposures. Information gathered from appropriate OSINT sources is then correlated to identify potential risks and translate technical observations into actionable defensive intelligence.

Shopify.com should maintain continuous external attack-surface and brand-monitoring activities, with particular emphasis on detecting fraudulent domains and impersonating social-media accounts, monitoring exposed credentials and sensitive documents, reviewing publicly discoverable subdomains, and rapidly removing or mitigating malicious infrastructure.

2. Organization Profile

2.1 Organization Overview

Organization Name: Shopify Inc.

Industry Sector: Technology – E-commerce Platform with Financial Technology (FinTech) services.

Geographical Presence: Shopify is headquartered in Ottawa, Canada, and operates globally, providing services to merchants in more than 175 countries through its cloud-based commerce platform.

Core Digital Services:

- * E-commerce website and online store platform
- * Shopify Payments
- * Shop Pay digital checkout
- * Point of Sale (Shopify POS)
- * Merchant and customer account management
- * Inventory and order management
- * REST and GraphQL APIs for developers
- * Third-party app marketplace and integrations
- * Shopify Capital and other merchant financial services
- * Cloud hosting and website management

2.2 Digital Footprint Summary

Digital Footprint

Primary Domain

- * shopify.com

Publicly Known Subdomains

- * admin.shopify.com – Merchant administration portal
- * accounts.shopify.com – User authentication and account management
- * help.shopify.com – Customer support and knowledge base
- * developers.shopify.com – Developer documentation and APIs
- * partners.shopify.com – Shopify Partner Program
- * status.shopify.com – Service status and incident updates

Email Infrastructure

- * Corporate email services using the @shopify.com domain.

- * Email authentication technologies including SPF, DKIM, and DMARC to help prevent email spoofing and phishing.
- * Secure cloud-based email services with multi-factor authentication (MFA) for employee access.

Public-Facing Services

- * Shopify e-commerce platform
- * Shopify Admin Portal
- * Shopify Payments
- * Shop Pay
- * Shopify Point of Sale (POS)
- * REST and GraphQL APIs
- * Shopify App Store
- * Merchant Dashboard
- * Customer Help Center
- * Shopify Status Page
- * Developer Portal

Social Media Presence

- * LinkedIn
- * X (formerly Twitter)
- * Facebook
- * Instagram
- * YouTube

3. Intelligence Requirements & Scope

3.1 Intelligence Objectives

Priority Intelligence Requirements (PIRs) that directed this investigation are:

1. Are there phishing or brand impersonation threats targeting Shopify?

* Determine whether threat actors are using fake Shopify login pages, fraudulent emails, malicious domains, or social engineering campaigns to steal merchant or customer credentials.

2. Are there publicly exposed assets that attackers could leverage?

* Identify publicly accessible digital assets, such as websites, APIs, developer portals, cloud services, and other internet-facing resources, that could be targeted or abused by attackers if not properly secured.

3. Is the Shopify brand being abused for fraud?

* Assess whether cybercriminals are exploiting the Shopify brand through fake online stores, counterfeit websites, fraudulent payment pages, scam advertisements, or impersonation campaigns to deceive merchants and customers.

4. Are Shopify's domains, subdomains, URL, IP addresses, emails or digital assets associated with malicious activity or abuse?

5. Is the Shopify brand being used in fraudulent websites, fake stores, or scam campaigns?

3.2 Scope & Limitations

- Passive OSINT only (no scanning or exploitation)
- Publicly available data sources
- Tools used within ethical boundaries

4. Methodology & Tools Used

This engagement used passive, open-source and threat-intelligence techniques only. No systems were accessed without authorization, and no suspicious links were opened outside sandboxed tools.

4.1 OSINT Methodology

PHASE	TOOLS UTILIZED	PURPOSE
PLANNING & DIRECTION	Shopify official website, social media profiles, Emails	Intelligence requirement

COLLECTION	Google Dork, Search engine: google, Bing, theHarvester, Sublist3r,	Intelligence collection: Collect relevant publicly available intelligence on shopify - Domains, Subdomains, IPs, Email
INFRASTRUCTURE DISCOVERY	Shodan.io, Wayback machine,	Indicator validation
VALIDATION	VirusTotal, Whois, AbusIPDb, URLScan.io, Have I been pwned	Confirm reputation and breach exposure of candidate indicators

5. OSINT Collection Summary

Describe what data was collected, not raw results.

DATA CATEGORY	DATA COLLECTED	
DOMAINS • Domains and look-alike domains	shopify.com myshopify.com shopify,inc Shopify Sweden AB shopify SHOIFY SHOIFY.INC shopify.dev store.myshopify.com	OSINT techniques(search engine, Shodan.io, theHarvester)were used to identify shopify's primary domain, related domains and publicly discoverable look-alike domains
SUBDOMAINS	2Fapps.shopify.com 2Fcdn.shopify.com accounts.shopify.com admin.shopify.com apps.shopify.com community.shopify.com help.shopify.com inbox.shopify.com partners.shopify.com privacy.shopify.com themes.shopify.com	
EMAILS: Email addresses linked to the organization	support@shopify.com	theHarvesters was on the terminal and one of the emails found support@shopify.com was breached 14 times
IP ADDRESS: IP addresses and hosting providers	23.227.38.33 , 23.227.39.7- These IP addresses with hostname 180.shopify.com and dev-shops.shopify.com were found on the database and reported	AbusIPDb were used to check the IP address associated with a suspicious shopify subdomain has history of abuse

	25 and 5 times respectively	
URLS: URLs associated with phishing or impersonation attempts	Shopify.com – this URL was used, showing associated IPs, subdomains, related URLs, historical updates	VirusTotal was used

Examples:

- Domains and look-alike domains
- Email addresses linked to the organization
- IP addresses and hosting providers
- URLs associated with phishing or impersonation attempts

Avoid dumping raw data—focus on relevance.

6. Key Findings & Exposures

INDICATORS	TYPE	SOURCES	VIRUS-TOTAL	ABUSEIP DB	HAVE I BEEN PWNEED	CONFIDENCE	VERDICT
myshopify.com	D	Shodan.io	1/91	297 times	N/A	LOW	No malicious evidence
Checkout.shopify.com	Sub-domain	theHarvester, Sublist3r	0/91	25 TIMES	N/A	LOW	Legitimate shopify subdomain
23.227.28.33	IP	theHarvester	1/91	25 times	N/A	LOW	UNCONFIRMED
support@shopify.com	EMAIL	theHarvester			14 breaches		Potential phishing target

No confirmed compromise identified, potential exposure which requires continuous monitoring and validation is required.

The findings above currently support potential exposure and reconnaissance risk, rather than a confirmed Shopify compromise.

6.1 Phishing & Brand Impersonation

* Phishing themes: account verification, security alerts and credential harvesting e.g. evidences seen on the email support@shopify.com using Have I been pwned

* Look-alike domains: Shopify-themed domains hosted outside the legitimate Shopify domain e.g. myshopify.com

* Fake login pages: verify through urlscan.io screenshots

6.2 Infrastructure Exposure

* Public Shopify subdomains and IP infrastructure identified – checkout.shopify.com, 23.227.28.33

* Cloud/CDN infrastructure observed – myshopify.com

* No confirmed infrastructure compromise

6.3 Data Leakage Indicators

* Historical email exposure (support@shopify.com) identified through Have I been pwned

* Publicly accessible information/documents assessed

* No credentials reproduced or collected

7. Threat Analysis & Risk Assessment

INDICATOR	LIKEHOOD	IMPACT	RISK LEVEL
Myshopify.com	LOW	MEDIUM	LOW
Checkout.shopify.com	LOW	HIGH	MEDIUM/HIGH
23.227.38.33	LOW/MEDIUM	MEDIUM	LOW/MEDIUM
support@shopify.com	MEDIUM	MEDIUM	MEDIUM

Threat Analysis

myshopify.com: Legitimate Shopify-related domain; could be abused for brand impersonation if a look-alike is involved.

checkout.shopify.com: Legitimate Shopify subdomain associated with checkout service.

IP 23.227.38.33: Publicly exposed IP associated with Shopify infrastructure; AbuseIPDB reports alone require attribution/context.

support@shopify.com: Public corporate email address potentially useful for social engineering/phishing. Email appearing in Have I Been Pwned; Indicates the email may appear in historical breach datasets.

7.2 Business Risk Impact

Assess impact across:

- Financial risk

Phishing and brand impersonation could lead to merchant account takeover, fraudulent transactions, financial losses, and costs associated with incident response.

RISK - High

- Reputational damage

Successful impersonation campaigns may cause customers and merchants to associate fraudulent activity with Shopify, reducing confidence in the platform.

RISK - High

- Customer trust

Fake login pages, phishing emails and look-alike domains can deceive users and undermine confidence in Shopify's ability to protect accounts and transactions.

RISK - High

- Regulatory exposure

A significant compromise involving customer or merchant information could create privacy, data-protection and regulatory obligations.

RISK – Medium



The primary business risk identified is **phishing and brand impersonation**. Threat actors can exploit Shopify's strong brand recognition and trusted customer relationship to conduct credential harvesting, account takeover and fraud. Although the OSINT assessment did not confirm a compromise of Shopify infrastructure, the identified publicly available information could facilitate social engineering and targeted phishing campaigns.

8. Evidence Log


- Screenshots
- URLs
- Hashes
- OSINT references

DOMAIN AND SUB DOMAINS YOU CAN LOG INTO RELATED TO SHOPIFY

USING GOOGLE DORK, YOU CAN USE YOUR LOGIN CREDENTIALS OF SHOPIFY TO LOG INTO THESE URLS ABOVE




PDF FILES RELATED TO SHOPIFY USING GOOGLE DORK



theHarvester -d shopify.com -b all

Email addresses, sub domains, IP addresses, URLs associated with shopify.com were found which attackers can be used to gather information during reconnaissance.



theHarvester -d shopify.com -b yahoo,brave

USING theHarvester to search for domains related to shopify.com

```
Session Actions Edit View Help
(kali@kali)-[~]
$ theHarvester -d shopify.com -b yahoo,brave
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
  THE HARVESTER
*****
theHarvester 4.10.1
Coded by Christian Martorella
Edge-Security Research
cmartorella@edge-security.com
*****

[*] Target: shopify.com

Read api-keys.yaml from /etc/theHarvester/api-keys.yaml
Failed to process brave search for word: 'shopify.com'
Error Message:
[!] Missing API key for Brave Search.
[*] Searching Yahoo.

[*] No IPs found.

[*] Emails found: 1
support@shopify.com

[*] No people found.

[*] Hosts found: 10
2fapps.shopify.com
2fcdn.shopify.com
accounts.shopify.com
admin.shopify.com
apps.shopify.com
community.shopify.com
help.shopify.com
partners.shopify.com
store.shopify.com
themes.shopify.com
(kali@kali)-[~]
```

31 subdomains related to shopify.com using Sublist3r

```
[*] Total Unique Subdomains Found: 31
www.shopify.com [200] 响应成功
accounts.shopify.com response:
admin.shopify.com [401] 未授权 (for Info: API (invalid credentials)).
apm.shopify.com [401] 未授权
app.shopify.com [401] 未授权
apps.shopify.com [401] 未授权
108.nat.ash.shopify.com [200] theHarvester.discovery.hudsonrock
bfcms.shopify.com [200] theHarvester.discovery.hudsonrock
candidate.shopify.com [200] theHarvester.discovery.hudsonrock
cdn.shopify.com [200] theHarvester.discovery.hudsonrock
cdn2.shopify.com [200] theHarvester.discovery.hudsonrock
changelog.shopify.com [200] theHarvester.discovery.hudsonrock
checkout.shopify.com [200]
collabs.shopify.com [200] /etc/theHarvester/api-keys.yaml
collabs-m.shopify.com [401] authentication: "Incorrect API key"
collabs-m-staging.shopify.com
community.shopify.com [200]
cseib.cs.shopify.com [200] crawl
dev.shopify.com
hardware.shopify.com [200]
help.shopify.com [200]
inbox.shopify.com [200]
partners.shopify.com [200]
pay.shopify.com [401] Invalid API Token shopify.com
performance.shopify.com [200]
polaris-react.shopify.com
privacy.shopify.com [200]
setup.shopify.com [200] not found. Using limited unauthenticated
smiley.shopify.com [200]
themes.shopify.com [200] Using fallback subdomain pattern scan
wc.shopify.com [200]
```

These subdomains are opened and can be accessed on the URL seeing that ports 80,443 are open

```
Session Actions Edit View Help
[-] Searching now in Baidu..
[-] Searching now in Yahoo..
[-] Searching now in Google..
[-] Searching now in Bing..
[-] Searching now in Ask..
[-] Searching now in Metcrafter..
[-] Searching now in DNSdumpster..
[-] Searching now in Virustotal..
[-] Searching now in ThreatCrowd..
[-] Searching now in SSL Certificates..
[-] Searching now in PassiveDNS..
[!] DNSDumpster module failed: Could not find CSRF token on DNSDumpster page
[!] Error: Virustotal probably now is blocking our requests
[-] Total Unique Subdomains Found: 31
[-] Start port scan now for the following ports: 80,443
cdn.shopify.com - Found open ports: 80, 443
checkout.shopify.com - Found open ports: 80, 443
www.shopify.com - Found open ports: 80, 443
ofcm.shopify.com - Found open ports: 80, 443
admin.shopify.com - Found open ports: 80, 443
cdn2.shopify.com - Found open ports: 80, 443
changelog.shopify.com - Found open ports: 80, 443
apm.shopify.com - Found open ports: 80, 443
108.nat.ash.shopify.com - Found open ports: 80, 443
help.shopify.com - Found open ports: 80, 443
app.shopify.com - Found open ports: 80, 443
wc.shopify.com - Found open ports: 80, 443
inbox.shopify.com - Found open ports: 80, 443
candidate.shopify.com - Found open ports: 80, 443
hardware.shopify.com - Found open ports: 80, 443
accounts.shopify.com - Found open ports: 80, 443
apps.shopify.com - Found open ports: 80, 443
collabs-m.shopify.com - Found open ports: 80, 443
collabs.shopify.com - Found open ports: 80, 443
dev.shopify.com - Found open ports: 80, 443
setup.shopify.com - Found open ports: 80, 443
tselb.cs.shopify.com - Found open ports: 80, 443
smiley.shopify.com - Found open ports: 80, 443
community.shopify.com - Found open ports: 80, 443
pay.shopify.com - Found open ports: 80, 443
polaris-react.shopify.com - Found open ports: 80, 443
partners.shopify.com - Found open ports: 80, 443
performance.shopify.com - Found open ports: 80, 443
themes.shopify.com - Found open ports: 80, 443
privacy.shopify.com - Found open ports: 80, 443
collabs-m-staging.shopify.com - Found open ports: 80, 443
```

SHODAN.IO

The screenshot shows the Shodan.io search results for the query 'shopify'. The interface includes a search bar at the top with the query 'shopify' and a '100%' zoom level. Below the search bar, there are several tabs for different search criteria: 'OSINT Framework', 'VirusTotal - Domain - my', 'URL and website scanner', 'Whois IP 23.227.55.116', '23.227.38.32 | Shopify, Inc.', 'Have I Been Pwned: Check', and 'org:shopify - Shodan Search'. The main content area displays a list of search results for 'shopify'. The results are organized into sections: 'TOP PORTS', 'TOP ORGANIZATIONS', and 'TOP PRODUCTS'. The 'TOP PORTS' section shows results for ports 2087, 80, 8880, 2083, and 2082. The 'TOP ORGANIZATIONS' section shows results for 'Shopify, Inc.', 'Shopify Sweden AB', 'Shopify', 'SHOPIFY', and 'SHOPIFY INC.'. The 'TOP PRODUCTS' section shows results for 'American Made Holsters, Accessories, and EDC Gear | Blade-Tech' and 'SSL Certificate'. The 'SSL Certificate' section provides detailed information about the certificate, including the issuer, date, and supported versions.

Country	Count	IP Address	Organization	Ports	Details
Canada	2,223,185	23.227.54.95	Shopify, Inc.	80, 443	No data returned
Sweden	235,366	23.227.56.38	Shopify, Inc.	80, 443	No data returned
United States	10	23.227.55.61	Shopify, Inc.	80, 443	No data returned

Port	Count	IP Address	Organization	Details
2087	4,086	23.227.38.32	Shopify, Inc.	HTTP/1.1 200 OK
80	3,682	23.227.38.32	Shopify, Inc.	HTTP/1.1 200 OK
8880	3,516	23.227.38.32	Shopify, Inc.	HTTP/1.1 200 OK
2083	3,497	23.227.38.32	Shopify, Inc.	HTTP/1.1 200 OK
2082	3,496	23.227.38.32	Shopify, Inc.	HTTP/1.1 200 OK

Organization	Count	IP Address	Details
Shopify, Inc.	2,223,186	23.227.38.32	myshopify.com
Shopify Sweden AB	235,366	23.227.38.32	blade-tech.com
Shopify	5	23.227.38.32	Shopify, Inc.
SHOPIFY	2	23.227.38.32	Shopify, Inc.
SHOPIFY INC.	2	23.227.38.32	Shopify, Inc.

Product	Count	IP Address	Details
American Made Holsters, Accessories, and EDC Gear Blade-Tech	1	23.227.38.32	blade-tech.com
SSL Certificate	1	23.227.38.32	Shopify, Inc.

VIRUSTOTAL TO VERIFY THE LOOK-ALIKE DOMAIN RETRIEVED VIA SHODAN.IO

The screenshot shows the VirusTotal web interface for the domain **myshopify.com**. The browser address bar displays `www.virustotal.com/gui/domain/myshopify.com`. The page features a dark theme with a navigation bar at the top containing links like 'OffSec', 'Kali Linux', 'Kali Tools', 'Kali Docs', 'Kali Forums', 'Kali NetHunter', 'Exploit-DB', and 'Google Hacking DB'. A search bar contains 'myshopify.com'. The main content area shows a 'Community Score' of 1/91 and a warning: '1/91 security vendor flagged this domain as malicious'. Below this, a table lists security vendors and their analysis results:


Security vendors' analysis		
Chong Lua Dao	Malicious	Abusix
Acronis	Clean	ADMINUSLabs
AlLabs (MONITORAPP)	Clean	AlienVault
alphaMountain.ai	Clean	Antiy-AVL
BitDefender	Clean	Bkav
Blueliv	Clean	Certego

ABUSEIPDB TO VALIDATE IP ADDRESS RETRIEVED ON theHarvester

The screenshot shows the AbuseIPDB web interface for the IP address **23.227.38.32**. The browser address bar displays `AbuseIPDB >> 23.227.38.32`. The page features a dark theme with a navigation bar at the top containing links like 'Report IP', 'Bulk Checker', 'Bulk Reporter', 'Pricing', 'Integrations', 'Docs', 'IP Utilities', 'Contact', and 'More'. A search bar contains '23.227.38.32' and a 'CHECK' button. The main content area shows a warning: '23.227.38.32 was found in our database!'. Below this, a table lists details about the IP address:

AbuseIPDB >> 23.227.38.32	
Check an IP Address, Domain Name, Subnet, or ASN e.g. 105.112.228.207, microsoft.com, 5.188.10.0/24, or AS15169	
This IP was reported 297 times. Confidence of Abuse is 0%:	
ISP	Shopify, Inc.
Usage Type	Content Delivery Network
ASN	AS13335
Hostname(s)	myshopify.com
Domain Name	shopify.com

VIRUSTOTAL TO VERIFY SUBDOMAIN




The screenshot shows the VirusTotal domain analysis page for `checkout.shopify.com`. The page is dark-themed and displays the following information:

- Community Score:** 0 / 91 (Community Score icon)
- At least 1 detected file communicating with this domain**
- Domain Details:**
 - Domain: `checkout.shopify.com`
 - Registrar: MarkMonitor Inc.
 - Creation Date: 21 years ago
- DETECTION** tab is active.
- Security vendors' analysis:** A table showing results from various security vendors.

Security Vendor	Result
Abusix	Clean
ADMINUSLabs	Clean
AlienVault	Clean
BitDefender	Clean
Certego	Clean
CINIS Army	Clean
Acronis	Clean
AILabs (MONITORAPP)	Clean
Antiy-AVL	Clean
Blueliv	Clean
Chong Lua Dao	Clean
CMC Threat Intelligence	Clean

HAVE I BEEN PWNED USED TO VERIFY THE EMAIL RETRIEVED ON theHarvester



The screenshot shows the Have I Been Pwned website. The user has entered `support@shopify.com` and clicked the **Check** button. The results show:

- 14 Data Breaches**
- Email Breach History**: Timeline of data breaches affecting your email address.
- Oh no — pwned!** This email address has been found in multiple data breaches. Review the details below to see where your data was exposed.

WHOIS TOVERIFY IP RETRIEVED ON theHarvester

 Domains Hosting Websites Email Security Whois Deals

23.227.38.32 WHOIS

Updated 4 days ago

ARIN WHOIS data and services are subject to the Terms of Use
available at: <https://www.arin.net/resources/registry/whois/tou/>
If you see inaccuracies in the results, please report at
https://www.arin.net/resources/registry/whois/inaccuracy_reporting/
Copyright 1997-2026, American Registry for Internet Numbers, Ltd.
#

NetRange: 23.227.32.0 - 23.227.63.255
CIDR: 23.227.32.0/19
NetName: SHOPIFY-NET
NetHandle: NET-23-227-32-0-1
Parent: NET23 (NET-23-0-0-0)
NetType: Direct Allocation
OriginAS:
Organization: Shopify, Inc. (SHOPI-1)
RegDate: 2013-09-19
Updated: 2021-12-14
Ref: <https://rdap.arin.net/registry/ip/23.227.32.0>

OrgName: Shopify, Inc.
OrgId: SHOPI-1
Address: 151 O'Connor Street, Ground floor
City: Ottawa
StateProv: ON

.space
Sale
\$29.88 **\$1.18**
BUY NOW
*while stocks last

On Sale!
 **.site**
.SITE @ **\$3.28** \$45.48

 **WEBSITE BUILDER**
Build A Beautiful Website
In Minutes
Snipping Tool

URLSCAN.IO

urlscan.io/result/019ff0e7-6732-74f3-9acb-d3badb09c9b2/

Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

urlscan.io Home Search Live API Blog Docs Pricing Login

23.227.38.32

23.227.38.32  Private Scan

Submitted URL: <http://23.227.38.32/>
Effective URL: <https://23.227.38.32/>
Submission: On August 11 via manual (August 11th 2026, 12:58:44 pm UTC) from:  - Scanned from: 

Summary HTTP 2 Redirects Behaviour Indicators Similar DOM Content API Verdicts

Summary

This website contacted **1 IPs** in **1 countries** across **0 domains** to perform **2 HTTP transactions**.
The main IP is **23.227.38.32**, located in **Ottawa, Canada** and belongs to **CLOUDFLARENET - Cloudflare, Inc., US**. The main domain is **23.227.38.32**.
TLS certificate: Issued by YE2 on July 8th 2026. Valid for: 3mo.

[23.227.38.32](#) scanned **2378** times on urlscan.io [Show Scans: 2378](#)

urlscan.io Verdict: No classification 

Live information

Google Safe Browsing:  No classification for 23.227.38.32
(AS13335 - CLOUDFLARENET - Cloudflare, Inc., US)


Domain & IP information

IP/ASNs IP Detail Domains Domain Tree Links Certs Frames

IP Address AS Autonomous System

Screenshot

[Live screenshot](#) [Full Image](#)



403 Forbidden

Page Title


403 Forbidden

Page URL History


[Show full URLs](#)

1. <http://23.227.38.32/> HTTP 307
<https://23.227.38.32/>

WAYBACK MACHINE CHECKING THE WEBPAGE OF shopify.com year 2023 and 2026



Shopify.com webpage - Aug 1, 2023



Shopify.com webpage - Aug 9, 2026 (3 years interval) using wayback machine

9. Mitigation & Recommendations

Provide actionable, high-level defensive guidance, such as:

- Brand monitoring and takedown processes

Establish continuous monitoring for Shopify look-alike domains, phishing URLs and cloned Shopify pages. Submit confirmed malicious domains to registrars, hosting providers and relevant takedown services.

Detect Shopify-themed look-alike domains and phishing pages early and establish a documented process for reporting and removing confirmed malicious infrastructure.

Look-alike domains

Monitor newly registered domains containing Shopify-related keywords and investigate suspicious domains through WHOIS/RDAP, VirusTotal and urlscan.io.

- Implement and enforce Multi-factor authentication (MFA) for employees, administrators and other privileged accounts to reduce the risk of account takeover from compromised or reused credentials.
- Email security improvements (SPF, DKIM, DMARC)

Strengthen SPF, DKIM and DMARC controls to reduce email spoofing and make fraudulent Shopify-themed emails easier to identify.

- User awareness and phishing training

Educate users to verify the actual domain before entering credentials and to be suspicious of unexpected account-verification, suspension, payment or security-alert messages.

Social engineering risk

Conduct regular security-awareness and phishing simulations for employees and merchants, focusing on verification requests, fake support messages and suspicious URLs.

- Continuous OSINT monitoring

Monitor VirusTotal, urlscan.io, WHOIS and relevant breach-intelligence sources for new indicators.

OSINT exposure

Establish continuous OSINT monitoring for new domains, certificates, leaked documents, phishing URLs and impersonation campaigns involving the Shopify brand.

- Infrastructure validation

Public infrastructure exposure

Continuously monitor externally visible IPs, domains, certificates and services. Review unexpected or unnecessary exposure.

Abused hosting/IP infrastructure

Correlate IP reputation with domain ownership and actual hosted content before taking action, particularly where shared cloud/CDN infrastructure is involved

Investigate suspicious IPs carefully and correlate several sources before classifying infrastructure as malicious. This is particularly important for Cloudflare/shared hosting, because an IP's abuse history does not necessarily mean the Shopify service itself is compromised.

11. Conclusion

Conclusion

The OSINT assessment of Shopify.com identified a broad publicly observable digital footprint, including domains, subdomains, IP infrastructure and publicly associated email information. The investigation also highlighted the potential for phishing, brand impersonation and social-engineering attacks that could exploit Shopify's strong brand reputation.

The intelligence collected from sources including VirusTotal, urlscan.io, AbuseIPDB, theHarvester, Sublist3r, Shodan, WHOIS/RDAP and Have I Been Pwned provided useful information for assessing Shopify's external threat exposure. However, individual indicators—such as low VirusTotal detections or historical IP abuse reports—should not be interpreted as proof of compromise without corroborating evidence.

Overall Security Posture

Overall posture: Moderate exposure with no confirmed compromise identified from the assessed indicators.

The most significant potential risk is brand impersonation and phishing, which could result in credential theft, account takeover, financial fraud and reputational damage.

Importance of OSINT-Driven Monitoring

Continuous OSINT monitoring is important because threat infrastructure can change rapidly. Regular monitoring of look-alike domains, phishing URLs, certificates, exposed infrastructure, breach indicators and brand impersonation activity can enable earlier detection and response.

Proactive OSINT-driven threat intelligence provides Shopify with an opportunity to identify emerging phishing, impersonation and infrastructure-related threats before they develop into significant security incidents. Continuous monitoring, multi-source validation, user awareness, strong email security controls and rapid takedown processes are therefore recommended to strengthen the organization's overall defensive posture.

12. Ethical Considerations & Disclaimer

- All data collected was publicly available
- No active scanning or exploitation conducted
- Analysis performed for educational and defensive purposes only

13. References

List:

- Tools

OSINT Platforms

1. VirusTotal — Domain, IP, URL reputation and threat-intelligence analysis.
2. urlscan.io — Public URL scans, redirects, domains, IPs, certificates and page indicators.
3. AbuseIPDB — IP reputation and publicly reported abuse.
4. Have I Been Pwned— Historical exposure of email addresses in known data breaches.
5. Shodan.io — Internet-exposed services, hosts and infrastructure.
6. Wayback Machine — Historical versions of websites and changes to domains/subdomains.
7. WHOIS — Domain registration and ownership-related information.

8. theHarvester— Passive collection of publicly available domains, subdomains, emails and related information.

9. Sublist3r — Passive subdomain enumeration and OSINT reconnaissance.

10. Google Dork — Passive collection of publicly available domains, subdomains, emails and related information.

- Public reports

12. Shopify — Official Shopify website used as the legitimate reference for domain and brand comparison.

- URLs

<https://osintframework.com/>

<https://www.shodan.io/search?query=org%3Ashopify>

<https://haveibeenpwned.com/>

<https://www.virustotal.com/gui/domain/myshopify.com>

https://web.archive.org/web/20260000000000*/shopify.com

<https://urlscan.io/result/019ff0e7-6732-74f3-9acb-d3badb09c9b2/>

<https://www.whois.com/whois/23.227.38.32>

<https://www.shodan.io/search?query=org%3A%22shopify%22>

Key Analytical Questions

→ What intelligence requirements should be defined before collecting data?

Intelligence requirements are the questions you want the investigation to answer, tells you what information you need to collect to understand a threat

- What domains are associated with shopify?
- Are there phishing domains impersonating shopify that could be used to target the customers?
- What technologies and services does shopify expose?

→ Which OSINT sources provide the most valuable threat intelligence?

Multiple OSINT resources were used to validate findings rather than rely on a single source eg search engine, theHarvester, shodan.io, URLscan.io, VirusTotal, Whois, Have I been Pwned etc

→ Which domains or IP addresses appear suspicious?

No domain or IP address appear suspicious though shopify.com have look-alike domains and subdomain, but they were all hosted by shopify itself and registered very long time ago.

→ How can infrastructure reputation be validated?

Infrastructure reputation can be validated through the information gathered from multiple sources, not relying on one evidence.

→ What attacker infrastructure is publicly exposed?

None

→ How should intelligence findings be communicated to SOC analysts?

Intelligence findings should be communicated to SOC Analyst, in a report format, giving the indicator, supporting evidence, assessment, confidence level, risk and recommendation

→ Which MITRE ATT&CK techniques are observed?

Mitre attack technique was passive, ethical and based on publicly available information. Activities included reconnaissance, phishing, and credential-harvesting.