PACOTE DE CÓDIGO-FONTE

Testes automatizados

Testes

Projeto: Mind Emotions — Área da Família
Revisão: commit 7a27275 · branch arena/ae0ea85a-mind-emotions-ultra
Snapshot: 07 nov 2026

Conteúdo completo dos arquivos listados neste volume. A formatação pode ter sido normalizada para leitura; não altera a lógica. Numeração nas margens é apenas referência.

ÍNDICE DE ARQUIVOS

tests/domain.test.js · 104 linhas
tests/routes.test.js · 30 linhas
tests/theme-styles.test.js · 40 linhas

tests/domain.test.js

104 linhas · conteúdo formatado para leitura · fonte do repositório

```
0001  import test from "node:test";
0002  import assert from "node:assert/strict";
0003  import { seedStudents } from "../src/data/students.js";
0004  import { positiveEmotions, negativeEmotions } from "../src/data/emotions.js";
0005  import {
0006    average,
0007    wellbeing,
0008    focusScore,
0009    engagement,
0010    familySummary,
0011  } from "../src/domain/metrics.js";
0012  import { applyCheckin, quizQuestions } from "../src/domain/checkin.js";
0013
0014  const [isabela, gabriel, manuela] = seedStudents;
0015
0016  test("demo profiles have complete, bounded sample data", () => {
0017    assert.equal(seedStudents.length, 3);
0018    assert.equal(positiveEmotions.length, 5);
0019    assert.equal(negativeEmotions.length, 5);
0020    for (const student of seedStudents) {
0021      assert.equal(student.grades.length, 8);
0022      assert.ok(student.grades.every(([, grade]) => grade >= 0 && grade <= 10));
0023      assert.equal(student.pos.length, 5);
0024      assert.equal(student.neg.length, 5);
0025    }
0026  });
0027
0028  test("metrics use consistent source values and handle missing data safely", () => {
0029    assert.ok(Math.abs(average(isabela) - 8.575) < 1e-10);
0030    assert.equal(wellbeing(isabela), 74);
0031    assert.equal(focusScore(gabriel), 84);
0032    assert.equal(
0033      engagement(gabriel),
0034      Math.round(
0035        average(gabriel) * 10 * 0.4 +
0036          wellbeing(gabriel) * 0.25 +
0037          98 * 0.2 +
0038          84 * 0.15,
0039      ),
0040    );
0041    assert.deepEqual(familySummary([]), {
0042      engagement: 0,
0043      wellbeing: 0,
0044      attendance: 0,
0045    });
0046    assert.equal(familySummary(seedStudents).attendance, 97);
0047  });
0048
0049  test("check-in requires answers to all three questions", () => {
0050    assert.equal(quizQuestions.length, 3);
0051    assert.throws(
0052      () => applyCheckin(isabela, { mood: 0, energy: 0 }),
0053      /três perguntas/,
0054    );
0055  });
0056
0057  test("check-in is immutable, records the self-report and updates related demo indicators", () => {
0058    const before = structuredClone(gabriel);
0059    const after = applyCheckin(
0060      gabriel,
0061      { mood: 0, energy: 0, support: 2 },
0062      { note: "Dia produtivo", timestamp: "06 nov · 09:30" },
0063    );
0064    assert.deepEqual(gabriel, before);
0065    assert.equal(after.pos[4], before.pos[4] + 4);
```

```
0066    assert.equal(after.pos[3], before.pos[3] + 3);
0067    assert.equal(after.focus, before.focus + 2);
0068    assert.equal(after.rewards, before.rewards + 25);
0069    assert.equal(after.checkins[0].mood, "Bem");
0070    assert.equal(after.checkins[0].energy, "Alta");
0071    assert.equal(after.checkins[0].support, "Descanso");
0072    assert.equal(after.checkins[0].note, "Dia produtivo");
0073    assert.equal(after.history.length, 8);
0074  });
0075
0076  test("check-in clamps scores at their supported bounds", () => {
0077    const high = {
0078      ...isabela,
0079      pos: [100, 100, 100, 100, 98],
0080      neg: [...isabela.neg],
0081      history: [...isabela.history],
0082      checkins: [...isabela.checkins],
0083    };
0084    const low = {
0085      ...isabela,
0086      pos: [10, 10, 10, 10, 10],
0087      neg: [...isabela.neg],
0088      history: [...isabela.history],
0089      checkins: [...isabela.checkins],
0090    };
0091    const highResult = applyCheckin(
0092      high,
0093      { mood: 0, energy: 0, support: 0 },
0094      { timestamp: "sample" },
0095    );
0096    const lowResult = applyCheckin(
0097      low,
0098      { mood: 3, energy: 3, support: 0 },
0099      { timestamp: "sample" },
0100    );
0101    assert.ok(highResult.pos.every((value) => value <= 98));
0102    assert.ok(lowResult.pos.every((value) => value >= 10));
0103    assert.ok(lowResult.focus >= 20);
0104  });
```

tests/routes.test.js

30 linhas · conteúdo formatado para leitura · fonte do repositório

```
0001  import test from "node:test";
0002  import assert from "node:assert/strict";
0003  import { appUrl, parseAppUrl } from "../src/domain/routes.js";
0004
0005  test("tab URLs include the GitHub Pages project base and human-readable paths", () => {
0006    assert.equal(
0007      appUrl("emotions", 1, "/MIND-EMOTIONS-ULTRA/"),
0008      "/MIND-EMOTIONS-ULTRA/filhos/emocoes",
0009    );
0010    assert.equal(
0011      appUrl("insights", 1, "/MIND-EMOTIONS-ULTRA/"),
0012      "/MIND-EMOTIONS-ULTRA/graficos",
0013    );
0014    assert.equal(appUrl("home", 1, "/"), "/visao-geral");
0015  });
0016
0017  test("routes restore the active tab and selected child from a shared URL", () => {
0018    assert.deepEqual(
0019      parseAppUrl(
0020        "/MIND-EMOTIONS-ULTRA/filhos/emocoes",
0021        "?filho=manuela",
0022        "/MIND-EMOTIONS-ULTRA/",
0023      ),
0024      { tab: "emotions", studentId: 3 },
0025    );
0026    assert.deepEqual(
0027      parseAppUrl("/MIND-EMOTIONS-ULTRA/notas", "", "/MIND-EMOTIONS-ULTRA/"),
0028      { tab: "grades", studentId: 1 },
0029    );
0030  });
```

tests/theme-styles.test.js

40 linhas · conteúdo formatado para leitura · fonte do repositório

```
0001  import test from "node:test";
0002  import assert from "node:assert/strict";
0003  import { readFileSync } from "node:fs";
0004
0005  const styles = readFileSync(
0006    new URL("../src/styles/theme-readability.css", import.meta.url),
0007    "utf8",
0008  );
0009  const typeStyles = readFileSync(
0010    new URL("../src/styles/type-contrast.css", import.meta.url),
0011    "utf8",
0012  );
0013  const imports = readFileSync(
0014    new URL("../src/styles/index.css", import.meta.url),
0015    "utf8",
0016  );
0017
0018  test("light and rose grade rows use readable theme surfaces and ink", () => {
0019    assert.match(styles, /body\[data-theme="light"\] \.content \.subject/);
0020    assert.match(styles, /body\[data-theme="rose"\] \.content \.subject/);
0021    assert.match(styles, /background-color: var\(--card2\) !important/);
0022    assert.match(styles, /\.subject > span[\s\S]*?color: var\(--ink\)/);
0023    assert.match(
0024      styles,
0025      /\.subject > small[\s\S]*?color: var\(--muted\) !important/,
0026    );
0027  });
0028
0029  test("moderate typography and visible keyboard focus styles are loaded last", () => {
0030    assert.match(
0031      typeStyles,
0032      /\.welcome-row h1[\s\S]*?font-size: clamp\(24px, 2vw, 28px\)/,
0033    );
0034    assert.match(
0035      typeStyles,
0036      /:focus-visible[\s\S]*?outline: 2px solid var\(--accent\)/,
0037    );
0038    assert.match(imports.trimEnd(), /@import "\.\/type-contrast\.css";$/);
0039    assert.doesNotMatch(typeStyles, /\bzoom\s*:/i);
0040  });
```