

# OSINT – Google dorks



**Alessia Gianaroli**  
**Mirko LAPI**




<https://cybersecnatlab.it>

# License & Disclaimer

2

## License Information

This presentation is licensed under the  
Creative Commons BY-NC License



To view a copy of the license, visit:

<http://creativecommons.org/licenses/by-nc/3.0/legalcode>

## Disclaimer

- We disclaim any warranties or representations as to the accuracy or completeness of this material.
- Materials are provided “as is” without warranty of any kind, either express or implied, including without limitation, warranties of merchantability, fitness for a particular purpose, and non-infringement.
- Under no circumstances shall we be liable for any loss, damage, liability or expense incurred or suffered which is claimed to have resulted from use of this material.

# Outline

3




- Search engines overview
- Google
- Dorks
- Exploit-DB
- Dorksearch



# Search Engines

4

**Search engines are one of the most common and easy method of utilizing OSINT**



In October 2019 Google introduced the Bidirectional Encoder Representations from Transformers (BERT)

With this system the search considers the full context of the query (surrounding and directional words)



# Dorks

6

## Google Dork queries can be used to find

- XSS, SQLi, and other parameter-based vulnerabilities in web applications
- Confidential information from websites, such as usernames, passwords, and other forms of personally identifiable information (PII)
- Information on printers, video cameras, and types of IOT devices
- any other type of research...

# Basic search dorks

7

This part will focus on the absolute essential search modifiers that we need learn and memorize

" "

-

intitle:

site:

allintitle:

allinurl:

intext:

inurl:

cache:

filetype:

# OR

8

- The "OR" used between two words or expressions will bring back all the links containing one or the other of these words or expressions
- This saves our time because we don't need to conduct multiple queries



# Quotation marks

9

- Insert a search term in quotation marks will match the exact text we are looking for
- For example, if we conducted a search for "live view" without quotes, the result is about 11,560,000,000 results because all these pages do not have these two words right next to each other
- Searching for the term "live view", including quotes, reduces the search results to about 8,810,000 pages
- While to add "camera system" reduces our results to about 291,000 pages

# site:

10

The site: search operator will return search results only on the specified website

- **site:www.salute.gov.it** → to search all pages of a domain
- **site:salute.gov.it** → to find all urls including subdomains
- **site:salute.gov.it/portale/ministro** → to search from a directory
- **site:it** → all pages of a top-level domain (e.g.: com, gov, edu, etc...)


# The minus sign -

11

- The hyphen tells most search engines and social network to exclude the text immediately following from any results
- It is important to never include a space between the hyphen and filtered text

# site:microsoft.com -inurl:www

12



Google

site:microsoft.com -inurl:www

× 🔍

🔍 All 🖼️ Images 📰 News 🛒 Shopping 📍 Maps ⋮ More Tools

About 34,700,000 results (0.74 seconds)

<https://careers.microsoft.com> ⓘ 35  
**Careers at Microsoft | Microsoft jobs**  
Experienced professionals Want to make a difference? So do we. Step in to explore the wealth of career opportunities and take your career to the next level.

<https://dotnet.microsoft.com> ⓘ 35  
**NET | Free. Cross-platform. Open Source**  
NET is a developer platform with tools and libraries for building any type of app, including web, mobile, desktop, games, IoT, cloud, and microservices.

<https://devblogs.microsoft.com> > oldnewthing ⓘ 35  
**The Old New Thing - Microsoft Developer Blogs**  
Trying not to hang when the server is hung. 0Code ...

<https://visualstudio.microsoft.com> > downloads ⓘ 35  
**Download Visual Studio Tools - Install Free for Windows, Mac ...**  
Feb 15, 2022 — Download Visual Studio IDE or VS Code for free. Try out Visual Studio Professional or Enterprise editions on Windows, Mac.

<https://powerbi.microsoft.com> > en-za ⓘ 35  
**Data Visualisation | Microsoft Power BI**  
Turn data into opportunity with Microsoft Power BI data visualisation tools. Drive better business decisions by analysing your enterprise data for insights.

# The intitle: & allintitle:

13

- The intitle: operator give us results that show only those pages that have the specified search term in their page/HTML title. The following search term will return all sites with Microsoft in their title
- The allintitle: operator allow us to simplify our query. Google will only show us search results where all the search words are contained in the title of a page

**Example** `intitle:index of contacts.txt`

# The intitle:

14



intitle:"live view"



<https://www.ilsoftware.it> › articoli › t... · [Translate this page](#) ⋮

**Live View**, cos'è e come funziona la nuova realtà aumentata di ...

Oct 2, 2020 — Per utilizzare Live View con Google Maps è sufficiente scegliere la modalità "A piedi" quindi toccare l'apposito pulsante (vedere questa pagina ...

<https://blog.google> › products › maps › new-sense-dire... ⋮

A new sense of direction with **Live View** - The Keyword

Oct 1, 2020 — Live View in Google Maps helps you keep your bearings so you can find your way around. With new ways to use Live View, we're making it even ...

<https://www.wired.it> › Gadget › Gadget · [Translate this page](#) ⋮

**Live View**, su Google Maps arriva la realtà aumentata - Wired ...

Aug 8, 2019 — Tante le novità introdotte su Google Maps con Google Live View che porta le immagini di Street View a livello di indicazioni per orientarsi ...

# The intitle:

15

```
7 <script type="/00911/078a09/e32/313077-text/javascript">
8 window.dataLayer = window.dataLayer || [];
9 function gtag(){dataLayer.push(arguments);}
10 gtag('js', new Date());
11 gtag('set', 'allow_google_signals', false );
12 gtag('set', 'allow_ad_personalization_signals', false );
13 gtag('config', 'UA-683353-1', { 'anonymize_ip': true });
14 </script>
15
16 <link rel="preload" as="style" href="https://fonts.googleapis.com/css?family=Roboto:400,500,600,700&display=swap">
17 <link rel="preload" as="style" href="https://fonts.googleapis.com/css?family=Roboto+Condensed:400,500,600,700&display=swap">
18 <script src="/cdn-cgi/scripts/7d0fa10a/cloudflare-static/rocket-loader.min.js" data-cf-settings="7bb91176f8ab97e3273156ff-149"></script><link rel:
19 <script src="/cdn-cgi/scripts/7d0fa10a/cloudflare-static/rocket-loader.min.js" data-cf-settings="7bb91176f8ab97e3273156ff-149"></script><link rel:
20 <noscript><link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Roboto:400,500,600,700&display=swap"></noscript>
21 <noscript><link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Roboto+Condensed:400,500,600,700&display=swap"></noscript>
22 <meta name="msvalidate.01" content="17F9B443B7A54CDC5481AF105FDEB386" />
23 <title>Live View, cos'è e come funziona la nuova realtà aumentata di Google Maps - IlSoftware.it</title>
24 <meta charset="UTF-8">
25
26 <meta name="viewport" content="initial-scale=1, width=device-width, shrink-to-fit=no">
27 <meta name="Description" content="Cos'è e come funziona Live View in Google Maps: per spostarsi senza problemi in una città che non si conosce.">
28 <meta name="author" content="Michele Nasi">
29 <meta property="og:title" content="Live View, cos'è e come funziona la nuova realtà aumentata di Google Maps - IlSoftware.it" />
30 <meta property="og:description" content="Cos'è e come funziona Live View in Google Maps: per spostarsi senza problemi in una città che non si con
31 <meta property="og:site_name" content="IlSoftware.it" />
32 <meta property="og:url" content="https://www.ilsoftware.it/articoli.asp?tag=Live-View-cos-e-e-come-funziona-la-nuova-realta-aumentata-di-Google-M
33 <meta property="og:type" content="website" />
34 <meta property="og:image" content="https://media.ilsoftware.it/images/500x500/img_21930.jpg" />
35 <meta property="og:locale" content="it_IT" />
36 <meta property="fb:app_id" content="1589923004582613" />
37 <link rel="canonical" href="https://www.ilsoftware.it/articoli.asp?tag=Live-View-cos-e-e-come-funziona-la-nuova-realta-aumentata-di-Google-Maps_2
38
39 <link rel="icon" href="/favicon.ico">
40 <link rel="apple-touch-icon" sizes="57x57" href="/favicon/apple-icon-57x57.png">
41 <link rel="apple-touch-icon" sizes="60x60" href="/favicon/apple-icon-60x60.png">
42 <link rel="apple-touch-icon" sizes="72x72" href="/favicon/apple-icon-72x72.png">
43 <link rel="apple-touch-icon" sizes="76x76" href="/favicon/apple-icon-76x76.png">
44 <link rel="apple-touch-icon" sizes="114x114" href="/favicon/apple-icon-114x114.png">
45 <link rel="apple-touch-icon" sizes="120x120" href="/favicon/apple-icon-120x120.png">
46 <link rel="apple-touch-icon" sizes="144x144" href="/favicon/apple-icon-144x144.png">
```

X Title ^ v ☐ Evidenzia ☐ Maiuscolo/minuscole ☐ Segni diacritici ☐ Parole intere Corrispondenza 2 di 24

# The filetype:

16

- The filetype: operator is useful when we are looking for specific types of files, such as PDF, DOC, CSV, XLS, etc...
- To search for a list file on a particular website, we would use the following query:

**Example** `list filetype:xls site:sitename.com`



# inurl:

17

- The inurl: operator give us results with our search term specifically in the URL
- This does not have to be the domain name, but it can include the path or even the filename.

**Example** `filetype:xls inurl:passwd`

# intext:

18

- The intext: operator will search for your specific words in the text of a web page
- This operator may seem superfluous, but it is not because intext: can be used to scan pages for any text we need, such as an email address, full name, PIL, or even keywords from an admin login screen

**Example** `intext:"Real-time IP Camera Monitoring System"`

# cache:

19

- The cache: operator is an important dork because it will let you search for pages in Google's cache
- Pages and sites come and go, and sometimes it can be necessary to look for a page or file that has been removed


**Example** `cache:domain.com "search term"`

# Exploit-DB

20

<https://www.exploit-db.com/google-hacking-database>

It is a CVE compliant archive of public exploits and corresponding vulnerable software, developed for use by penetration testers and vulnerability researchers



# Dorksearch

21

<https://www.dorksearch.com/>

For educational purposes only. Misuse of Google Dorking can be viewed as hacking in some countries.

## Files Containing Usernames

These files contain usernames, but no passwords... Still, Google finding usernames on a web site.

Search

Title	Desc
intitle:index of /usernames	Files Containing Usernames
intitle:index of contacts.txt	Files Containing Juicy Info
intext:-----BEGIN CERTIFICATE----- ext:txt	Files Containing Juicy Info
intitle:index of db.properties   db.properties.BAK	Files Containing Usernames



Search

Search

Prebuilt

Builder

Tips

Submit

☐ Advisories and Vulnerabilities

☐ Files Containing Juicy Info

☒ Files Containing Usernames

☐ Network or Vulnerability Data

☐ Sensitive Directories

☐ Various Online Devices

☐ Vulnerable Servers

☐ Error Messages

☐ Files Containing Passwords

☐ Footholds

☐ Pages Containing Login Portals

☐ Sensitive Online Shopping Info

☐ Vulnerable Files

☐ Web Server Detection

# Thank you for your attention



**Alessia Gianaroli**  
**Mirko LAPI**



<https://cybersecnatlab.it>