Timaeus Installation

February 2025

Reference : Timaeus Release 375

Check Requirements

- Java 11 is required
  - Pay attention to the HW characteristic of your station
    - 32 or 64 bits (usually 64 bits unless in case of very old station)
    - X86 or ARM architecture according to the station chipset
- Check the installation:
  - inside a terminal enter: “java –version”

```
thierry@MacBook-Pro-M1 ~ % java -version
openjdk version "11.0.13" 2021-10-19 LTS
OpenJDK Runtime Environment Zulu11.52+13-CA (build 11.0.13+8-LTS)
OpenJDK 64-Bit Server VM Zulu11.52+13-CA (build 11.0.13+8-LTS, mixed mode)
thierry@MacBook-Pro-M1 ~ %
```

Direct Installation from an archive

Installation material

- A single zip file is provided
- Just unzip this file inside a folder accessible for write
- Then Launch Timaeus
  - Either double-clicking on the icon
  - Or inside a terminal
    - Timaeus.exe on Windows
    - ./Timaeus on Linux
- If Java is installed but not accessible (not “in the path”), then see page 12 of this document

Installation with the helper

TimaeusInstallHelper

Installation material

- Two files are delivered
  - The Helper installer
    - An executable jar named TimaeusInstallHelper.jar
  - The Timaeus Bundle
    - A zip file
    - Depending on the OS
    - Including the release tag
    - Example :
      - TimaeusBundleWindows287.zip
    - Don’t try to extract this zip file
- Put these 2 files inside the same temporary folder and launch a terminal inside this folder
  - For instance put these files on your desktop
  - After installation, these files are no longer used and shall be removed

Installation procedure : inside a terminal

- To launch the installation, enter this command:
  - **java -jar TimaeusInstallHelper.jar**
- A window shall open:
  - Click on **"Install from scratch"** then wait (the installation can take few minutes)
  - if the installation successes, then note in the window the installation location.
  - if the installation fails, follow the instructions and restart the installation
- Launch Timaeus clicking on the executable (named Timaeus or TimaeusC.exe according to the Operating System).

Installation for MAC Users

Installation procedure (MAC User)

- You must first allow the installation coming from an unidentified developper. Enter this command
  - **sudo spctl --master-disable** (the su password is required).
- To launch the installation, enter this command:
  - **java -jar TimaeusInstallHelper.jar**
- A window shall open:
  - Click on **"Install from scratch"** then wait (the installation can take few minutes)
  - if the installation successes, then note in the window the installation location.
  - if the installation fails, follow the instructions and restart the installation
- To finish the installation, enter:
  - **sudo chmod -R 755** <*installation address*> (the installation address should be something like /Users/<your login>/Timaeus/MacX86)
  - **sudo spctl --master-enable**
- Launch Timaeus clicking on the executable (named Timaeus.app).

Mac users – more details

- **If you are using MAC OS 10.x or greater (CATALINA, Big Sur, etc.)** , you have to authorize Timaeus to access the files **(only the for the first installation)**

  - Open the System Preferences
  - Unlock the form
  - Select "Full access to the drive"
  - Add the Timaeus.app application and give the full authorization

- If you are using a M1, M2 or M3 chipset, you need the ARM TimaeusBundle

Advanced installation

Case of several JVM installed on your machine

- If several Java Virtual Machine are installed on your machine and if there is a confusion between the version, you can tell Timaeus wich version to use
- Update the Timaeus.ini (for Windows and Linux) or eclipse.ini for Mac in this way:
  - insert two lines just **before** -vmargs item

    -vm

    <path to the Java 11 bin folder>
- See https://wiki.eclipse.org/Eclipse.ini#-vm_value:_macOS_Example for more information

Installation options

- Installation options can be added to the installation command line.
  - **java -jar TimaeusInstallHelper.jar <additional options>**
- Main options are:
  - -a : advanced installation ; you can for instance define the location of the Timaeus executable
  - -p : install only the program part of Timaeus (Timaeus executable)
  - -u : install only the user part of Timaeus
  - -d=<path> : define the default value for the installation location

Batch installation

- The batch installation consists in avoiding the GUI.
- This installation is recommended if you have to deploy Timaeus on several machines using scripts.
- To launch the batch full installation, enter this command:
  - **java -jar TimaeusInstallHelper.jar –b**
- This option can be combined with the other options
  - **java -jar TimaeusInstallHelper.jar –b –p** *to update the "program files"*
  - **java -jar TimaeusInstallHelper.jar –b –u** *to update the "user files"*