

Assignment 2: Camera

CSI 4341: Introduction to Computer Graphics – Fall 2018

Algorithm due: **Tuesday, September 25th** at 11:59pm
Project due: **Tuesday, October 2nd** at 11:59pm

Your Name: _____

1 Instructions

You may use a calculator or computer algebra system. All your answers should be given in simplest form. When a numerical answer is required, provide a reduced fraction (i.e. $1/3$) or at least three decimal places (i.e. 0.333). Show all work; write your answers on this sheet. This algorithm hand-out is worth 3% of your final grade for the class.


2 Axis-Aligned Rotation

Even though you won't have to implement Algebra.h, you will need to know (in principle) how to do these operations. For example, you should know how to create a rotation matrix...

```
Matrix rotX_mat(const double radians)
Matrix rotY_mat(const double radians)
Matrix rotZ_mat(const double radians)
```

Each of these functions returns the rotation matrix about the x , y , or z axis (respectively) by the specified angle.

[1 point] Using a sample data point (e.g., $(1, 1, 1)$), find out what happens to this point when it is rotated by 45 *degrees* using each of these matrices.



3 Arbitrary Rotation

Performing a rotation about an arbitrary axis can be seen as a composition of rotations around the bases. If you can rotate all of space around the bases until you align the arbitrary axis with the x axis, then you can treat the rotation about the arbitrary axis as a rotation around x . Once you have transformed space with that rotation around x , then you need to rotate space back so that the arbitrary axis is in its original orientation. We can do this because rotation is a rigid-body transformation.

To rotate a point p , this series of rotations looks like:

$$p' = M_1^{-1} \cdot M_2^{-1} \cdot M_3 \cdot M_2 \cdot M_1 \cdot p$$

where M_1 rotates the arbitrary axis about the y axis, M_2 rotates the arbitrary axis to lie on the x axis, and M_3 rotates the desired amount about the x axis.

3.1 Rotation about the origin

[1.5 points] Assuming we want to rotate $p = (p_x, p_y, p_z, 1)$ about a vector $a = \langle a_x, a_y, a_z, 0 \rangle$ by λ radians, how would you calculate M_1 , M_2 , and M_3 in terms of the functions `rotX_mat`, `rotY_mat`, and `rotZ_mat`?

Hint: This is tough! You can (and should) compute angles to use along the way. You can accomplish arbitrary rotation with `arctan` and/or `acos`, for instance. Approach this problem step by step, it's not extremely math heavy. You should need only one `sqrt` call.

3.2 Rotation about an arbitrary point

[1 point] The equation you just derived rotates a point p about the origin. How can you make this operation rotate about an arbitrary point h ?

4 Camera Transformation

To transform a point p from world space to screen space we use the *normalizing transformation*. The normalizing transformation is composed of five matrices, as shown here:

$$p' = M_1 \cdot M_2 \cdot M_3 \cdot M_4 \cdot p$$

Each M_i corresponds to a step described in lecture. Here, p is a point in world space, and we would like to construct a point p' relative to the camera's coordinate system, so that p' is its resulting position on the screen (with its z coordinate holding the depth buffer information). You can assume that the camera is positioned at $(x, y, z, 1)$, it has look vector *look* and up vector *up*, height angle θ_h , width angle θ_w , near plane *near* and far plane *far*.

[1/2 pt. each] Briefly write out what each matrix is responsible for doing. Then write what values they have. Make sure to get the order correct (that is, matrix M_4 corresponds to only one of the steps described in lecture.)

M_1 :

M_2 :

M_3 :

M_4 :

For the assignment you need to perform rotation operations on the camera in its own virtual uvw coordinate system, e.g. spinning the camera about its v -axis. Additionally, you will need to perform translation operations on the camera in world space.

[1/2 pt. each] How (mathematically) will you translate the camera's eye point E :

1. One unit right? $E' =$
2. One unit down? $E' =$
3. One unit forward? $E' =$

You can either move in and out of the camera coordinate space to perform these transformations, or you can do arbitrary rotations in world space. Both answers are acceptable.

[1/2 pt. each] How (mathematically) will you use the u , v , and w vectors, in conjunction with a rotation angle θ , to get new u , v , and w vectors when:

1. Adjusting the “spin” in a clockwise direction by θ radians?
2. Adjusting (rotating) the “pitch” to face upwards by θ radians?
3. Adjusting the “yaw” to face right by θ radians?

5 Inverting Transformations

[1 point] Computing a full matrix inverse isn't always the most efficient way of inverting a

transformation if you know all the components. Write out fully (i.e., write out all the elements) a 4x4 translation matrix M_T and its inverse, M_T^{-1} . Our claim should become obvious to you.

Extra credit: Will this same technique work for scale and rotation matrices? If so, write out the inverse scale and inverse rotation matrices. If not, explain why not. What about the perspective “unhinging” transformation? Will this technique be as efficient? Explain.

6 How to Submit

Hand in a PDF version of your solutions through Canvas.