


Entity Relationship Diagram



API ENDPOINT PLAN

1. Authentication

Registration and login are public because a person needs to be able to create an account and authenticate them before accessing protected functionality.

HTTP Method	Route	Description	Role Required	Request Body	Expected response
POST	/api/auth/register	Registers a new user as either an Organizer or Participant.	None	{ "name", "email", "password", "role" }	201 Created – registered user; 400 Bad Request – invalid data or duplicate email.
POST	/api/auth/login	Authenticates a user and returns an access token.	None	{ "email", "password" }	200 OK – authentication token and user details; 401 Unauthorized – invalid credentials.

2. User Profile

HTTP Method	Route	Description	Role Required	Request Body	Expected response
GET	/api/users/me	Returns the profile of the currently authenticated user.	ANY	NONE	200 OK – user profile; 401 Unauthorized – not logged in.
PUT	/api/users/me	Updates the currently authenticated user's profile information.	ANY	{ "name", "email" }	200 OK – updated profile; 400 Bad Request – invalid data; 401 Unauthorized – not logged in.

3. Events

HTTP Method	Route	Description	Role Required	Request Body	Expected response
GET	/api/events	Returns a list of upcoming RaceDay events.	None	None	200 OK – list of events.
GET	/api/events/{id}	Returns details for a specific event.	None	None	200 OK – event details; 404 Not Found – event does not exist.
POST	/api/events	Creates a new road running, walking or cycling event.	Organiser	{ "name", "description", "eventDate", "location" }	201 Created – event created; 400 Bad Request – invalid data.
PUT	/api/events/{id}	Updates an existing event managed by the organizer.	Organiser	{ "name", "description", "eventDate", "location" }	200 OK – event updated; 404 Not Found – event not found; 403 Forbidden – not the event owner.
DELETE	/api/events/{id}	Deletes an event managed by the organizer.	Organiser	None	204 No Content – deleted; 404 Not Found – event not found; 403 Forbidden – not authorize

4. Categories

HTTP Method	Route	Description	Role Required	Request Body	Expected response
GET	/api/events/{eventId}/categories	Returns all categories belonging to an event.	None	None	200 OK – list of categories; 404 Not Found – event does not exist.
GET	/api/categories/{id}	Returns details of a specific category.	None	None	200 OK – category; 404 Not Found – category does not exist
POST	/api/events/{eventId}/categories	Creates a category for an event.	Organizer	{ "name", "distanceKm", "maxParticipants" }	201 Created – category created; 400 Bad Request – invalid data; 404 Not Found – event does not exist.
PUT	/api/categories/{id}	Updates an existing event category.	Organizer	{ "name", "distanceKm", "maxParticipants" }	200 OK – category updated; 404 Not Found – category does not exist; 403 Forbidden – not authorised.

DELETE	/api/categories/{id}	Removes a category from an event.	Organizer	None	204 No Content – deleted; 404 Not Found – category does not exist; 409 Conflict – category has enrolments.
--------	----------------------	-----------------------------------	-----------	------	---

5. Enrolments

HTTP Method	Route	Description	Role Required	Request Body	Expected response
POST	/api/events/{eventId}/enrolments	Enrols the authenticated participant in an event/category.	Participant	{ "category": "d" }	201 Created – enrolment created; 404 Not Found – event/category does not exist; 409 Conflict – already enrolled or event is full.
GET	/api/users/me/enrolments	Returns the authenticated participant's event enrolments.	Participant	None	200 OK – list of enrolments; 401 Unauthorized – not logged in.
GET	/api/events/{eventId}/enrolments	Returns participants enrolled in an event.	Organiser	None	200 OK – list of enrolments; 403 Forbidden – not authorised.
DELETE	/api/enrolments/{id}	Cancels an existing enrolment belonging to the authenticated participant.	Participant	None	204 No Content – enrolment cancelled; 404 Not Found – enrolment not found; 403 Forbidden – enrolment

					belongs to another user.
--	--	--	--	--	--------------------------

6. Results

HTTP Method	Route	Description	Role Required	Request Body	Expected response
GET	/api/events/{eventId}/results	Returns the results for all participants in an event.	None	None	200 OK – event results; 404 Not Found – event does not exist.
GET	/api/users/me/results	Returns the authenticated participant's personal performance history.	Participant	None	200 OK – performance history; 401 Unauthorized – not logged in.
GET	/api/results/{id}	Returns a specific race result.	Any Logged in user	None	200 OK – result details; 404 Not Found – result does not exist.
POST	/api/events/{eventId}/results	Records a participant's result for an event.	Organizer	{ "enrolmentId", "finishTime", "position" }	201 Created – result recorded; 400 Bad Request – invalid data; 404 Not Found – enrolment/event not found..
PUT	/api/results/{id}	Updates a participant's	Organizer		200 OK – result

		s race result.		{ "finishTime", "position" }	updated; 404 Not Found – result does not exist; 403 Forbidden – not authorised.
DELETE	/api/results/{id}	Removes an incorrect race result.	Organizer	None	204 No Content – result deleted; 404 Not Found – result does not exist.