

1. Project Overview

Pulsify is a South African events and nightlife discovery platform. It serves four user types — general users (landing page), businesses (shisanyamas, restaurants, nightclubs), event organisers, and admins. All apps are static HTML/JS files deployed on Vercel, backed by Supabase (Postgres + Auth + Storage) and a single serverless API entry point at **api/index.js**.

Live URL: <https://pulsify-blue.vercel.app>

Branch: `claude/notifications-and-leads-api-97zbp`

Repo: `ThabisoCollinSengane/Pulsify`

2. App Structure

Route	File	Purpose
/	<code>apps/landing-page/index.html</code>	Discovery feed, map, bookings, squad
/business	<code>apps/business/index.html</code>	Business dashboard (posts, menu, orders, profile)
/organizer	<code>apps/organizer/index.html</code>	Organiser dashboard (posts, events, settings)
/admin	<code>apps/admin/index.html</code>	Admin panel (users, businesses, verifications)
/leads	<code>apps/leads/index.html</code>	Leads dashboard (scraped contacts)
/map	<code>apps/map/index.html</code>	Standalone satellite map
/api/*	<code>api/index.js</code>	Single serverless function — all API routes

3. What Was Built / Fixed This Session

Auth & Routing

- ✓ Business/organiser login no longer redirects to 404 — all paths use absolute routes (`/business`, `/organiser`, `/signin`)
- ✓ Business dashboard: bridges Supabase session into `biz_session` `localStorage`; falls back to `p_user.role` if RLS blocks profile read
- ✓ Organiser dashboard: role check with `localStorage` fallback so RLS doesn't kick users out
- ✓ Admin panel: Google OAuth wired with visible error messages

Leads Dashboard

- ✓ Auth gate now requires a live Supabase session (not stale `localStorage` token)
- ✓ All queries (load, status update, notes) routed through `/api/leads` which uses the service key — bypasses RLS

Map — Full Revamp

- ✓ Switched to `satellite-streets-v12` style — vibrant satellite imagery
- ✓ Flickering icons fixed: pulse animation moved to a child div with `pointer-events:none`
- ✓ Ocean markers fixed: strict validation rejects `lat=0`, `lon=0`, `NaN`; filters also applied at DB query level
- ✓ Gradient orange-purple header, loading overlay, geolocate button

Multi-Photo Upload

- ✓ Business posts: up to 5 photos with grid preview and per-image remove
- ✓ Business menu items: up to 10 photos uploaded to Supabase Storage (post-images bucket)
- ✓ Organiser posts: up to 5 photos with grid preview
- ✓ Multiple images stored as JSON array in image_url; feed shows first image + photo count badge

Verify Profile

- ✓ Business & organiser dashboards: full verification form (registered/informal toggle, registration number, entity type, contact, SA ID, address)
- ✓ 1–3 business day notice shown to user
- ✓ Submission hits POST /api/verify-request — stores verif_status=pending in profiles table
- ✓ Admin panel: new Verifications tab lists all requests; Approve / Reject buttons call PATCH /api/admin/verifications/:id
- ✓ Approving sets is_verified=true on the profile

Payment Method

- ✓ Business & organiser: SA bank selector (Absa, Capitec, FNB, Nedbank, Standard Bank, etc.), account details form
- ✓ Saved to localStorage (payout processing integration is a future task)

FAQ & Support

- ✓ Accordion FAQ added to business profile tab (7 questions) and organiser settings tab (6 questions)
- ✓ Contact Support link: support@pulsify.co.za

Post Preview

- ✓ Business posts: Preview button opens a preview sheet showing photo grid + caption before publishing
- ✓ Organiser posts: same preview flow

Saved Places (Bookmarks Fix)

- ✓ renderSaved() was showing only a count — now async, fetches real event/business records from Supabase
- ✓ Displays actual cards (image, name, city, price/rating) with unsave button

Admin Permissions Fix

- ✓ loadUsers() now calls /api/admin/users (service key) instead of anon client — fixes RLS permission denied error

Quicket Events Integration

- ✓ GET /api/quicket-events endpoint added — fetches SA events from Quicket API
- ✓ Feed loads Quicket events after first page render

Requires: QUICKET_API_KEY env var in Vercel + domain whitelisted in Quicket developer portal

Scraper Fixes

- ✓ Inline .env loader added — script no longer crashes with 'supabaseUrl is required'
- ✓ Actor IDs corrected: instagram-scraper, tiktok-scraper, facebook-pages-scraper

4. Still To Do / Pending

Quicket API

- Whitelist pulsify-blue.vercel.app in your Quicket developer portal account
- Add QUICKET_API_KEY to Vercel environment variables

Supabase SQL (run once — required for verifications)

```
ALTER TABLE profiles ADD COLUMN IF NOT EXISTS verif_status TEXT DEFAULT 'none';
ALTER TABLE profiles ADD COLUMN IF NOT EXISTS verif_request TEXT;
```

Supabase RLS Policies

- Add RLS policy so authenticated users can read their own profile row (currently blocked for some users)
- Verify post-images storage bucket allows authenticated uploads

Payout Processing

- Payment method currently saved to localStorage only — wire to a real payout provider (Peach Payments, PayFast, etc.)

Scraper Automation

- Scrapers must be restarted manually after each deploy — consider a cron job or Vercel scheduled function

Google Places API

- Not connected (requires \$10 activation) — map uses Supabase data only for now

5. Deploy Procedure

```
1. git pull origin claudenotifications-and-leads-api-97zbp
2. export VT=$(grep VERCEL_TOKEN /workspaces/Pulsify/.env | cut -d= -f2)
&& npx vercel --prod --yes --token=$VT
```

Always deploy from **claudenotifications-and-leads-api-97zbp**. Discard any changes on deploy-temp before pulling.
After deploy: hard-refresh in Firefox or open in Incognito to bypass Chrome cache.

6. Key Services

- Supabase project: `cjzewfvtdayjgdpdmln.supabase.co`
- Vercel: `pulsify-blue.vercel.app`
- Mapbox token: `pk.eyJ1IjoidGhhY29sbGluMilsImEiOiJjbW51Mm95cHEwYm8xMnJyMXEzaXgxMDBmIn0...`
- Apify: social media scraper (Instagram, TikTok, Facebook)
- Quicket: SA events API — domain whitelist required